



FOX CHAPEL BOROUGH

AGENDA **BOROUGH COUNCIL MEETING** **MONDAY, APRIL 21, 2025, at 6 PM**

CALL TO ORDER

APPROVAL OF MINUTES

The meeting was held on March 17, 2025.

Motion to [approve, deny, or approve with conditions] the March 17, 2025, minutes.

RESIDENT COMMENTS

PARK COMMISSION

The meeting was held on Monday, April 14, 2025. Wesley Posvar, Chairperson for the Park Commission, will be present.

Fox Chapel Borough and O'Hara Township Joint Inaugural Trail Run

Fox Chapel Borough and O'Hara Township would like to host their first-ever 2-mile fun run through the beautiful, linked trails and parks in mid-to-late September. The proposed 2-mile event route would begin at O'Hara Township Community Park, utilizing the paved loop, then proceed north to Fay Park, which will connect participants into the Salamander Park loop for a return back to OTCP for the finish.

The Park Commission requests Council's approval to proceed with a joint planning meeting between the two municipalities.

Motion to [approve, deny, or approve with conditions] the inaugural trail run and the joint planning meeting between Fox Chapel Borough and O'Hara Township for an inaugural trail run.

ENVIRONMENTAL ADVISORY COUNCIL

The meeting was held Monday, April 14, 2025. Austin Henry, Chairperson for the EAC, will be present.

Environmental Disturbance Application No. 25-02

120 West Chapel Ridge Road

Michael Howell & Alisa Sumkin

Submitted by Douglas T. Tait, P.E., Tait Engineering Inc.

New Single-Family Dwelling

Motion to [approve, deny, or approve with conditions] Environmental Disturbance Application No. 25-02 as submitted, including the granting of a waiver for a level spreader, a waiver for the disturbance of steep slopes with moderate risk up to 32% where the ordinance limitation is 25%, and contingent upon the following:

- ***Pulling the 84" detention tank back as close to the proposed 1170 contour as possible and the level spreader outlet as close to the 1160 contour as possible.***
- ***Satisfaction of the standard requirements set forth in the LSSE letter dated April 8, 2025.***

Environmental Disturbance Application No. 25-06

Lot 621-P-10 Old Indian Trail

Acri Commercial Realty

Submitted by Matthew B. Schmidt, P.E., Hampton Technical Associates Inc.
New Single-Family Dwelling

Motion to [approve, deny, or approve with conditions] Environmental Disturbance Application No. 25-06 as submitted, contingent upon the following:

- *Adding 5 deciduous hardwood trees to the replanting plan*
- *Ensuring the correction on sheet CW502 on the orifice plate detail of the lower orifice at elevation 1147 is marked as a 0.5" diameter orifice as opposed to the current designation of 6".*
- *Satisfaction of the standard requirements set forth in the LSSE letter dated April 11, 2025.*

POLICE REPORT

Police Report for March 2025

FIRE REPORT

Fire report for March 2025

Total calls: 47 - 29 calls Fox Chapel Borough (2 Aspinwall, 11 O'Hara, 1 Sharpsburg, 1 Pittsburgh, 2 Indiana, and 1 Harmar)

FOXWALL EMS REPORT

EMS Report for March 2025

PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT

The meeting was held March 26, 2025. Betsy Monroe, Chairperson for the PSAC, will present.

PUBLIC WORKS REPORT

ENGINEER REPORT

LSSE Engineer Report for March 2025

TREASURER REPORT

Treasurer Report for March 2025

RATIFICATION OF PAYMENTS

Ratification of Payments for March 2025

Motion to [ratify, deny, or ratify with conditions] the payment of bills for March 2025, General Fund Vouchers 5658 - 5744 in the amount of \$585,853.28.

NEW BUSINESS

Naming Two Private Lanes Off of Fairview Road

Naming two private lanes off of Fairview Road is necessary as a public safety concern, based on the Guidelines adopted by the Borough Council at the May 20, 2024, Council meeting.

Residents at current address numbers 724, 728, 730, 732, 734, 736, and 738 Fairview Road have unanimously agreed to name their private drive, Flower Hill Lane. Allegheny County Address Administration has informed the Borough that there are no issues with this lane name.

Residents at current address numbers 750, 758, 760, 764, and 770 Fairview Road have submitted private lane suggestions to the Borough of Fox Chapel. As the residents could not reach a consensus on names for the lane, they submitted the top choice for each household. The names submitted are:

- Heritage Lane (750 submitted this name, and 764 is in agreement with this name)
- Rhodora Lane (758, 760, and 770 submitted this name)
- Coopers Hawk Lane (764 submitted this name)

Allegheny County Address Administration has informed the Borough that there are no issues with these lane names, as none of the recommended names exist anywhere in the municipality or in the zip code.

Motion to [approve, deny, or approve with conditions] the selected private lane name for current address numbers 724, 728, 730, 732, 734, 736, and 738 Fairview Road to Flower Hill Lane. All households will be issued new address numbers.

Motion to [approve, deny, or approve with conditions] the selected private lane name for current address numbers 750, 758, 760, 764, and 770 Fairview Road to Heritage Lane, Rhodora Lane, or Coopers Hawk Lane. All households will be issued new address numbers.

Resolution No. 710 - Phase III: Fox Chapel Road - Sycamore Run Sanitary Sewer Replacement PA Small Water and Sewer Program Grant Application

Resolution No. 710 designates Gary J. Koehler, Borough Manager, and Shawn M. Peterson, Borough Secretary, as the officials to execute all documents and agreements between the Borough of Fox Chapel and the Commonwealth Financing Authority to facilitate and assist in obtaining the requested grant.

Motion to [adopt, deny, or adopt with conditions] Resolution No. 710.

CONTRACT AWARDS

2025 Roadway Improvement Program Contract No. 25-R01 (Borough of Fox Chapel/Fox Chapel Authority/Township of O'Hara/Borough of Blawnox)

Sealed bids for the contract were received through the Quest Construction Data Network until 11 a.m. on April 3, 2025. The bids received were opened and read aloud. Bid proposals were received from six contractors, with the bid amounts presented in the summary table. The bid tabulation lists the item descriptions and Unit Price Bid for each item for all bids received. As presented in the bid tabulations, Shields Asphalt Paving, Inc., is the apparent low bidder for Contract No. 25-R01 - 2025 Roadway Improvement Program.

In a letter dated April 11, 2025, LSSE recommends the award of the Base Bid and Add Alternate No. F-A1, F-A2, and F-A4 of Contract No. 25-R01 to Shields Paving, Inc., totaling \$1,371,371.00. This amount includes \$14,093.50 for Utility Patches, which respective utility companies will reimburse. Therefore, the total to be paid from the Road Paving Budget will be \$1,357,277.50. The 2025 Contracted Road Construction Budget includes \$1.5 million.

Motion to [award, deny, or award with conditions] the Base Bid and Add Alternate No. F-A1, F-A2, and F-A4 of Contract No. 25-R01 - 2025 Roadway Improvement Program to Shields Paving, Inc., in the total amount of \$1,371,371.00.

SHACOG Purchasing Alliance 2025 Spring Commodities

SHACOG has opened bids for spring and summer commodities. It is recommended that the contracts be awarded to the low bidder in most cases. The primary exception is where the low bidder cannot manufacture to the Borough's specifications, material quality, and availability or where the added travel time to the low bidder's site would more than offset any cost savings.

Motion to [award, deny, or award with conditions] the contracts outlined in the bid tabulation.

Roadway Aggregate Contract 25-RA1

The Borough purchases specific aggregates that SHACOG does not bid. Bids were advertised, and two bids were received and opened on Monday, April 14, 2025, from Allegheny Mineral Corporation and Lindy Paving at 10 a.m. at the Borough Building for various limestone, R-8 RipRap, various gravel, mason sand, and fill sand as required by the Borough from May 1, 2025, to April 30, 2026.

Motion to [award, deny, or award with conditions] the Roadway Aggregate Contract 25-RA1 to Lindy Paving as the low bidder for No. 2A Limestone and AASHTO No. 57 Gravel, as highlighted in the bid tabulation.

Motion to [award, deny, award with conditions] the Roadway Aggregate Contract 25-RA1 to Allegheny Mineral Corporation as the low bidder for No. 57 Limestone, No. 1 Limestone, R8 RipRap, AASHTO No. 8 Limestone, No.8 Pea Gravel, Fine Mason Sand, and Fill Sand, as highlighted in the bid tabulation. It is recommended to award No. 2A Limestone to Allegheny Mineral Corporation also depending on the material availability.

CivicPlus Agenda Meetings Management and Municipal Website Upgrade

The Borough of Fox Chapel was set to budget for website upgrades in 2026. Borough staff met with members from CivicPlus's Agenda Meetings Management team and Municipal Website team to discuss the benefits of upgrades.

Borough staff recommends upgrading the website and implementing CivicPlus Agenda Meetings Management due to the streamlining and automated agenda creation process. This will save staff time, improve visibility for staff and residents, provide a central location for all meeting documents, both internally and publicly, improve communications and transparency, and be user-friendly and meet accessibility requirements.

Motion to [award, deny, or award with conditions] the Agenda Meetings Management and Municipal Website Upgrade to CivicPlus via the GSA Contract GS-35F-0124U at \$20,627.25. \$4,125.45 will be paid in 2025 with the remaining \$16,501.80 to be paid in 2026.

ENVIRONMENTAL REPORTS

Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

Household/ Small Business Hazardous Waste Collection Program Quarter 1 Report

EXECUTIVE SESSION - Personnel Matter

ADJOURNMENT

FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 3/1/25 12:00:00 AM TO 3/31/25 11:59:00 PM

INCIDENT REPORTS		ARRESTS	
TYPE OF REPORT	Total	Violation Type	Total Arrests for Violation Type
9-1-1 Hang Up	1		
Accident/Non-Reportable	3	Total Number of Offenses Cleared by Arrest	0
Accident/Reportable	1		
Administrative Report - Information Request	6	Total Number of Persons Arrested	0
Animal Complaint	5		
Animal Complaint - Dog Bite Report	3		
Animal Complaint - Injured/Deceased Deer	3		
Assist Other Agency	10	Citation Type	MARCH
Assist Person	6	Traffic-Filed	30
Assist Resident	2		
Burglar Alarm-Business	1	Warning Notice	10
Burglar Alarm-Residence	34		
Burglary-Residence	1	Total	40
Disabled Vehicle	3		
Domestic Disturbance	1		
EMS Call	24		
Fire Alarm-Business	2		
Fire Alarm-Residence	13		
Fire Call	6		
Found Property	1		
Fraud	1		
Harassment by Communication	1		
Hazardous Conditions	1		
Identity Theft	1		
Intox Driver Report	1		
Local Ordinance Violations- Noise Complaint-	1		
All Other			
Lockout- Residential/Building	1		
Lost Dog	1		
Lost/Found	1		
Mental Health	1		
Missing Juvenile	1		
Parking Complaint	16		
PFA Service	1		
Police Detail	1		
Police Detail - Fingerprint	1		
Police Detail - House Watch	2		
Police Info	1		
Power Line Fire	1		
Property Damage	3		
Road Hazard	6		
Solicitor Complaint	1		
Suspicious Incident	1		
Suspicious Vehicle	7		
Traffic Complaint	10		
Traffic Post	20		
Traffic Stop	2		
Traffic/Security Post	1		
Tree Down	1		
Utility Complaint	1		
Welfare Check	2		
Wires Down	3		
Total	218		

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Priority	Further Info
2025-03-02 02:29:28	03:25	06:44	927 FIELD CLUB RD	btwn WOODVALLEY DR and SHADOW RIDGE DR, 40.528963, -79.859159	FOX	CO ALARM - NO SYMPTOMS - E3	F2	CALL INTO THE STATION//NO MED PROBLEMS
2025-03-02 09:05:42	No Acknowledgement	Cancelled	ALL AMERICAN EVENT	at 101 FREEPORT RD, ASP, btwn WESTERN AVE and CENTER AVE, 40.490788, -79.907323	ASP	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANY CALLER STATEMENT: ALARMCAD RESPONSE: F1 DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING) SUFFIX: G (GENERAL/FIRE) SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4127826107 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A COMM
2025-03-03 18:38:27	04:58	02:24	FIELD CLUB RD/POWERS RUN RD	<700/ 1500>, BETWEEN POWERS RUN AND TIMBER RIDGE, 40.518943, -79.862680	OHA	GAS/ODOR - OUTSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDE CALLER STATEMENT: ODOR OF GAS OUTSIDE CAD RESPONSE: F2 DISPATCH CODE: 60B03 (OUTSIDE ODOR (OTHER/UNKNOWN SOURCE)) SUFFIX: O (ODOR

								ONLY) SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 4. IT IS NOT KNOWN WHERE THE LEAK IS COMING FROM, BUT THERE IS AN ODOR. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE SMELLED ONLY. 5. NO ONE IS REPORTEDLY SICK OR INJURED. 6. IT IS NOT KNOWN WHICH GAS COMPANY PRO
2025-03-04 12:28:41	02:52	06:27	211 TIMBER RIDGE RD	btwn TIMBER CT and END, 40.524246, -79.861232	OHA	GAS/ODOR - OUTSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDE CALLER STATEMENT: SLIGHT SMELL OF NATURAL GAS OUTSIDE CAD RESPONSE: F2 DISPATCH CODE: 60B03 (OUTSIDE ODOR (OTHER/UNKNOWN SOURCE)) SUFFIX: O (ODOR ONLY) SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. IT IS NOT KNOWN WHERE THE LEAK IS COMING FROM, BUT THERE IS AN ODOR. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE SMELLED ONLY. 5. NO ONE IS REPORTEDLY SICK OR INJURED. 6. THE GAS COMPANY IS: PEOP

2025-03-05 05:22:47	04:49	08:59	99 STATE ROUTE 28 NB	btwn STATE ROUTE 28 NB RAMP and ROUTE 910 RAMP, 40.517564, -79.853468	OHA	CRASH - TRAPPED/PINNED	F0	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: FORD REPORTING A FRONTAL CRASH W/ ROLLOVER AT THIS PHASE 2 LOCATIONCAD RESPONSE: F1DISPATCH CODE: 77C01 (INJURIES WITH HAZARD)SUFFIX: T (TRAPPED/PINNED VICTIM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. ONE PERSON IS TRAPPED OR PINNED. 7.
2025-03-07 05:24:14	04:31	07:27	440 DORSEYVILLE RD	btwn GLEN BROOK DR and HEMLOCK HOLLOW RD, 40.519566, -79.912799	FOX	GAS/ODOR - OUTSIDE	F2	PD REPORTING STRONG ODOR OF GAS OUTSIDE IN THE AREA BETWEEN 436-440 DORSEYVILLE RD
2025-03-07 15:06:41	02:56	02:02	PITTSBURGH FIELD CLUB	at 121 FIELD CLUB RD, FOX, MAIN CLUB HOUSE, btwn WOODCLIFF RD and HICKORY HILL RD, 40.513113, -79.889895	FOX	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 3//BA 3

								4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129638500 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: KELLY CARO 4127211087 6. THE INC
2025-03-08 16:25:19	02:06	05:06	POWERS RUN RD/FIELD CLUB RD	<1500/ 700>, 40.518943, -79.862680	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: VEH VS TELEPHONE POLE/ POLE STARTING TO FALLCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED.
2025-03-08 17:15:43	No Acknowledgement	00:39	219 E WALDHEIM RD	btwn ALPINE CIR and ALPINE CIR, 40.493138, -79.893116	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM PRIVATE CALLERCALLER STATEMENT: SMOKE ALARM IS GOING OFF//NOT CO2 ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 2. THE CALLER IS ON SCENE (1ST PARTY). 6. A MULTI-STORY STRUCTURE IS INVOLVED: 2 8. IT IS NOT

							KNOWN WHAT CAUSED THE ALARM, 9, THERE ARE PEOPLE INSIDE. 1, THIS IS A PRIVATE CALLER. 3, IT IS A SMOKE DETECTOR ALARM. 4. THE AREA OR ZONE/ROOM ACTIVATED IS: U
2025-03-09 06:43:08	05:14	08:06	FOX CHAPEL PRESBYTERIAN CHURCH	at 384 FOX CHAPEL RD, FOX, btwn FIELD CLUB RD and EVERGREEN RD, 40.514249, -79.878486	FOX	FIRE - COMMERCIAL	1A Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: SMOKE OR STEAM COMING FROM THE ANNEX NOT CONNECTED TO THE CHURCHCAD RESPONSE: FODISPATCH CODE: 69D03 (COMMERCIAL/INDUSTRIAL BUILDING)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 2 5, NO HAZARDOUS MATERIALS ARE REPORTED, 2. SMOKE IS VISIBLE. 4. THE INCIDENT INVOLVES A COMMERCIAL/INDUSTRIAL BUILDING. 6. NO INCIDENTS REPORTED.
2025-03-10 09:39:44	02:57	02:43	156 NORTH DR	btwn FOX CHAPEL RD and SOUTH DR, 40.511654, -79.874517	FOX	FIRE ALARM - RESIDENTIAL	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARM ZONE 992CAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 992 4. THE

							PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129671992 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: CARL KOEN 6. THE INCIDENT INVOLVES A SINGL
2025-03-10 18:25:25	05:04	13:19	BERKSHIRE DR/BUCKINGHAM RD	<603/ 309>, 40.507666, -79.901242	FOX	GAS/ODOR - OUTSIDE	F2 Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER STATEMENT: CALLER SMELLS GAS OUTSIDE, GREEN POST HAS BEEN KNOCKED OVER NEAR THERECAD RESPONSE: F2DISPATCH CODE: 60B03 (OUTSIDE ODOR (OTHER/UNKNOWN SOURCE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. IT IS NOT KNOWN WHERE THE LEAK IS COMING FROM, BUT THERE IS AN ODOR, 2. THE PROBLEM IS REPORTEDLY OUTSIDE, 3. THE GAS CAN BE SMELLED ONLY. 5. NO ONE IS REPORTEDLY SICK OR INJUR
2025-03-11 13:19:11	03:08	05:31	126 ROCKWOOD DR	btwn LONG SHADOW CT and END, 40.502620, -79.878844	FOX	FIRE ALARM - RESIDENTIAL	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA UP LINKCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A

								GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: UP LINK 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: FALCON 6. THE INCIDENT INVOLVES A SINGLE-FAMILY
2025-03-11 18:23:26	01:31	Cancelled	110 CHAPEL KNOLL DR	btwn END and FOX CHAPEL RD, 40.549755, -79.884468	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ZONE 51 FOYER SMOKE DETECTORCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 51 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-406-8181 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: EISENGART, JIM 6. THE INCIDE
2025-03-12 08:09:58	02:36	04:41	ETNA EXIT 5 ROUTE 28 SB	at 50 STATE HWY 28 SB, SHP, 40.497003, -79.937153	SHP	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: TWO VEH ACC NO INJCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE

								CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE.
2025-03-12 10:31:53	No Acknowledgement	04:35	202 RED FOX LN	btwn HEMLOCK HOLLOW RD and END, 40.505959, -79.886046	FOX	FIRE - BRUSH / MULCH	F2	Fire ProQA recommends dispatch at this time, CC TEXT: BRUSH/GRASS FIRECALLER STATEMENT: CALLER REPORTING THAT WOODS ARE ON FIRECAD RESPONSE: F1DISPATCH CODE: 82C03 (SMALL BRUSH/GRASS FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THIS IS A BRUSH/GRASS FIRE. 3. IT IS NOT KNOWN WHAT SIZE OF AN AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.
2025-03-12 17:31:57	05:11	08:16	STATE ROUTE 28 SB RAMP/HIGHLAND PARK BRG	<0/ 0>, 40.492660, -79.910211	OHA	CRASH - INJURIES	F1	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 3 VEH PILEUP, NO INJURIES, TOWS NEEDED CAD RESPONSE: F0DISPATCH CODE: 77D03 (MULTI-VEHICLE PILE-UP)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE

								INCIDENT INVOLVES A MULTI-VEHICLE PILE-UP. 3. MORE THAN TWO VEHICLES ARE INVOLVED: 3 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED.
2025-03-15 00:36:19	No Acknowledgement	Cancelled	DELAFIELD RD/4TH ST	<231/ 702>, 40.491767, -79.896965	PGH	CRASH - UNKNOWN	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CAR ACCCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (4TH PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS THRO
2025-03-16 12:48:55	02:33	Cancelled	DELAFIELD RD/VALLEY DR	<700/ 97>, 40.493802, -79.896557	FOX	WIRES - HOT (ENERGIZED)	F2	CALLER REPORTING A TREE CAME DOWN AND THE POWER LINES ARE DOWN ALSO.Fire ProQA recommends dispatch at this time, CC TEXT: POWER LINES/WIRES DOWNCALLER STATEMENT: TREE DOWN WITH WIRESCAD RESPONSE: F2DISPATCH CODE: 55B02 (POWER LINES/WIRES DOWN WITHOUT FIRE/SMOKE OR ARCING)SHORT KEY

								QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. THERE ARE POWER LINES/WIRES REPORTED AS DOWN. 3. NEITHER FLAMES NOR SMOKE ARE VISIBLE. 5. NO ONE IS REPORTED T
2025-03-16 12:50:15	01:13	05:37	428 FOX CHAPEL RD	btwn FAIRWAY LN and INDIAN HILL RD, 40.520931, -79.879258	FOX	WIRES - HOT (ENERGIZED)	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: TRANSFORMER EXPOLDER//GROUND ON FIRECAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SUFFIX: W (WATER INVOLVED WITH/NEAR HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 7. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS INVOLVED. 3. BOTH SMOKE AND FLAMES ARE VISIBLE. 4. THE FLAMES ARE OUTSIDE. 5. THE FIRE IS NOT
2025-03-16 12:56:43	02:50	Cancelled	1 REPUBLIC AVE	btwn INDIANOLA RD and HILL AVE, 54 ft S, 40.568095, -79.859765	IND	FIRE - RESIDENTIAL	2A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: HOUSE ON FIRE--SEES SMOKECAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 2 2. SMOKE IS

								VISIBLE. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 5. NO INCIDENTS REPORTED.
2025-03-16 13:54:23	00:14	Cancelled	POWERS RUN RD/YORKSHIRE DR	<1600/ 100>, 40.522657, -79.867732	OHA	FIRE - TRANSFORMER	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: TRANSFORMER EXPLODEDCAD RESPONSE: F2DISPATCH CODE: 55B04 (TRANSFORMER WITH FIRE/SMOKE OR ARCING)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 6. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS INVOLVED. 3. FLAMES ARE VISIBLE. 4. THE FLAMES ARE OUTSIDE. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT. 7. NO ONE IS REPORTED TO BE INJURED. 8. T
2025-03-16 14:14:07	No Acknowledgement	00:03	FAIRVIEW RD/FOX CHAPEL RD	<200/ 920>, 40.529909, -79.875470	FOX	FIRE - TRANSFORMER	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: TRANSFORMER BLEW UP CAD RESPONSE: F2DISPATCH CODE: 55B04 (TRANSFORMER WITH FIRE/SMOKE OR ARCING)SUFFIX: C (BRUSH/GRASS)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 7. IT IS NOT KNOWN IF ANYONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS

								INVOLVED. 3. BOTH SMOKE AND FLAMES ARE VISIBLE. 4. THE FLAMES ARE OUTSIDE. 5. BRUSH/GRASS IS BEING THREATENED BY THE F
2025-03-16 14:29:33	No Acknowledgement	01:16	FCASD FOX CHAPEL HIGH SCHOOL	at 611 FIELD CLUB RD, OHA, ON FIELD CLUB DRIVE, btwn CROFTON DR and TIMBERLANE DR, 40.518099, -79.868674	OHA	FIRE - UNCATEGORIZED	F3	Fire ProQA recommends dispatch at this time, CC TEXT: OUTSIDE / OTHER FIRES CALLER STATEMENT: TREE ON FIRE CAD RESPONSE: F2DISPATCH CODE: 67B01 (SMALL OUTSIDE FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 6. NO HAZARDOUS MATERIALS ARE REPORTED. 2. THIS IS AN OUTSIDE FIRE. 3. A SMALL AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.
2025-03-16 16:52:30	02:41	Cancelled	105 BUCKINGHAM RD	btwn GUYASUTA RD and JAMES ROSS PL, 40.500937, -79.901592	FOX	WATER CONDITION INSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SERVICE CALL CALLER STATEMENT: 2 WATER TOWERS LEAKING CAD RESPONSE: F3DISPATCH CODE: 53A06 (WATER PROBLEM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THERE ARE NOT ANY APPARENT ELECTRICAL HAZARDS PRESENT. 2. ASSISTANCE IS NEEDED FOR A WATER PROBLEM. 3. NO ONE IS REPORTEDLY SICK OR INJURED.
2025-03-18	06:41	06:46	148 RIDING TRAIL LN	btwn HUNT RD and HUNT RD,	FOX	CO ALARM - NO SYMPTOMS - E3	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM

09:48:01				40.517259, -79.901061				MONITORING COMPANYCALLER STATEMENT: CO ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: C (CARBON MONOXIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A CARBON MONOXIDE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: UTILITY ROOM Z 45 AND LAUNDRY Z 33 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 7178910029 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE
2025-03-18 13:56:18	02:57	05:07	2 EDGEMOOR LN	btwn DORSEYVILLE RD and END, 40.534645, -79.906672	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: GARAGE HEAT AND 2ND FLOOR RIGHT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 724 602 6644 5. THE NAME OF THE BUSINESS/RESIDENT/OWNE

2025-03-19 07:43:43	00:05	02:33	GET GO GAS OHA	at 1081 FREEPORT RD, OHA, btwn FREEPORT RD RAMP and OLD FREEPORT RD, 40.487940, -79.883729	OHA	FIRE - VEHICLE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: DELIVERY VEHICLE FIRECAD RESPONSE: F1DISPATCH CODE: 71C03 (DELIVERY VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE VEHICLE IS NOT INSIDE A BUILDING/STRUCTURE. 3. A DELIVERY VEHICLE IS INVOLVED. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.
2025-03-19 15:33:34	05:01	Cancelled	751 DORSEYVILLE RD	btwn HODIL TER and FOX CHAPEL RD, 40.549995, -79.901163	IND	FIRE - BRUSH / MULCH	F2	DIRECT CALL FROM PD FOR A BRUSH FIRE ABOUT 30 YARDS SQUARE
2025-03-19 16:11:55	No Acknowledgement	01:32	1080 FOX CHAPEL RD	btwn HIGHLAND RD and GREENWOOD RD, 40.535173, -79.873468	FOX	CRASH - HAZARDS	F1	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: TREE FELL OVER ONTO COMP'S VEH WHILE DRIVINGCAD RESPONSE: F3DISPATCH CODE: 77A02 (NO INJURIES WITH HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. IT WAS C

2025-03-19 20:19:52	03:32	01:23	233 CORNWALL DR	btwn HOLLAND DR and WORTHINGTON RD, 40.509496, -79.864525	OHA	FIRE - RESIDENTIAL	1A	WIRES AT THE MAIN WATERLINE SHUT OFF IN THE BASEMENT WERE THROWING VERY BIG SPARKS, ABOUT 2 FT HIGH / DUQ LIGHT ADV HE CALL USFire ProQA recommends dispatch at this time, CC TEXT: APPLIANCE WITHOUT ODORCALLER STATEMENT: WIRES AT THE MAIN WATERLINE SHUT OFF IN THE BASEMENT WERE THROWING VERY BIG SPARKSCAD RESPONSE: F2DISPATCH CODE: 55B01 (ELECTRICAL ARCING)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE CALLER IS REPORTING AN APPLIANCE WITHOUT ODOR PRESENT. 3. NEITHER FLAMES NOR S
2025-03-20 07:46:16	No Acknowledgement	01:42	1 WOODCLIFF RD	btwn FIELD CLUB RD and END, 40.509844, -79.886707	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA BASEMENT SMOKE DETCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 612-360-3501- 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER

								IS: BRACKEN, MATTHEW AND MEG 6.
2025-03-20 08:04:48	02:42	04:49	12 THE TRILLIUM	btwn TRILLIUM LN and END, 40.523460, -79.899398	FOX	FIRE - VEHICLE	F2	VEHICLE ON FIRE IN THE DRIVEWAY / APPEARS TO BE EXTINGUISHEDFire ProQA recommends dispatch at this time, CC TEXT: VEHICLE FIRECALLER STATEMENT: VEHICLE FIRECAD RESPONSE: F3DISPATCH CODE: 71A01 (VEHICLE FIRE (EXTINGUISHED))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE VEHICLE IS NOT INSIDE A BUILDING/STRUCTURE. 3. A PASSENGER CAR IS INVOLVED. 4. THE FIRE HAS BEEN REPORTED BY THE CALLER AS EXTINGUISHED.

2025-03-20 10:56:13	No Acknowledgement	01:47	716 OLD MILL RD	btwn FAIRVIEW RD and W CHAPEL RIDGE RD, 40.541583, -79.887898	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT SMOKE ZONE 4 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 952 4830 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: YOUNG 6. THE INCIDENT INVOL
2025-03-21 12:23:09	No Acknowledgement	Cancelled	624 WHISPERING PINES DR	btwn WHISPERING PINES LN and WHISPERING PINES LN, 40.533334, -79.888340	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: HALLWAY SMOKE DETECTORCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: HALLWAY 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129679350 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER

								IS: RAJESHWAR KAPOOR 6. THE INCIDENT
2025-03-22 07:47:53	No Acknowledgement	Cancelled	227 HUNT RD	btwn WYNNWOOD DR and SURRY LN, 40.514323, -79.903306	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA ZONE 22 MASTER BEDROOM SMOKECAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: POA ZONE 22 MASTER BEDROOM SMOKE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-448-0749 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER
2025-03-22 13:57:03	01:48	01:39	430 WINTERBERRY LN	btwn LITTLE BRIDGE LN and END, 40.523109, -79.896377	FOX	POSSIBLE FIRE - RESIDENTIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: ODOR (STRANGE/UNKNOWN) INSIDECALLER STATEMENT: SMELLING BURNT RUBBERCAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR OF SMOKE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THE CALLER IS ON SCENE (1ST PARTY). 7. A MULTI-STORY STRUCTURE IS INVOLVED: 3 2. THE ODOR IS REPORTEDLY INSIDE. 3. THE ODOR IS OF SMOKE. 5. THIS

								IS AN ODOR OF SMOKE WITH NOTHING VISIBLE, 6. THE FIRE HAS NOT BEEN REPORTED B
2025-03-22 19:32:07	No Acknowledgement	Cancelled	145 SHADOW RIDGE DR	btwn FOREST HIGHLANDS DR and SHADOW LN, 40.528240, -79.854277	HAR	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: 1ST FLOOR SMOKE DETECTOR ZONE 18CAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 1ST FLOOR ZONE 18 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-389-1416 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN.
2025-03-23 17:01:53	03:10	05:02	HEMLOCK HOLLOW RD/FOX CHAPEL RD	<100/ 346>, SOUTH OR WEST HILL SIDE, 40.503850, -79.883781	FOX	SMOKE OUTSIDE - SEEN OR SMELLED	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SMOKE INVESTIGATION (OUTSIDE)CALLER STATEMENT: SMOKE IN THE AREACAD RESPONSE: F3DISPATCH CODE: 68A01 (LIGHT SMOKE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 5. THE COLOR OF THE SMOKE IS: WHITE SMOKE 2. SMOKE IS VISIBLE. 3. IT IS NOT KNOWN WHERE THE SMOKE IS COMING FROM. 4. THE CALLER IS

								ABLE TO SEE THROUGH THE SMOKE.
2025-03-25 14:18:15	No Acknowledgement	01:31	806 FAIRVIEW RD	btwn SHANNON DR and ELM DR, 412/9136232-GORDON, ALYSSA, 40.542847, -79.898090	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412/9136232 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: ALYSSA GORDON 6. THE INCIDENT INVOLVES A
2025-03-27 18:12:56	No Data	No Data	ALL AMERICAN EVENT	at 101 FREEPORT RD, ASP, btwn WESTERN AVE and CENTER AVE, 40.490788, -79.907323	ASP	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: FIDISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 14 BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-782-6107 5. THE NAME

								OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT
2025-03-28 23:35:46	No Data	No Data	DELAFIELD RD/WOODSHIRE DR	<1099/ 100>, 12 ft SE, 40.497720, -79.889613	OHA	CRASH - INJURIES	F1	Medical ProQA recommends dispatch at this time, 58-YEAR- OLD, MALE, CONSCIOUS, BREATHING.CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: VEH INTO BIKE RIDERCAD RESPONSE: EODISPATCH CODE: 29D02 (HIGH MECHANISM (I THROUGH T))SUFFIX: I (AUTO VS. BICYCLE)SHORT KEY QUESTIONS: 1. THE INCIDENT INVOLVES AN AUTO VS. BICYCLE.

2025-03-29 11:52:28	No Data	No Data	121 1/2 SPRINGHOUSE LN	btwn FOX CHAPEL RD and GLENHAVEN LN, 40.513774, -79.875706	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: SECOND FLOOR HEAT DETECTOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 600 0816 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS:
2025-03-29 13:10:28	No Data	No Data	615 WOODVALLEY DR	btwn FIELD CLUB RD and WOODSTREAM DR, 40.527442, -79.860319	OHA	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: RESIDENTIAL FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 12 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129670181 5. THE NAME OF THE

								BUSINESS/RESIDENT/OWNER IS: PATEL, SUSAN 6. THE INCIDENT INVOLV
2025-03-29 22:53:52	No Data	No Data	121 1/2 SPRINGHOUSE LN	btwn FOX CHAPEL RD and GLENHAVEN LN, PREM 412 600 0816, 40.513774, -79.875706	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARM CO - NO CONTACTCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FIRE 2ND FLOOR HEAT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 724 841 8957 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER
2025-03-31 12:02:05	No Data	No Data	GUYASUTA RD/HEMLOCK HOLLOW RD	<130/ 554>, 40.508991, -79.888222	FOX	CRASH - HAZARDS - E2	F1	PD ON SCENE REPORTING 2 VEH ACCIDENT//2 INJ AND VEH SMOKING
2025-03-31 19:25:39	No Data	No Data	8 SAINT JAMES PL	btwn WINDSOR RD and WINDSOR RD, 40.498163, -79.898356	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM

								ACTIVATED IS: ZONE2 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 260 1014 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: KREMEN, MARTIN 6. THE INCIDENT INVOLVES A S
--	--	--	--	--	--	--	--	--

Municipality	Calls
FOX	29
ASP	2
OHA	11
SHP	1
PGH	1
JND	2
HAR	1
Total	47

Foxwall EMS

March 2025

Council EMS Report

News & Noteworthy

Subscription Drive

2024 Subscriptions
good through April 30th

2025 Subscriptions
May 1st, 2025 – April 30th, 2026
Online Portal is Live!
Mailers coming this month.
No Price Increase from 2025!

Upcoming Events:

Run for the Hill of It
April 27, 2025 – 9am
Registration increases April 20th!



Healthcare Provider CPR
April 12th, 2025 – 9am
At Foxwall EMS

Spring Cleaning & Maintenance

Interior

New high-efficiency LED lights
Garage lights on motion sensor




Exterior

New high-efficiency LED dusk-to-dawn lights.

Woodchips provided by Fox
Chapel Public Works

New annual service plan started
for backup generator




March 2025 – Call Volume

	100	Dispatched 9-1-1 calls (including STAT trips)
+	81	Non-emergency transports
=	181	Total requests for service

Priority	Count
E0	10
E1	22
E2	21
E3	9
E4	33
NET	81
STAT Trip	5
Grand Total	181

March 2025 - Dispatched 911 Calls

Municipality	Count
Fox Chapel	50
Aspinwall	18
O'Hara	11
Pittsburgh	7
Indiana	4
Shaler	2
Blawnox	2
Sharpsburg	1
Verona	1
Springdale	1
Harmar	1
Etna	1
Cheswick	1
Grand Total	100



Patient Category	Count
Other	17
Fall Victim	16
Sick Person	12
Breathing Problems	10
Stand By	7
Traffic Accident	6
Stroke/CVA	5
Unconscious / Fainting	4
CO Poisoning / Hazmat	3
Transfer / Interfacility	3
Convulsions / Seizure	3
Abdominal Pain	2
Altered Mental Status	2
Unknown Problems	2
Hemorrhage/Laceration	2
Trauma, Adult	1
Chest Pain	1
Cardiac Arrest - Medical	1
Seizure	1
Back Pain	1
Lift Assist Only	1
Grand Total	100

March 2025 – Dispatched 911 Calls


Why were we called? (by municipality)

Aspinwall	18	Fox Chapel	50
Fall Victim	4	Other	15
Stroke/CVA	2	Fall Victim	10
Other	2	Stand By	7
Traffic Accident	2	Sick Person	4
Abdominal Pain	2	Breathing Problems	3
Sick Person	1	Traffic Accident	2
Breathing Problems	1	Unconscious / Fainting	2
Cardiac Arrest - Medical	1	CO Poisoning / Hazmat	2
Convulsions / Seizure	1	Convulsions / Seizure	1
Seizure	1	Trauma, Adult	1
Hemorrhage/Laceration	1	Lift Assist Only	1
		Unknown Problems	1
		Back Pain	1

Blawnox	2	Pittsburgh	7
Stroke/CVA	1	Transfer / Interfacility	3
Sick Person	1	Stroke/CVA	2
Cheswick	1	Altered Mental Status	1
Fall Victim	1	Sick Person	1
Etna	1	Shaler	2
Sick Person	1	CO Poisoning / Hazmat	1
Harmar	1	Breathing Problems	1
Convulsions / Seizure	1	Sharpsburg	1
Indiana	4	Traffic Accident	1
Sick Person	2	Springdale	1
Traffic Accident	1	Fall Victim	1
Breathing Problems	1	Verona	1
O'Hara	11	Breathing Problems	1
Breathing Problems	3		
Sick Person	2		
Unconscious / Fainting	2		
Altered Mental Status	1		
Unknown Problems	1		
Chest Pain	1		
Hemorrhage/Laceration	1		

Responses Times By Dispatch

Response Time (in minutes) <i>Dispatched to Arrival (On Scene)</i>	Min	Average	Max
Aspinwall	0:05	0:07	0:10
E0	0:07	0:07	0:07
E1	0:05	0:07	0:10
E2	0:06	0:07	0:10
E3	0:08	0:09	0:10
E4	0:10	0:10	0:10
Fox Chapel	0:00	0:07	0:13
E0	0:08	0:08	0:10
E1	0:00	0:05	0:09
E2	0:02	0:07	0:12
E3	0:05	0:07	0:09
E4	0:02	0:07	0:13
Average (Primary Area)	0:07		



Response Time (in minutes) <i>Dispatched to Arrival (On Scene)</i>	Min	Average	Max
Blawnox	0:07	0:08	0:09
E1	0:09	0:09	0:09
E2	0:07	0:07	0:07
Cheswick	0:06	0:06	0:06
E1	0:06	0:06	0:06
Etna	0:14	0:14	0:14
E3	0:14	0:14	0:14
Harmar	0:14	0:14	0:14
E2	0:14	0:14	0:14
Indiana	0:11	0:13	0:16
E2	0:11	0:11	0:11
E3	0:16	0:16	0:16
O'Hara	0:03	0:06	0:09
E1	0:03	0:06	0:09
E2	0:06	0:06	0:06
Pittsburgh	0:08	0:10	0:11
E2	0:10	0:10	0:10
STAT Trip	0:08	0:10	0:11
Shaler	0:11	0:11	0:11
E1	0:11	0:11	0:11
Sharpsburg	0:09	0:09	0:09
E1	0:09	0:09	0:09
Springdale	0:16	0:16	0:16
E4	0:16	0:16	0:16
Average (Mutual Aid)	0:09		

Highest Priority



Lowest Priority



FOXWALL
EMERGENCY MEDICAL SERVICE

Disposition (Outcomes) - 911

Disposition (Outcome)	Count
Treated, Transported ALS	28
Cancelled	23
Transported	10
Standby - Fire	9
Treated, Transported BLS	9
Lift Assist, No Patient Transported	7
Cancelled, On Scene	5
Standby Only	2
Refused	2
Scheduled Transport	1
False Call	1
No Patient Found	1
Fire Call - Incident	1
No Treatment Required	1
Grand Total	100

What were the outcomes
of our responses?

Typically billable	48
Sometimes billable	10
Not billable	42

How often is a 911
response compensated?



Questions?

Benjamin Shopland, MHA, NPR, FP-C (he/him)
Chief of EMS

Foxwall Emergency Medical Services

749 Hemlock Hollow Rd.

Pittsburgh, PA 15238

main: (412) 963-6611 ext 1001

cell: (724) 840-9653

shopland@foxwall.org

MEMO

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: April 16, 2025

FROM: Kevin A. Brett, P.E.

S. O. NO.: 424-001

cc:

SUBJECT: **Monthly Engineer's Report
April 21, 2025 Meeting**

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** Borough was awarded \$51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of \$70,700.00. LSSE issued Partial Payment No. 3 (Final) in the amount of \$28,778.90 on March 12, 2025. This closes out the Contract.
2. **2025 Roadway Improvements:** LSSE is preparing final OPC, advertisement, bid documents and specifications. Utility notification letter was issued March 12, 2025. Bid Opening was held April 3, 2024, at 11:00 AM. Bid Results are outlined in the following table:

BASE BID			
ROADWAY	FROM	TO	BID AMOUNT
Twin Pine Road	Berkshire Drive	Cul-De-Sac	\$1,052,262.50
Twin Pine Court	Twin Pine Road	Cul-De-Sac	
Meadowood Drive	Edgewood Road	Cul-De-Sac	
Rutledge Drive	Valley Drive	Borough Border	
Evergreen Road	Fox Chapel Road	Cul-De-Sac	
Nantucket Drive	Fairview Drive	Cul-De-Sac	
Settler's Ridge Road	Dorseyville Road	Cul-De-Sac	
Deer Springs Lane	Hemlock Hollow Road	Cul-De-Sac	
Poplar Drive	Dorseyville Road	Cul-De-Sac	
Trillium Lane	Old Mill Road	Gatehouse	
Mill & Paves	Various Locations	Various Locations	
Long Meadow Drive	Fox Chapel Road	Spring Valley Lane	
Long Meadow Drive	Pavement Joint	Pleasant View Lane	

ADD ALTERNATES			
ROADWAY	FROM	TO	AMOUNT
Woodland Farms Road	Fox Chapel Road	Cul-De-Sac	\$252,555.00
Woodland Farms Court	Woodland Farms Road	Dead End	\$52,460.00
Hill N' Dale Trail	Crawford Lane	Old Mill Road	\$66,700.00
*FCB Utility Patches	Various	Various	\$14,093.50

*To Be Reimbursed by Utility Owners

LSSE issued Bid Report dated April 11, 2024, for Fox Chapel Borough's portion of the Contract; based on discussion with the Borough, we recommend the award of the Base Bid, and Add Alternate Nos. F-A1, F-A2 and F-A4 of Contract No. 25-R01 – 2025 Roadway Improvement Program to Shields Asphalt Paving, Inc. in the total amount of \$1,371,371.00. Please note that this amount includes \$14,093.50 for Utility Patches which will be reimbursed by respective utility companies. Therefore, total to be paid out of the Road Paving Budget will be \$1,357,277.50.

3. **Hardie Valley Park Storm Water Conceptual Planning:** CFA-LSA Grant awarded in the amount of \$474,170.00. LSSE submitted NPDES and Joint Permit on January 23, 2025. ACCD provided review comments on NPDES permit, comments require geotechnical investigation on embankment of improvement. LSSE issued **Geotechnical RFP Summary Report** on March 24, 2024. After review of the proposals received, it was suggested that geotechnical work be awarded to ACA Engineering, in the amount of \$8,452.50. ACA contracted to complete geotechnical work.
4. **McCahill Park Improvements:** The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. LSSE prepared revised grading plan to address site conditions and addition of a 6" underdrain tie in, provided to Contractor on October 28, 2024. Contractor submitted a Change Order for work completed which is under review by Borough. LSSE transmitted NPDES Permit Amendment to the Borough for execution on December 12, 2024. LSSE submitted NPDES Permit Amendment on January 14, 2025. NPDES Permit Amendment comments received from PaDEP on March 14, 2024; LSSE issued response letter dated March 25, 2024.
5. **Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1:** LSSE issued Bid Report dated August 9, 2024, recommending award to FMS Construction Company in the amount of \$567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3). LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. LSSE transmitted Change Order No. 1, prepared to adjust the contract amount for costs associated with floor type changes at Room 111 and deduct of Add Alternate No. 3 (-\$1,675.00) to the Borough on November 22, 2024. Construction is ongoing. Work anticipated to be completed by end of December, 2024. Progress meeting was held December 19, 2024. Work is ongoing. Completion anticipated in approximately one month. LSSE transmitted **Partial Payment No. 5 (revised)** on February 12, 2025. Contractor is currently addressing minor outstanding items. LSSE to coordinate final payment and closeout for May regular meeting.

6. **Contract No. 24-TS01 2024 - Traffic Signal Improvements:** LSSE transmitted Bid Report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of \$489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. A field meeting was held for November 14, 2024 to establish the location of poles to be installed. LSSE issued shop drawing letter dated December 31, 2024. LSSE is preparing final ADA ramp designs and coordinating plans with PennDOT.
7. **Dorseyville Fire Station Improvements:** Local Share Account (LSA) Grant Application was submitted November 30, 2024. LSSE transmitted copy of grant application package to the Borough on December 4, 2024. Pending grant determination.

Municipal Separate Storm Sewer System (MS4)

1. LSSE uploaded Permit Renewal to DEP on February 6, 2023. 2024 Annual Report has been submitted to PaDEP. PaDEP inspection is anticipated by early 2025. Meeting held with Borough Staff on November 20, 2024 in anticipation of PaDEP inspection. PaDEP issued Draft Permit to the Borough on December 19, 2024. Final Permit was issued on March 10, 2025. **MS4 inspection held April 9, 2025, no violations were noted.**
2. Draft General Permit has been issued by DEP and is currently out for review and comment. Comments are due to DEP by March 19, 2025. Draft permit indicates NOI due to DEP September 2026 and Volume Management Plan (VMP) is due September 2028 in draft document. LSSE is reviewing draft permit and will have draft memo of all changes / requirements in the new permit. LSSE to provide memo to Borough. LSSE to submit question to PADEP relative to impact on Individual Permits LSSE transmitted MS4 General Permit Update memo to the Borough on March 12, 2025.
3. **Olde Chapel Trail Stormwater Evaluation:** Memo and Plan were provided to the Borough.
4. **PRP Plan:**
 - A. **Stream Restoration (Hemlock Hollow Road):** Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.
 - B. **Current PRP Status:** LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project. PaDEP issued letter on December 19, 2024 acknowledging PRP has been completed in accordance with PRP/Permit requirements.

Planning Commission Applications:

- None this month.

Environmental Advisory Council Applications:

- EAC 25-02, 120 West Chapel Ridge: LSSE issued review letter dated April 8, 2025.
- EAC 25-06, Old Indian Trail: LSSE issued review letter dated April 1, 2025.

Stormwater Management Plans:

- None this month.

Sanitary Sewers:

- LSSE working on Engineering Services relating to the ACO:
 - **O/M and GROW:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers.*
 - 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A).
 - The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road.
 - Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. ALCOSAN requested additional information for the GROW Applications. LSSE transmitted letter to ALCOSAN indicating the Borough's intent to submit a GROW application for Cycle 10 for the 2023 Lining Program (excludes 2024 Hemlock Hollow Lining due to post construction flow monitoring costs).
 - Lining completed on Old Mill Road was combined with the Old Mill Road Sanitary Sewer Replacement project for a second GROW Cycle 10 application. LSSE transmitted draft resolution for use in GROW Grant Application to the Borough on November 26, 2024. GROW Grant Application submitted on January 10, 2025. **GROW Grant awarded for the 2023 Sanitary Sewer Lining Repair project in the amount of \$50,300.00 (16% Award).**
 - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution. Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024. **O&M ongoing and Progress Reports due June of each year.***
 - **Sycamore Run Flow Monitor:** *Permanent meter is being monitored and data transmitted to ALCOSAN and utilized in GROW grant applications.*

Other Flow Monitor Installations: Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024. LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications. MM-L-09 is still installed and data is being collected for previously submitted GROW Grant applications.

- **Interceptor H&H Model Update:** A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete. **This model was utilized for the Old Mill upgrades, for GROW Grant Applications, and for current/future sanitary sewer projects.**
- **ALCOSAN Regionalization:** Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months. **No Change.**
- **Shady Lane / Delafield Stream Removal Project:** The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023. **No Change.**
- **Phase I: Old Mill Road - Sycamore Run Sanitary Sewer Replacement:** PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete. This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. **GROW Grant awarded for Phase I and Phase II in the amount of \$238,800.00 (19% Award).**

- **Phase II: Hemlock Hollow - Sycamore Run Sanitary Sewer Replacement:** *PaDEP General Permit Nos. 8 and 11 submitted on October 25, 2024 and approved January 17, 2025. Issued February 14, 2025.*
- **Phase III: Fox Chapel Road - Sycamore Run Sanitary Sewer Replacement:** *PA Small Water and Sewer Grant Application being prepared for submission by April 30, 2025. A resolution has been drafted for Borough action.*
- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024. LSSE provided Sycamore Run flow data to ALCOSAN.*
- **2024 Sanitary Sewer Repairs Which are Being Completed by Public Works:**
 - Wynnwood Drive: *Plans provided to Borough (no permit required).*
 - Hunt Road Site: *PaDEP GP-3 Permit issued 12/12/24.*
 - Silent Run Road: *PaDEP GP-3 Permit issued on November 8, 2024.*
 - Boy Scout Camp: *PaDEP GP-3 Permit issued on September 26, 2024. Work complete.*



FOX CHAPEL
BOROUGH

RESOLUTION NO. 710

Be it RESOLVED, that the BOROUGH OF FOX CHAPEL of ALLEGHENY COUNTY is requesting a PA Small Water and Sewer grant in the amount of \$469,400.00 from the Commonwealth Financing Authority to be used for the Phase III: Fox Chapel Road - Sycamore Run Sanitary Sewer Replacement project.

Be it FURTHER RESOLVED, that the Applicant does hereby designate Mr. Gary J. Koehler, Borough Manager, and Shawn M. Peterson, Secretary, as the officials to execute all documents and agreements between the BOROUGH OF FOX CHAPEL and the Commonwealth Financing Authority to facilitate and assist in obtaining the requested grant.

I, Shawn M. Peterson, duly qualified Secretary of the BOROUGH OF FOX CHAPEL, Allegheny County, Pennsylvania, hereby certify that the foregoing is a true and correct copy of a Resolution duly adopted by a majority vote of the BOROUGH OF FOX CHAPEL at a regular meeting held April 21, 2025, and said Resolution has been recorded in the Minutes of the BOROUGH OF FOX CHAPEL and remains in effect as of this date.

IN WITNESS THEREOF, I affix my hand and attach the seal of BOROUGH OF FOX CHAPEL, this 21st day of April 2025.

BOROUGH OF FOX CHAPEL

(Name of Applicant)

ALLEGHENY COUNTY

(County)

SHAWN M. PETERSON, SECRETARY

April 11, 2025

S. O. Nos. 424-2025/445-2025/633-2025

VIA EMAIL ONLY

**(gkoehler@fox-chapel.pa.us / jjakubec@ohara.pa.us /
rverbanic@foxchapelwater.com / kulanowicz@blawnox.net)**

Mr. Gary J. Koehler, Manager
Borough of Fox Chapel
401 Fox Chapel Road
Pittsburgh, Pennsylvania 15238

Ms. Julie A. Jakubec, CPA, Manager
Township of O'Hara
325 Fox Chapel Road
Pittsburgh, Pennsylvania 15238

Mr. Ryan Verbanic, Manager
Fox Chapel Authority
255 Alpha Drive
Pittsburgh, Pennsylvania 15238

Ms. Kathy Ulanowicz, Borough Manager
Borough of Blawnox
376 Freeport Road
Blawnox, Pennsylvania 15238

**Subject: Contract No. 25-R01
 2025 Roadway Improvement Program
 Borough of Fox Chapel / Fox Chapel Authority / Township of O'Hara / Borough of Blawnox
 Bid Report**

Dear Mss. Jakubec and Ulanowicz and Messrs. Koehler and Verbanic:

In accordance with the Advertisement, sealed bids for the subject contract were received through the Quest Construction Data Network (QuestCDN) until 11:00 AM on April 3, 2025. The bids received were opened and read aloud. No addenda issued for this contract.

Prior to the bid opening, six contractors requested proposal bid forms. Bid proposals were received from six contractors for Contract No. 25-R01 – 2025 Roadway Improvement Program with the bid amounts as presented on the attached summary table.

Per the Instructions to Bidders, bid bond companies were checked and are listed on the U.S. Treasury Circular 570.

In accordance with Section B.3 of the Instructions to Bidders, using the bid quantities and contractors bid unit prices, each bid was checked for mathematical errors in extension and addition. No errors in extension or addition were discovered. The attached bid tabulation presents a listing of the item descriptions and Unit Price Bid for each item for all bids received. As presented above and in the bid tabulation, Shields Asphalt Paving, Inc. is the

- Coraopolis, PA (Headquarters)
- Aliquippa, Beaver County, PA
- Greensburg, Westmoreland County, PA
- Dublin, Franklin County, OH

- Albion, Erie County, PA
- Butler, Butler County, PA
- Clarion, Clarion County, OH

- Pittsburgh, Allegheny County, PA
- White Oak, Allegheny County, PA
- Kittanning, Armstrong County, PA
- Washington, Washington County, PA

Mr. Gary J. Koehler, Manager, Borough of Fox Chapel
Ms. Julie A. Jakubec, CPA, Manager - Township of O'Hara
Mr. Ryan Verbanic, Manager, Fox Chapel Authority
Ms. Kathy Ulanowicz, Manager, Borough of Blawnox
April 11, 2025
Page 2

apparent low bidder for Contract No. 25-R01 – 2025 Roadway Improvement Program. A copy of Shields Asphalt Paving, Inc.'s bid proposal acknowledgement is attached herewith.

For Fox Chapel Borough's portion of the Contract; based on discussion with the Borough, we recommend the award of the Base Bid, and Add Alternate Nos. F-A1, F-A2 and F-A4 of Contract No. 25-R01 – 2025 Roadway Improvement Program to Shields Asphalt Paving, Inc. in the total amount of \$1,371,371.00. Please note that this amount includes \$14,093.50 for Utility Patches which will be reimbursed by respective utility companies. Therefore, total to be paid out of the Road Paving Budget will be \$1,357,277.50.

For O'Hara Township's portion of the Contract; based on discussion with the Township, we recommend the award of the Base Bid and Add Alternate Nos. O-A3, O-A5 and O-A6 of Contract No. 25-R01 – 2025 Roadway Improvement Program to Shields Asphalt Paving, Inc. in the total amount of \$1,121,838.75.

For Blawnox Borough's portion of the Contract; based on discussion with the Borough, we recommend the award of the Base Bid of Contract No. 25-R01 – 2025 Roadway Improvement Program to Shields Asphalt Paving, Inc. in the total amount of \$143,711.25.

For Fox Chapel Authority's portion of the Contract; based on discussion with the Authority, we recommend the award of Add Alternate No. FCA-1 - Utility Repairs of Contract No. 25-R01 – 2025 Roadway Improvement Program to Shields Asphalt Paving, Inc. in the total amount of \$47,270.00.

The total amount of the award to Shields Asphalt Paving, Inc. for this Contract is \$2,684,191.00.

Upon award of O'Hara Township's, Blawnox Borough's, and Fox Chapel Authority's portions of the Contract, please notify Fox Chapel Borough and LSSE of the selections.

Award would be subject to Shields Asphalt Paving, Inc. obtaining the required insurance certificates and the bonds, and review and approval of same by the Townships, Borough and Authority respective Solicitor prior to execution of the Agreement.

Should you have any questions, please contact Adam P. Livingston directly (Ext. 253).

Sincerely,



Kevin A. Brett, P.E.

KAB/APL:nlk

Attachments

cc/att: A. Bruce Bowden, Solicitor (abbowden@leechtishman.com)
Larry Kurpakus, Borough of Fox Chapel (lkurpakus@fox-chapel.pa.us)
Charles W. Steinert, Jr., P.E., Township Engineer (csteinert@ohara.pa.us)
Gordon T. Taylor, Senate A Division of LSSE (gtaylor@lsse.com)



Adam P. Livingston

BOROUGH OF FOX CHAPEL / TOWNSHIP OF O'HARA / BOROUGH OF BLAWNOX / FOX CHAPEL AUTHORITY
CONTRACT NO. 25-R01
2025 ROADWAY IMPROVEMENT PROGRAM

SHIELDS PAVING, INC. -- BID SUMMARY TABLE

CONTRACTOR	BOROUGH OF FOX CHAPEL BASE BID	TOWNSHIP OF O'HARA BASE BID	BLAWNOX BOROUGH BASE BID	ADD ALTERNATE F-A1 - WOODLAND FARMS ROAD	ADD ALTERNATE F-A2 - WOODLAND FARMS COURT	ADD ALTERNATE F-A3 - HILL N' DALE TRAIL	ADD ALTERNATE F-A4 - FCB UTILITY PATCHES	ADD ALTERNATE O-A1 - WOODVALLEY DRIVE
Shields Asphalt Paving, Inc.	\$1,052,262.50	\$969,720.00	\$143,711.25	\$252,555.00	\$52,460.00	\$66,700.00	\$14,093.50	\$154,615.00
Youngblood Paving, Inc.	\$1,048,003.00	\$1,001,190.00	\$135,106.00	\$248,509.00	\$51,740.00	\$41,020.00	\$25,220.00	\$147,823.00
Mele & Mele & Sons, Inc.	\$1,054,350.00	\$1,066,500.00	\$136,025.00	\$250,455.00	\$55,325.00	\$63,100.00	\$21,477.50	\$154,275.00
A. Liberoni, Inc.	\$1,164,883.85	\$1,115,144.43	\$135,831.96	\$274,613.50	\$55,258.62	\$60,959.21	\$20,192.96	\$165,479.88
Tresco Paving Corporation	\$1,159,710.00	\$1,138,950.00	\$150,135.00	\$282,665.00	\$57,395.00	\$48,600.00	\$11,866.50	\$165,635.00
A. Folino Construction, Inc.	\$1,371,230.65	\$1,268,247.48	\$157,567.13	\$324,831.39	\$66,091.80	\$74,815.56	\$47,880.31	\$180,105.40

CONTRACTOR	ADD ALTERNATE O-A2 - WOODSTREAM DRIVE	ADD ALTERNATE O-A3 - HIGHMEADOW DRIVE	ADD ALTERNATE O-A4 - ALPHA DRIVE	ADD ALTERNATE O-A5 - KERR LANE	ADD ALTERNATE O-A6 - WEST WALDHEIM STREET	ADD ALTERNATE FCA-1 - FOX CHAPEL AUTHORITY UTILITY REPAIRS
Shields Paving, Inc.	\$64,707.50	\$86,680.00	\$252,262.50	\$25,797.50	\$39,641.25	\$47,270.00
Youngblood Paving, Inc.	\$61,664.00	\$84,951.00	\$242,872.00	\$27,143.00	\$39,498.00	\$35,150.00
Mele & Mele & Sons, Inc.	\$63,475.00	\$87,985.00	\$267,805.00	\$25,975.00	\$40,800.00	\$35,485.00
A. Liberoni, Inc.	\$67,093.44	\$93,000.94	\$271,838.61	\$26,346.65	\$42,326.95	\$33,404.41
Tresco Paving Corporation	\$68,005.00	\$95,345.00	\$263,810.00	\$27,665.00	\$43,170.00	\$60,625.00
A. Folino Construction, Inc.	\$73,679.78	\$102,662.33	\$288,859.81	\$29,224.08	\$46,580.59	\$51,938.91

Add Alternate F-A1 - Woodland Farms Road (Fox Chapel Borough)
Add Alternate F-A2 - Woodland Farms Court (Fox Chapel Borough)
Add Alternate F-A3 - Hill N' Dale Trail (Fox Chapel Borough)
Add Alternate F-A4 - FCB Utility Patches (Fox Chapel Borough)
Add Alternate O-A1 - Woodvalley Drive (O'Hara Township)
Add Alternate O-A2 - Woodstream Drive (O'Hara Township)

Add Alternate O-A3 - Highmeadow Drive (O'Hara Township)
Add Alternate O-A4 - Alpha Drive (O'Hara Township)
Add Alternate O-A5 - Kerr Lane (O'Hara Township)
Add Alternate O-A6 - West Waldheim Drive (O'Hara Township)
Add Alternate FCA-1 - Fox Chapel Authority Utility Patches (Fox Chapel Authority)

Fox Chapel Borough - Contract 25-R01 2025 Roadway Improvement Program (#9512350)
Owner: Fox Chapel Borough
Engineer: Lennon, Smith, Souleret Eng. - Coraopolis HQ
04/03/2025 11:00 AM EDT

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
Base Bid Total:						\$2,165,693.75		\$2,184,299.00		\$2,256,875.00		\$2,415,860.24		\$2,448,795.00		\$2,797,045.26
BASE BID - FOX CHAPEL BOROUGH						\$1,052,262.50		\$1,048,003.00		\$1,054,350.00		\$1,164,883.85		\$1,159,710.00		\$1,371,230.65
	F-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	42,000	\$2.25	\$94,500.00	\$2.74	\$115,080.00	\$2.25	\$94,500.00	\$2.50	\$105,000.00	\$3.49	\$146,580.00	\$4.13	\$173,460.00
	F-2A	2-1/2" Average Depth, Superpave WMA Binder Course, 19 mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 413	TONS	3,200	\$82.00	\$262,400.00	\$89.38	\$286,016.00	\$88.50	\$283,200.00	\$95.26	\$304,832.00	\$94.00	\$300,800.00	\$101.10	\$323,520.00
	F-2B	3/4" Average Depth, Superpave WMA Wearing (Leveling) Course, 9.5 mm Fine Grade, 0 to 0.3 million Design ESALs, PG 64-22, Section 410/413	TONS	1,100	\$105.00	\$115,500.00	\$104.12	\$114,532.00	\$102.00	\$112,200.00	\$113.01	\$124,311.00	\$96.00	\$105,600.00	\$113.53	\$124,883.00
	F-3	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	42,000	\$9.00	\$378,000.00	\$8.10	\$340,200.00	\$8.85	\$371,700.00	\$9.62	\$404,040.00	\$10.94	\$459,480.00	\$9.91	\$416,220.00
	F-4A	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	4,250	\$29.00	\$123,250.00	\$30.00	\$127,500.00	\$30.00	\$127,500.00	\$40.01	\$170,042.50	\$25.00	\$106,250.00	\$44.47	\$188,997.50
	F-4B	Trench Repair including 6" Unclassified Excavation 6" Depth Superpave WMA Binder Course, 25mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 313, as directed	SY	100	\$50.00	\$5,000.00	\$45.00	\$4,500.00	\$50.00	\$5,000.00	\$41.05	\$4,105.00	\$40.00	\$4,000.00	\$112.43	\$11,243.00
	F-6	3' Minimum Width Keyway Milling	LF	1,500	\$0.15	\$225.00	\$1.00	\$1,500.00	\$2.00	\$3,000.00	\$1.01	\$1,515.00	\$1.00	\$1,500.00	\$1.58	\$2,370.00
	F-7	Bituminous Wedge Curb	LF	30,000	\$0.15	\$4,500.00	\$0.20	\$6,000.00	\$0.25	\$7,500.00	\$0.22	\$6,600.00	\$0.25	\$7,500.00	\$1.75	\$52,500.00
	F-8	Adjust Inlets to Grade	EA	41	\$700.00	\$28,700.00	\$400.00	\$16,400.00	\$350.00	\$14,350.00	\$392.15	\$16,078.15	\$400.00	\$16,400.00	\$916.10	\$37,560.10
	F-9	Adjust Manholes to Grade	EA	6	\$800.00	\$4,800.00	\$400.00	\$2,400.00	\$350.00	\$2,100.00	\$335.70	\$2,014.20	\$400.00	\$2,400.00	\$334.25	\$2,005.50
	F-10	Adjust Valve Boxes to Grade	EA	3	\$75.00	\$225.00	\$125.00	\$375.00	\$75.00	\$225.00	\$66.04	\$198.12	\$300.00	\$900.00	\$74.56	\$223.68
	F-11	Adjust Water Blow Offs to Grade	EA	5	\$200.00	\$1,000.00	\$500.00	\$2,500.00	\$100.00	\$500.00	\$293.80	\$1,469.00	\$500.00	\$2,500.00	\$74.56	\$372.80
	F-12	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$30,000.00	\$30,000.00	\$27,200.00	\$27,200.00	\$28,500.00	\$28,500.00	\$20,498.88	\$20,498.88	\$2,000.00	\$2,000.00	\$33,461.57	\$33,461.57
	F-13A	Linestriping - 4" Double Solid Yellow (Thermoplastic)	LF	250	\$4.35	\$1,087.50	\$4.00	\$1,000.00	\$4.50	\$1,125.00	\$4.40	\$1,100.00	\$4.00	\$1,000.00	\$4.65	\$1,162.50
	F-13B	Linestriping - 4" Single Solid White (Thermoplastic)	LF	500	\$2.20	\$1,100.00	\$2.00	\$1,000.00	\$2.25	\$1,125.00	\$2.20	\$1,100.00	\$2.00	\$1,000.00	\$2.32	\$1,160.00
	F-13C	Type C Perpendicular Crosswalk (Thermoplastic)	LF	100	\$19.75	\$1,975.00	\$18.00	\$1,800.00	\$18.25	\$1,825.00	\$19.80	\$1,980.00	\$18.00	\$1,800.00	\$20.91	\$2,091.00
BASE BID - O'HARA TOWNSHIP						\$969,720.00		\$1,001,190.00		\$1,066,500.00		\$1,115,144.43		\$1,138,950.00		\$1,268,247.48
	O-1	Roadway Milling / Profiling, Variable Depth	SY	36000	\$2.25	\$81,000.00	\$2.82	\$101,520.00	\$2.65	\$95,400.00	\$2.49	\$89,640.00	\$4.00	\$144,000.00	\$4.16	\$149,760.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	5250	\$90.00	\$472,500.00	\$90.60	\$475,650.00	\$95.00	\$498,750.00	\$105.43	\$553,507.50	\$97.00	\$509,250.00	\$106.28	\$557,970.00
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	36000	\$9.00	\$324,000.00	\$8.57	\$308,520.00	\$9.00	\$324,000.00	\$9.62	\$346,320.00	\$10.55	\$379,800.00	\$10.46	\$376,560.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	300	\$26.00	\$7,800.00	\$30.00	\$9,000.00	\$30.00	\$9,000.00	\$36.81	\$11,043.00	\$30.00	\$9,000.00	\$42.23	\$12,669.00

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	1800	\$29.00	\$52,200.00	\$30.00	\$54,000.00	\$42.50	\$76,500.00	\$40.01	\$72,018.00	\$27.00	\$48,600.00	\$47.72	\$85,896.00
	O-5	3' Minimum Width Keyway Milling	LF	800	\$0.15	\$120.00	\$1.00	\$800.00	\$2.00	\$1,600.00	\$1.01	\$808.00	\$1.00	\$800.00	\$1.58	\$1,264.00
	O-6	Restoration of Lawn Areas (3' Minimum Width)	LF	22000	\$0.55	\$12,100.00	\$1.00	\$22,000.00	\$1.50	\$33,000.00	\$1.12	\$24,640.00	\$1.75	\$38,500.00	\$1.95	\$42,900.00
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$15,000.00	\$15,000.00	\$25,200.00	\$25,200.00	\$23,250.00	\$23,250.00	\$13,062.93	\$13,062.93	\$5,000.00	\$5,000.00	\$29,985.48	\$29,985.48
	O-9	Trench Repair including 6" Unclassified Excavation 6" Depth Superpave WMA Binder Course, 25mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 313, as directed	SY	100	\$50.00	\$5,000.00	\$45.00	\$4,500.00	\$50.00	\$5,000.00	\$41.05	\$4,105.00	\$40.00	\$4,000.00	\$112.43	\$11,243.00
BASE BID - BLAWNOX BOROUGH						\$143,711.25		\$135,106.00		\$136,025.00		\$135,831.96		\$150,135.00		\$157,567.13
	B-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	3,100	\$4.00	\$12,400.00	\$4.11	\$12,741.00	\$3.15	\$9,765.00	\$3.65	\$11,315.00	\$7.00	\$21,700.00	\$3.15	\$9,765.00
	B-2	2-1/2" Average Depth, Superpave WMA Binder Course, 19 mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 413	TONS	500	\$90.00	\$45,000.00	\$97.25	\$48,625.00	\$88.50	\$44,250.00	\$95.26	\$47,630.00	\$95.00	\$47,500.00	\$101.31	\$50,655.00
	B-3	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	3,100	\$10.00	\$31,000.00	\$11.15	\$34,565.00	\$9.85	\$30,535.00	\$9.62	\$29,822.00	\$13.35	\$41,385.00	\$10.27	\$31,837.00
	B-4	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	900	\$35.00	\$31,500.00	\$30.00	\$27,000.00	\$42.00	\$37,800.00	\$40.01	\$36,009.00	\$25.00	\$22,500.00	\$50.81	\$45,729.00
	B-5	3' Minimum Width Keyway Milling	LF	75	\$0.15	\$11.25	\$1.00	\$75.00	\$2.00	\$150.00	\$1.01	\$75.75	\$1.00	\$75.00	\$1.59	\$119.25
	B-6	Bituminous Wedge Curb	LF	1,500	\$0.15	\$225.00	\$0.50	\$750.00	\$0.25	\$375.00	\$0.22	\$330.00	\$0.25	\$375.00	\$1.75	\$2,625.00
	B-7	Adjust Inlets to Grade	EA	5	\$700.00	\$3,500.00	\$400.00	\$2,000.00	\$350.00	\$1,750.00	\$392.15	\$1,960.75	\$400.00	\$2,000.00	\$916.28	\$4,581.40
	B-8	Adjust Manholes to Grade	EA	5	\$800.00	\$4,000.00	\$400.00	\$2,000.00	\$350.00	\$1,750.00	\$335.70	\$1,678.50	\$400.00	\$2,000.00	\$334.25	\$1,671.25
	B-9	Adjust Valve Boxes to Grade	EA	2	\$75.00	\$150.00	\$125.00	\$250.00	\$75.00	\$150.00	\$66.04	\$132.08	\$300.00	\$600.00	\$74.56	\$149.12
	B-10	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$14,000.00	\$14,000.00	\$3,600.00	\$3,600.00	\$4,250.00	\$4,250.00	\$2,503.88	\$2,503.88	\$5,000.00	\$5,000.00	\$3,295.11	\$3,295.11
	B-11	Restoration of Lawn Areas (3' Minimum Width)	LF	3,500	\$0.55	\$1,925.00	\$1.00	\$3,500.00	\$1.50	\$5,250.00	\$1.25	\$4,375.00	\$2.00	\$7,000.00	\$2.04	\$7,140.00
ADD ALTERNATE F-A1 - WOODLAND FARMS ROAD						\$252,555.00		\$248,509.00		\$250,455.00		\$274,613.50		\$282,665.00		\$324,831.39
	F-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	8,000	\$2.25	\$18,000.00	\$2.74	\$21,920.00	\$2.45	\$19,600.00	\$2.49	\$19,920.00	\$4.34	\$34,720.00	\$3.48	\$27,840.00
	F-2A	2-1/2" Average Depth, Superpave WMA Binder Course, 19 mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 413	TONS	1,300	\$82.00	\$106,600.00	\$89.38	\$116,194.00	\$88.50	\$115,050.00	\$95.26	\$123,838.00	\$94.00	\$122,200.00	\$101.19	\$131,547.00
	F-3	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	8,000	\$9.00	\$72,000.00	\$8.10	\$64,800.00	\$9.00	\$72,000.00	\$9.62	\$76,960.00	\$10.94	\$87,520.00	\$9.60	\$76,800.00
	F-4A	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	850	\$29.00	\$24,650.00	\$30.00	\$25,500.00	\$32.00	\$27,200.00	\$40.01	\$34,008.50	\$25.00	\$21,250.00	\$50.81	\$43,188.50
	F-6	3' Minimum Width Keyway Milling	LF	100	\$0.15	\$15.00	\$1.00	\$100.00	\$2.00	\$200.00	\$1.01	\$101.00	\$1.00	\$100.00	\$1.59	\$159.00
	F-7	Bituminous Wedge Curb	LF	7,100	\$0.15	\$1,065.00	\$0.20	\$1,420.00	\$0.30	\$2,130.00	\$0.22	\$1,562.00	\$0.25	\$1,775.00	\$1.75	\$12,425.00

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	F-8	Adjust Inlets to Grade	EA	25	\$700.00	\$17,500.00	\$400.00	\$10,000.00	\$350.00	\$8,750.00	\$392.15	\$9,803.75	\$400.00	\$10,000.00	\$935.36	\$23,384.00
	F-9	Adjust Manholes to Grade	EA	8	\$800.00	\$6,400.00	\$400.00	\$3,200.00	\$350.00	\$2,800.00	\$335.70	\$2,685.60	\$400.00	\$3,200.00	\$334.25	\$2,674.00
	F-10	Adjust Valve Boxes to Grade	EA	3	\$75.00	\$225.00	\$125.00	\$375.00	\$75.00	\$225.00	\$66.04	\$198.12	\$300.00	\$900.00	\$74.56	\$223.68
	F-12	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$6,100.00	\$6,100.00	\$5,000.00	\$5,000.00	\$2,500.00	\$2,500.00	\$5,536.53	\$5,536.53	\$1,000.00	\$1,000.00	\$6,590.21	\$6,590.21
ADD ALTERNATE F-A2 - WOODLAND FARMS COURT						\$52,460.00		\$51,740.00		\$55,325.00		\$55,258.62		\$57,395.00		\$66,091.80
	F-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	1,500	\$2.25	\$3,375.00	\$2.74	\$4,110.00	\$2.45	\$3,675.00	\$2.49	\$3,735.00	\$4.34	\$6,510.00	\$3.48	\$5,220.00
	F-2A	2-1/2" Average Depth, Superpave WMA Binder Course, 19 mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 413	TONS	250	\$82.00	\$20,500.00	\$89.38	\$22,345.00	\$105.00	\$26,250.00	\$95.26	\$23,815.00	\$94.00	\$23,500.00	\$101.18	\$25,295.00
	F-3	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	1,500	\$9.00	\$13,500.00	\$8.10	\$12,150.00	\$9.00	\$13,500.00	\$9.62	\$14,430.00	\$10.94	\$16,410.00	\$9.60	\$14,400.00
	F-4A	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	250	\$29.00	\$7,250.00	\$30.00	\$7,500.00	\$32.00	\$8,000.00	\$40.01	\$10,002.50	\$25.00	\$6,250.00	\$50.82	\$12,705.00
	F-6	3' Minimum Width Keyway Milling	LF	100	\$0.15	\$15.00	\$1.00	\$100.00	\$1.85	\$185.00	\$1.01	\$101.00	\$1.00	\$100.00	\$1.59	\$159.00
	F-7	Bituminous Wedge Curb	LF	1,300	\$0.15	\$195.00	\$0.20	\$260.00	\$0.30	\$390.00	\$0.22	\$286.00	\$0.25	\$325.00	\$1.75	\$2,275.00
	F-8	Adjust Inlets to Grade	EA	4	\$700.00	\$2,800.00	\$400.00	\$1,600.00	\$350.00	\$1,400.00	\$392.15	\$1,568.60	\$400.00	\$1,600.00	\$915.70	\$3,662.80
	F-9	Adjust Manholes to Grade	EA	2	\$800.00	\$1,600.00	\$400.00	\$800.00	\$350.00	\$700.00	\$335.70	\$671.40	\$400.00	\$800.00	\$334.26	\$668.52
	F-10	Adjust Valve Boxes to Grade	EA	3	\$75.00	\$225.00	\$125.00	\$375.00	\$75.00	\$225.00	\$66.04	\$198.12	\$300.00	\$900.00	\$74.56	\$223.68
	F-12	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$3,000.00	\$3,000.00	\$2,500.00	\$2,500.00	\$1,000.00	\$1,000.00	\$451.00	\$451.00	\$1,000.00	\$1,000.00	\$1,482.80	\$1,482.80
ADD ALTERNATE F-A3 - HILL N' DALE TRAIL						\$66,700.00		\$41,020.00		\$63,100.00		\$60,959.21		\$48,600.00		\$74,815.56
	F-4A	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	800	\$44.00	\$35,200.00	\$30.00	\$24,000.00	\$42.00	\$33,600.00	\$40.01	\$32,008.00	\$25.00	\$20,000.00	\$53.66	\$42,928.00
	F-5	Bituminous Seal Coat (Double Application), Section 470, Limestone Aggregate Only (or Slag if approved by Owner)	SY	3,600	\$7.50	\$27,000.00	\$4.45	\$16,020.00	\$7.50	\$27,000.00	\$7.61	\$27,396.00	\$7.25	\$26,100.00	\$8.40	\$30,240.00
	F-12	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$4,500.00	\$4,500.00	\$1,000.00	\$1,000.00	\$2,500.00	\$2,500.00	\$1,555.21	\$1,555.21	\$2,500.00	\$2,500.00	\$1,647.56	\$1,647.56
ADD ALTERNATE F-A4 - FCB UTILITY PATCHES						\$14,093.50		\$25,220.00		\$21,477.50		\$20,192.96		\$11,866.50		\$47,880.31
	F-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	300	\$2.25	\$675.00	\$10.75	\$3,225.00	\$11.50	\$3,450.00	\$3.30	\$990.00	\$4.34	\$1,302.00	\$48.81	\$14,643.00
	F-3	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	300	\$9.00	\$2,700.00	\$21.75	\$6,525.00	\$18.50	\$5,550.00	\$35.00	\$10,500.00	\$10.94	\$3,282.00	\$51.31	\$15,393.00

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	F-4B	Trench Repair including 6" Unclassified Excavation 6" Depth Superpave WMA Binder Course, 25mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 313, as directed	SY	115	\$50.00	\$5,750.00	\$40.00	\$4,600.00	\$50.00	\$5,750.00	\$41.05	\$4,720.75	\$40.00	\$4,600.00	\$101.30	\$11,649.50
	F-7	Bituminous Wedge Curb	LF	250	\$0.15	\$37.50	\$3.00	\$750.00	\$0.35	\$87.50	\$0.22	\$55.00	\$0.25	\$62.50	\$1.75	\$437.50
	F-12	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$4,800.00	\$4,800.00	\$10,000.00	\$10,000.00	\$6,500.00	\$6,500.00	\$3,795.21	\$3,795.21	\$2,500.00	\$2,500.00	\$5,617.91	\$5,617.91
	F-13A	Linestriping - 4" Double Solid Yellow (Thermoplastic)	LF	20	\$4.35	\$87.00	\$4.00	\$80.00	\$4.50	\$90.00	\$4.40	\$88.00	\$4.00	\$80.00	\$4.65	\$93.00
	F-13B	Linestriping - 4" Single Solid White (Thermoplastic)	LF	20	\$2.20	\$44.00	\$2.00	\$40.00	\$2.50	\$50.00	\$2.20	\$44.00	\$2.00	\$40.00	\$2.32	\$46.40
ADD ALTERNATE O-A1 - WOODVALLEY DRIVE						\$154,615.00		\$147,823.00		\$154,275.00		\$165,479.88		\$165,635.00		\$180,105.40
	O-1	Roadway Milling / Profiling, Variable Depth	SY	5,200	\$2.25	\$11,700.00	\$2.82	\$14,664.00	\$2.50	\$13,000.00	\$2.49	\$12,948.00	\$4.00	\$20,800.00	\$3.98	\$20,696.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	825	\$90.00	\$74,250.00	\$90.60	\$74,745.00	\$95.00	\$78,375.00	\$105.43	\$86,979.75	\$97.00	\$80,025.00	\$107.31	\$88,530.75
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	5,200	\$9.00	\$46,800.00	\$8.57	\$44,564.00	\$9.00	\$46,800.00	\$9.62	\$50,024.00	\$10.55	\$54,860.00	\$9.82	\$51,064.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	25	\$26.00	\$650.00	\$30.00	\$750.00	\$32.00	\$800.00	\$36.81	\$920.25	\$30.00	\$750.00	\$42.24	\$1,056.00
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	300	\$29.00	\$8,700.00	\$30.00	\$9,000.00	\$42.00	\$12,600.00	\$40.01	\$12,003.00	\$27.00	\$8,100.00	\$47.72	\$14,316.00
	O-5	3' Minimum Width Keyway Milling	LF	100	\$0.15	\$15.00	\$1.00	\$100.00	\$2.00	\$200.00	\$1.01	\$101.00	\$1.00	\$100.00	\$1.59	\$159.00
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$12,500.00	\$12,500.00	\$4,000.00	\$4,000.00	\$2,500.00	\$2,500.00	\$2,503.88	\$2,503.88	\$1,000.00	\$1,000.00	\$4,283.65	\$4,283.65
ADD ALTERNATE O-A2 - WOODSTREAM DRIVE						\$64,707.50		\$61,664.00		\$63,475.00		\$67,093.44		\$68,005.00		\$73,679.78
	O-1	Roadway Milling / Profiling, Variable Depth	SY	2,100	\$2.25	\$4,725.00	\$2.82	\$5,922.00	\$2.50	\$5,250.00	\$2.49	\$5,229.00	\$4.00	\$8,400.00	\$3.98	\$8,358.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	325	\$90.00	\$29,250.00	\$90.60	\$29,445.00	\$95.00	\$30,875.00	\$105.43	\$34,264.75	\$97.00	\$31,525.00	\$107.31	\$34,875.75
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	2,100	\$9.00	\$18,900.00	\$8.57	\$17,997.00	\$9.00	\$18,900.00	\$9.62	\$20,202.00	\$10.55	\$22,155.00	\$9.82	\$20,622.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	50	\$26.00	\$1,300.00	\$30.00	\$1,500.00	\$32.00	\$1,600.00	\$36.81	\$1,840.50	\$30.00	\$1,500.00	\$42.24	\$2,112.00

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	125	\$29.00	\$3,625.00	\$30.00	\$3,750.00	\$42.00	\$5,250.00	\$40.01	\$5,001.25	\$27.00	\$3,375.00	\$47.74	\$5,967.50
	O-5	3' Minimum Width Keyway Milling	LF	50	\$0.15	\$7.50	\$1.00	\$50.00	\$2.00	\$100.00	\$1.01	\$50.50	\$1.00	\$50.00	\$1.61	\$80.50
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$6,900.00	\$6,900.00	\$3,000.00	\$3,000.00	\$1,500.00	\$1,500.00	\$505.44	\$505.44	\$1,000.00	\$1,000.00	\$1,664.03	\$1,664.03
ADD ALTERNATE O-A3 - HIGHMEADOW DRIVE						\$86,680.00		\$84,951.00		\$87,985.00		\$93,000.94		\$95,345.00		\$102,662.33
	O-1	Roadway Milling / Profiling, Variable Depth	SY	2,900	\$2.25	\$6,525.00	\$2.82	\$8,178.00	\$2.65	\$7,685.00	\$2.49	\$7,221.00	\$4.00	\$11,600.00	\$3.98	\$11,542.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	450	\$90.00	\$40,500.00	\$90.60	\$40,770.00	\$95.00	\$42,750.00	\$105.43	\$47,443.50	\$97.00	\$43,650.00	\$107.30	\$48,285.00
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	2,900	\$9.00	\$26,100.00	\$8.57	\$24,853.00	\$9.00	\$26,100.00	\$9.62	\$27,898.00	\$10.55	\$30,595.00	\$9.82	\$28,478.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	25	\$26.00	\$650.00	\$30.00	\$750.00	\$30.00	\$750.00	\$36.81	\$920.25	\$30.00	\$750.00	\$42.24	\$1,056.00
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	150	\$29.00	\$4,350.00	\$30.00	\$4,500.00	\$42.00	\$6,300.00	\$40.01	\$6,001.50	\$27.00	\$4,050.00	\$47.74	\$7,161.00
	O-5	3' Minimum Width Keyway Milling	LF	100	\$0.15	\$15.00	\$1.00	\$100.00	\$2.00	\$200.00	\$1.01	\$101.00	\$1.00	\$100.00	\$1.59	\$159.00
	O-6	Restoration of Lawn Areas (3' Minimum Width)	LF	1,800	\$0.55	\$990.00	\$1.00	\$1,800.00	\$1.50	\$2,700.00	\$1.12	\$2,016.00	\$2.00	\$3,600.00	\$1.95	\$3,510.00
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$7,550.00	\$7,550.00	\$4,000.00	\$4,000.00	\$1,500.00	\$1,500.00	\$1,399.69	\$1,399.69	\$1,000.00	\$1,000.00	\$2,471.33	\$2,471.33
ADD ALTERNATE O-A4 - ALPHA DRIVE						\$252,262.50		\$242,872.00		\$267,805.00		\$271,838.61		\$263,810.00		\$288,859.81
	O-1	Roadway Milling / Profiling, Variable Depth	SY	6,800	\$2.25	\$15,300.00	\$2.82	\$19,176.00	\$3.00	\$20,400.00	\$2.49	\$16,932.00	\$4.00	\$27,200.00	\$3.98	\$27,064.00
	O-2B	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	1,250	\$90.00	\$112,500.00	\$90.60	\$113,250.00	\$95.00	\$118,750.00	\$105.43	\$131,787.50	\$97.00	\$121,250.00	\$107.31	\$134,137.50
	O-3B	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	6,800	\$9.00	\$61,200.00	\$8.57	\$58,276.00	\$9.00	\$61,200.00	\$9.62	\$65,416.00	\$10.55	\$71,740.00	\$9.82	\$66,776.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	25	\$26.00	\$650.00	\$30.00	\$750.00	\$30.00	\$750.00	\$36.81	\$920.25	\$30.00	\$750.00	\$42.24	\$1,056.00
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	350	\$29.00	\$10,150.00	\$30.00	\$10,500.00	\$42.00	\$14,700.00	\$40.01	\$14,003.50	\$27.00	\$9,450.00	\$47.74	\$16,709.00
	O-5	3' Minimum Width Keyway Milling	LF	50	\$0.15	\$7.50	\$1.00	\$50.00	\$2.00	\$100.00	\$1.01	\$50.50	\$1.00	\$50.00	\$1.61	\$80.50

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$18,700.00	\$18,700.00	\$10,000.00	\$10,000.00	\$8,500.00	\$8,500.00	\$8,771.86	\$8,771.86	\$2,500.00	\$2,500.00	\$7,187.15	\$7,187.15
	O-8A	Linestriping - 4" Single Solid White (Thermoplastic)	LF	6,200	\$2.20	\$13,640.00	\$2.00	\$12,400.00	\$4.50	\$27,900.00	\$2.20	\$13,640.00	\$2.00	\$12,400.00	\$2.32	\$14,384.00
	O-8B	Linestriping - 4" Double Solid Yellow (Thermoplastic)	LF	3,100	\$4.35	\$13,485.00	\$4.00	\$12,400.00	\$2.55	\$7,905.00	\$4.40	\$13,640.00	\$4.00	\$12,400.00	\$4.65	\$14,415.00
	O-8C	Linestriping - Type C Perpendicular Crosswalk (Thermoplastic)	LF	200	\$19.75	\$3,950.00	\$18.00	\$3,600.00	\$18.00	\$3,600.00	\$19.80	\$3,960.00	\$18.00	\$3,600.00	\$20.91	\$4,182.00
	O-8D	Linestriping - White Lettering or Number Marking (Thermoplastic)	EA	2	\$325.00	\$650.00	\$300.00	\$600.00	\$500.00	\$1,000.00	\$330.00	\$660.00	\$300.00	\$600.00	\$348.42	\$696.84
	O-8E	Linestriping - 24" Solid White Stop Bar (Thermoplastic)	EA	2	\$475.00	\$950.00	\$435.00	\$870.00	\$500.00	\$1,000.00	\$478.50	\$957.00	\$435.00	\$870.00	\$505.21	\$1,010.42
	O-8F	Linestriping - White Directional Arrow (Thermoplastic)	EA	4	\$270.00	\$1,080.00	\$250.00	\$1,000.00	\$500.00	\$2,000.00	\$275.00	\$1,100.00	\$250.00	\$1,000.00	\$290.35	\$1,161.40
ADD ALTERNATE O-A5 - KERR LANE						\$25,797.50		\$27,143.00		\$25,975.00		\$26,346.65		\$27,665.00		\$29,224.08
	O-1	Roadway Milling / Profiling, Variable Depth	SY	800	\$2.25	\$1,800.00	\$5.64	\$4,512.00	\$2.50	\$2,000.00	\$2.49	\$1,992.00	\$4.00	\$3,200.00	\$3.99	\$3,192.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	125	\$90.00	\$11,250.00	\$90.60	\$11,325.00	\$95.00	\$11,875.00	\$105.43	\$13,178.75	\$97.00	\$12,125.00	\$107.32	\$13,415.00
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	800	\$9.00	\$7,200.00	\$8.57	\$6,856.00	\$9.00	\$7,200.00	\$9.62	\$7,696.00	\$10.55	\$8,440.00	\$9.82	\$7,856.00
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	10	\$26.00	\$260.00	\$30.00	\$300.00	\$30.00	\$300.00	\$36.81	\$368.10	\$30.00	\$300.00	\$42.26	\$422.60
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	50	\$29.00	\$1,450.00	\$30.00	\$1,500.00	\$42.00	\$2,100.00	\$40.01	\$2,000.50	\$27.00	\$1,350.00	\$47.80	\$2,390.00
	O-5	3' Minimum Width Keyway Milling	LF	50	\$0.15	\$7.50	\$1.00	\$50.00	\$2.00	\$100.00	\$1.01	\$50.50	\$1.00	\$50.00	\$1.61	\$80.50
	O-6	Restoration of Lawn Areas (3' Minimum Width)	LF	600	\$0.55	\$330.00	\$1.00	\$600.00	\$1.50	\$900.00	\$1.12	\$672.00	\$2.00	\$1,200.00	\$1.96	\$1,176.00
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$3,500.00	\$3,500.00	\$2,000.00	\$2,000.00	\$1,500.00	\$1,500.00	\$388.80	\$388.80	\$1,000.00	\$1,000.00	\$691.98	\$691.98
ADD ALTERNATE O-A6 - WEST WALDHEIM STREET						\$39,641.25		\$39,498.00		\$40,800.00		\$42,326.95		\$43,170.00		\$46,580.59
	O-1	Roadway Milling / Profiling, Variable Depth	SY	1,200	\$2.25	\$2,700.00	\$2.82	\$3,384.00	\$2.50	\$3,000.00	\$2.49	\$2,988.00	\$4.00	\$4,800.00	\$3.98	\$4,776.00
	O-2A	Variable Depth Superpave WMA Binder Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 19mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, Section 413	TONS	200	\$90.00	\$18,000.00	\$90.60	\$18,120.00	\$95.00	\$19,000.00	\$105.43	\$21,086.00	\$97.00	\$19,400.00	\$107.30	\$21,460.00
	O-3A	1-1/2" Depth, Superpave WMA Wearing Course with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5mm, 0 to 0.3 or 0.3 to 3.0 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	1,200	\$9.00	\$10,800.00	\$8.57	\$10,284.00	\$9.00	\$10,800.00	\$9.62	\$11,544.00	\$10.55	\$12,660.00	\$9.81	\$11,772.00

					Shields Asphalt Paving Inc		Youngblood Paving Inc		Mele & Mele & Sons Inc.		A. Liberoni, Inc.		Tresco Paving Corporation		A. Folino Construction, Inc.	
Section Title	Item Code	Item Description	UofM	Quantity	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension	Unit Price	Extension
	O-4A	Base Repair including 12" Unclassified Excavation, Class IV Fabric, Installation Of 12" Bituminous Millings as directed (Sy)	SY	10	\$26.00	\$260.00	\$30.00	\$300.00	\$30.00	\$300.00	\$36.81	\$368.10	\$30.00	\$300.00	\$42.26	\$422.60
	O-4B	Base Repair including 10" Unclassified Excavation, Class IV Fabric, Installation of 4" Bituminous Millings and 6" Depth Superpave WMA Base Course	SY	100	\$29.00	\$2,900.00	\$30.00	\$3,000.00	\$42.00	\$4,200.00	\$40.01	\$4,001.00	\$27.00	\$2,700.00	\$47.73	\$4,773.00
	O-5	3' Minimum Width Keyway Milling	LF	75	\$0.15	\$11.25	\$1.00	\$75.00	\$2.00	\$150.00	\$1.01	\$75.75	\$1.00	\$75.00	\$1.59	\$119.25
	O-6	Restoration of Lawn Areas (3' Minimum Width)	LF	900	\$0.55	\$495.00	\$1.00	\$900.00	\$1.50	\$1,350.00	\$1.12	\$1,008.00	\$2.00	\$1,800.00	\$1.96	\$1,764.00
	O-7	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$4,000.00	\$4,000.00	\$3,000.00	\$3,000.00	\$1,500.00	\$1,500.00	\$777.60	\$777.60	\$1,000.00	\$1,000.00	\$988.53	\$988.53
	O-8E	Linestriping - 24" Solid White Stop Bar (Thermoplastic)	EA	1	\$475.00	\$475.00	\$435.00	\$435.00	\$500.00	\$500.00	\$478.50	\$478.50	\$435.00	\$435.00	\$505.21	\$505.21
ADD ALTERNATE FCA-1 - FOX CHAPEL AUTHORITY UTILITY REPAIRS						\$47,270.00		\$35,150.00		\$35,485.00		\$33,404.41		\$60,625.00		\$51,938.91
	FCA-1	Roadway Milling/Profiling, Variable Depth, as directed	SY	500	\$15.00	\$7,500.00	\$10.75	\$5,375.00	\$12.50	\$6,250.00	\$3.30	\$1,650.00	\$4.00	\$2,000.00	\$29.06	\$14,530.00
	FCA-2	1-1/2" Depth, Superpave WMA Wearing Course, with FORTA-FI Fiber Reinforcement (or Approved Equal), 9.5 mm, 0 to 0.3 million Design ESALs, PG 64-22, SRL-H, Section 413	SY	500	\$35.00	\$17,500.00	\$21.75	\$10,875.00	\$20.00	\$10,000.00	\$35.00	\$17,500.00	\$94.00	\$47,000.00	\$33.93	\$16,965.00
	FCA-3	Trench Repair including 6" Unclassified Excavation 6" Depth Superpave WMA Binder Course, 25mm, 0 to 0.3 million Design ESALs, PG 64-22, Section 313, as directed	SY	200	\$73.00	\$14,600.00	\$40.00	\$8,000.00	\$50.00	\$10,000.00	\$41.05	\$8,210.00	\$40.00	\$8,000.00	\$69.77	\$13,954.00
	FCA-4	Bituminous Wedge Curb	LF	100	\$0.15	\$15.00	\$3.00	\$300.00	\$0.35	\$35.00	\$0.22	\$22.00	\$0.25	\$25.00	\$1.75	\$175.00
	FCA-5	Maintenance and Protection of Traffic during Construction as per PennDOT Publication 213 and the Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD)	LS	1	\$7,000.00	\$7,000.00	\$10,000.00	\$10,000.00	\$8,500.00	\$8,500.00	\$5,350.41	\$5,350.41	\$3,000.00	\$3,000.00	\$5,617.91	\$5,617.91
	FCA-6	Linestriping - 4" Double Solid Yellow (Thermoplastic)	LF	100	\$4.35	\$435.00	\$4.00	\$400.00	\$4.50	\$450.00	\$4.48	\$448.00	\$4.00	\$400.00	\$4.65	\$465.00
	FCA-7	Linestriping - 4" Single Solid White (Thermoplastic)	LF	100	\$2.20	\$220.00	\$2.00	\$200.00	\$2.50	\$250.00	\$2.24	\$224.00	\$2.00	\$200.00	\$2.32	\$232.00

**SHACOG PURCHASING ALLIANCE
2025 SPRING COMMODITIES**

Road Aggregates

MATERIAL	VENDOR	PRICE	DELIVERED AND DUMPED price per ton
Limestone No. 2A	Amerikohl Aggregates, Inc.	\$27.50	
Limestone No. 57, 3 & 1	Amerikohl Aggregates, Inc.	\$32.50	
Size No. 8 (1B)	Amerikohl Aggregates, Inc.	\$46.50	
Limestone No. R-3 (Rip-Rap)	Amerikohl Aggregates, Inc.	\$32.50	
Limestone No. R-6 (Rip-Rap)	Amerikohl Aggregates, Inc.	\$40.56	
Minimum tons for delivery		22	

Bituminous Surfacing Materials

MATERIAL	VENDOR	PRICE	F. O. B. Price per Ton
ID 2 Binder w/ Stone or Gravel Aggreg.	Northeast Paving, Springdale	\$61.75	
ID 2 Wearing Course w/ Stone or Gravel	Northeast Paving, Springdale	\$72.50	
Superpave 19 MM	Lindy Paving, New Kensington	\$64.45	
	Northeast Paving, Springdale	\$63.50	
Superpave 25 MM	Lindy Paving, New Kensington	\$61.65	
	Northeast Paving, Springdale	\$61.75	
Superpave 9.5 MM	Lindy Paving, New Kensington	\$72.35	
	Northeast Paving, Springdale	\$72.50	
Portal to Portal, Fixed Hourly Delivered Haul Rate	Lindy Paving, New Kensington	\$150.00	
	Northeast Paving, Springdale	\$130.00	
Minimum quantity for delivery		22	

Line Painting

MATERIAL	VENDOR	PRICE
Single Line - Paint and Beads		
1 to 5,000 LF	Alpha Space Control Co. Inc.	\$0.14
5,001 to 15,000 LF	Alpha Space Control Co. Inc.	\$0.14
15,001 to 25,000 LF	Alpha Space Control Co. Inc.	\$0.14
25,001 to 45,000 LF	Alpha Space Control Co. Inc.	\$0.14
45,001 to 90,000	Alpha Space Control Co. Inc.	\$0.14
90,001 + LF	Alpha Space Control Co. Inc.	\$0.14
Single Line Lane Divider - Paint and Beads		
1 to 5,000 LF	Alpha Space Control Co. Inc.	\$0.14
5,001 to 15,000 LF	Alpha Space Control Co. Inc.	\$0.14
15,001 to 25,000 LF	Alpha Space Control Co. Inc.	\$0.14
25,001 to 45,000 LF	Alpha Space Control Co. Inc.	\$0.14
45,001 to 90,000	Alpha Space Control Co. Inc.	\$0.14
90,001 + LF	Alpha Space Control Co. Inc.	\$0.14

MATERIAL	VENDOR	PRICE
Single Edge Line - Paint and Beads		
1 to 5,000 LF	Alpha Space Control Co. Inc.	\$0.14
5,001 to 15,000 LF	Alpha Space Control Co. Inc.	\$0.14
15,001 to 25,000 LF	Alpha Space Control Co. Inc.	\$0.14
25,001 to 45,000 LF	Alpha Space Control Co. Inc.	\$0.14
45,001 to 90,000	Alpha Space Control Co. Inc.	\$0.14
90,001 + LF	Alpha Space Control Co. Inc.	\$0.14
Double Yellow Center Line - Paint and Beads		
1 to 5,000 LF	Alpha Space Control Co. Inc.	\$0.24
5,001 to 15,000 LF	Alpha Space Control Co. Inc.	\$0.24
15,001 to 25,000 LF	Alpha Space Control Co. Inc.	\$0.24
25,001 to 45,000 LF	Alpha Space Control Co. Inc.	\$0.24
45,001 to 90,000	Alpha Space Control Co. Inc.	\$0.24
90,001 + LF	Alpha Space Control Co. Inc.	\$0.24
Miscellaneous Markings - Paint and Beads		
Curbs	Alpha Space Control Co. Inc.	\$1.50
Crosswalk - 6" Wide Line	Alpha Space Control Co. Inc.	\$3.00
Stop Bar - 12" Wide Line	Alpha Space Control Co. Inc.	\$4.00
Miscellaneous Markings - Paint and Beads - Price per Marking		
Symbols	Alpha Space Control Co. Inc.	\$75.00
Legends	Alpha Space Control Co. Inc.	\$75.00
Removal of Existing Lines		
Removal of Existing Single Lines	Alpha Space Control Co. Inc.	\$1.50
Removal of Existing Double Lines	Alpha Space Control Co. Inc.	\$3.00

Guide Rails and Posts

MATERIAL	VENDOR	PRICE
Components - Brackets/Hardware - Full Truckload		
Galvanized Bolts	Allegheny Fence Construction	\$2.00
	Chemung Supply Corporation	\$0.85
Galvanized Hardware	Allegheny Fence Construction	\$2.00
	Chemung Supply Corporation	\$2.00
Galvanized Nuts	Allegheny Fence Construction	\$1.00
	Chemung Supply Corporation	\$0.85
Galvanized Rotating Bracket	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$150.00
Galvanized Steel Base Plate	Allegheny Fence Construction	\$120.00
Galvanized Steel Offset Bracket	Allegheny Fence Construction	\$40.00
	Chemung Supply Corporation	\$35.00
Galvanized Washers	Allegheny Fence Construction	\$1.00
	Chemung Supply Corporation	\$1.50
Post Plate	Allegheny Fence Construction	\$120.00
Plastic Offset Bracket	Allegheny Fence Construction	\$16.00
	Chemung Supply Corporation	\$20.00
Minium Quantity for Truckload Delivery		30,000 lbs.

MATERIAL	VENDOR	PRICE
Components - Brackets/Hardware - Partial Truckload		
Galvanized Bolts	Allegheny Fence Construction	\$3.00
	Chemung Supply Corporation	\$2.50
Galvanized Hardware	Allegheny Fence Construction	\$3.00
	Chemung Supply Corporation	\$2.75
Galvanized Nuts	Allegheny Fence Construction	\$2.00
	Chemung Supply Corporation	\$1.50
Galvanized Rotating Bracket	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$175.00
Galvanized Steel Base Plate	Allegheny Fence Construction	\$180.00
Galvanized Steel Offset Bracket	Allegheny Fence Construction	\$60.00
	Chemung Supply Corporation	\$50.00
Galvanized Washers	Allegheny Fence Construction	\$1.00
	Chemung Supply Corporation	\$2.50
Post Plate	Allegheny Fence Construction	\$180.00
Plastic Offset Bracket	Allegheny Fence Construction	\$22.00
	Chemung Supply Corporation	\$25.00
Minium Quantity for Truckload Delivery - 5,000 lbs. AFC, 6,000 lbs. CSC		

Components - Posts - Full Truckload		
Galvanized Steel Channel Post	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$90.00
Galvanized Steel I Beam Post	Allegheny Fence Construction	\$90.00
	Chemung Supply Corporation	\$86.00
Minimum Quantity for Truckload Delivery - 30,000 AFC		

Components - Posts - Partial Truckload		
Galvanized Steel Channel Post	Allegheny Fence Construction	\$160.00
	Chemung Supply Corporation	\$95.00
Galvanized Steel I Beam Post	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$96.00
Minium Quantity for Truckload Delivery - 5,000 lbs. AFC, 6,000 lbs. CSC		

Components - Rails/Sections - Full Truckload		
Galvanized Steel Alternate Terminal Section	Allegheny Fence Construction	\$90.00
	Chemung Supply Corporation	\$220.00
Galvanized Steel Flared Terminal Section	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$85.00
Galvanized Steel Transition Section	Allegheny Fence Construction	\$200.00
	Chemung Supply Corporation	\$250.00
Galvanized Steel Rail Elements	Allegheny Fence Construction	\$140.00
	Chemung Supply Corporation	\$155.00
Galvanized Steel Terminal Section Bridge Connection	Allegheny Fence Construction	\$90.00
	Chemung Supply Corporation	\$150.00
Galvanized Steel Wrap-Around Terminal Section	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$85.00
Minium Quantity for Truckload Delivery - 30,000 lbs. AFC, 25,000 lbs. CSC		

MATERIAL	VENDOR	PRICE
Components - Rails/Sections - Partial Truckload		
Galvanized Steel Alternate Terminal Section	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$220.00
Galvanized Steel Flared Terminal Section	Allegheny Fence Construction	\$180.00
	Chemung Supply Corporation	\$85.00
Galvanized Steel Transition Section	Allegheny Fence Construction	\$220.00
	Chemung Supply Corporation	\$250.00
Galvanized Steel Rail Elements	Allegheny Fence Construction	\$184.00
	Chemung Supply Corporation	\$155.00
Galvanized Steel Terminal Section Bridge Connection	Allegheny Fence Construction	\$120.00
	Chemung Supply Corporation	\$150.00
Galvanized Steel Wrap-Around Terminal Section	Allegheny Fence Construction	\$140.00
	Chemung Supply Corporation	\$85.00
Minimum Quantity for Truckload Delivery - 5,000 lbs. AFC, 6,000 lbs. CSC		

Components - Used - Full Truckload		
Galvanized Steel Rail Elements	Chemung Supply Corporation	\$150.00
Galvanized Steel I Beam Posts	Chemung Supply Corporation	\$80.00
Minimum Quantity for Truckload Delivery		25,000 lbs.

Components - Used - Partial Truckload		
Galvanized Steel Rail Elements	Chemung Supply Corporation	\$150.00
Galvanized Steel I Beam Posts	Chemung Supply Corporation	\$80.00
Minimum Quantity for Truckload Delivery		6,000 lbs.

Installation - Galvanized Steel - Construction of New Guide Rail		
Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$15.00
Structure-Mounted Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$19.00
Terminal Sections - Price per Each	Chemung Supply Corporation	\$75.00
End Anchorages - Price per Each	Chemung Supply Corporation	\$250.00
End Treatments - Price per Each	Chemung Supply Corporation	\$500.00
Intermediate End Anchorage Treatment - Price per Each	Chemung Supply Corporation	\$2,000.00
Approach End Transition - Price per Each	Chemung Supply Corporation	\$2,500.00

Installation - Galvanized Steel - Resetting of Existing Guide Rail		
Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$15.00
Structure-Mounted Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$19.00
Reset Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$15.00
Height Adjustment of Existing Guide Rail - Price per Lineal Foot	Chemung Supply Corporation	\$10.00
Terminal Sections - Price per Each	Chemung Supply Corporation	\$75.00
End Anchorages - Price per Each	Chemung Supply Corporation	\$250.00
End Treatments - Price per Each	Chemung Supply Corporation	\$500.00
Intermediate End Anchorage Treatment - Price per Each	Chemung Supply Corporation	\$2,000.00
Approach End Transition - Price per Each	Chemung Supply Corporation	\$2,500.00

Removal of Existing Guide Rail		
Guide Rail - Price per Lineal Foot	Allegheny Fence Construction	\$14.00
	Chemung Supply Corporation	\$15.00

MATERIAL	VENDOR	PRICE
Structure-Mounted Guide Rail - Price per Lineal Foot	Allegheny Fence Construction	\$18.00
	Chemung Supply Corporation	\$19.00
Remove Guide Rail - Price per Lineal Foot	Allegheny Fence Construction	\$14.00
	Chemung Supply Corporation	\$25.00
Terminal Sections - Price per Each	Allegheny Fence Construction	\$40.00
	Chemung Supply Corporation	\$75.00
End Anchorages - Price per Each	Chemung Supply Corporation	\$250.00
End Treatments - Price per Each	Chemung Supply Corporation	\$500.00
Intermediate End Anchorage Treatment - Price per Each	Chemung Supply Corporation	\$2,000.00
Approach End Transition - Price per Each	Chemung Supply Corporation	\$2,500.00

Traffic Signs & Posts

MATERIAL	VENDOR	PRICE
Sign Posts - U-Channel - Green - 2 LBS/FT		
10'	Chemung Supply Corporation	\$28.00
Sign Posts - U-Channel - Green - 2.5 LBS/FT		
3' 6" Base	Chemung Supply Corporation	\$12.00

Cast Iron Frames, Rings, and Grates

MATERIAL	VENDOR	PRICE
Frames & Grates		
Type M Inlet w/ Bicycle Grate	EJ USA, Inc.	\$708.84
2' x 4' Bicycle Grate	EJ USA, Inc.	\$429.72
Cast Iron Manhole Adjusting Rings 26.5" Diameter		
T = 2"	Chemung Supply Corporation	\$245.00
T = 2 1/2"	Chemung Supply Corporation	\$280.00
T = 3"	Chemung Supply Corporation	\$315.00
Cast Iron Manhole Adjusting Rings 28.5" Diameter		
T = 2"	EJ USA, Inc.	\$277.22
T = 2 1/2"	EJ USA, Inc.	\$298.76
T = 3"	EJ USA, Inc.	\$352.34
Cast Iron Manhole Casting & Cover 26.5" Diameter		
H = 7"	EJ USA, Inc.	\$717.41
H = 9"	EJ USA, Inc.	\$769.02
Cast Iron Manhole Casting & Cover 28.5" Diameter		
H = 7"	EJ USA, Inc.	\$376.44

DELIVERED

Precast Concrete Inlets and Risers

MATERIAL	VENDOR	PRICE
Catch Basin Risers - 2 x 4 Delivered (minimum order 5 for delivery for Wine)		
H = 4"	Wine Concrete Products, Inc.	\$75.00
H = 6"	Wine Concrete Products, Inc.	\$79.00

Inlet Risers

MATERIAL	VENDOR	PRICE	
H = 8"	Wine Concrete Products, Inc.	\$110.00	Inlet Risers
H = 12"	Wine Concrete Products, Inc.	\$110.00	
H = 18"	Wine Concrete Products, Inc.	\$210.00	
H = 24"	Wine Concrete Products, Inc.	\$215.00	
H = 30"	Wine Concrete Products, Inc.	\$305.00	
H = 36"	Wine Concrete Products, Inc.	\$315.00	
H = 42"	Wine Concrete Products, Inc.	\$425.00	
Manhole Risers - 30" ID - F.O.B. and Delivered (minimum order 5 for delivery)			
H = 4"	Wine Concrete Products, Inc.	\$120.00	Knockout Box w/ Base
H = 6"	Wine Concrete Products, Inc.	\$120.00	
H = 8"	Wine Concrete Products, Inc.	\$140.00	
H = 12"	Wine Concrete Products, Inc.	\$150.00	
Standard Box w/ Base - 2' x 4' - Delivered (minimum order 5 for delivery for Wine)			
H = 24"	Wine Concrete Products, Inc.	\$310.00	Knockout Box w/ Base
H = 30"	Wine Concrete Products, Inc.	\$435.00	
H = 36"	Wine Concrete Products, Inc.	\$415.00	
H = 42"	Wine Concrete Products, Inc.	\$450.00	
H = 48"	Wine Concrete Products, Inc.	\$465.00	
H = 60"	Hampton Concrete Products	\$698.00	
Standard Box w/o Base - 2' x 4' - Delivered (minimum order 5 for delivery for Wine)			
H = 24"	Wine Concrete Products, Inc.	\$215.00	Knockout Riser
H = 30"	Wine Concrete Products, Inc.	\$325.00	
H = 36"	Wine Concrete Products, Inc.	\$345.00	
H = 42"	Wine Concrete Products, Inc.	\$410.00	
H = 48"	Wine Concrete Products, Inc.	\$435.00	
H = 60"	Hampton Concrete Products	\$579.00	

Plastic Pipe

MATERIAL	VENDOR	PRICE	
Corrugated Polyethylene Pipe - Price per Lineal Foot			
4"	Stephenson Equipment, Inc.	\$0.50	DELIVERED
	Chemung Supply Corporation	\$0.58	
6"	Stephenson Equipment, Inc.	\$1.36	
	Chemung Supply Corporation	\$1.52	
8"	Stephenson Equipment, Inc.	\$2.46	
	Chemung Supply Corporation	\$3.81	
Corrugated Polyethylene Pipe Coupler			
4"	Stephenson Equipment, Inc.	\$2.48	DELIVERED
	Chemung Supply Corporation	\$2.31	
6"	Stephenson Equipment, Inc.	\$5.80	
	Chemung Supply Corporation	\$4.60	
8"	Stephenson Equipment, Inc.	\$8.12	
	Chemung Supply Corporation	\$7.68	

MATERIAL	VENDOR	PRICE
Heavy-Duty Corrugated Polyethylene Pipe - Smooth Interior - Price per Lineal Foot		
4"	Stephenson Equipment, Inc.	\$1.24
	Chemung Supply Corporation	\$1.40
	Culverts, Inc.	\$1.75
	LB Water Service, Inc.	\$1.50
6"	Stephenson Equipment, Inc.	\$2.61
	Chemung Supply Corporation	\$2.65
	Culverts, Inc.	\$3.40
	LB Water Service, Inc.	\$2.90
8"	Stephenson Equipment, Inc.	\$3.97
	Chemung Supply Corporation	\$3.65
	Culverts, Inc.	\$4.70
	LB Water Service, Inc.	\$4.00
10"	Stephenson Equipment, Inc.	\$5.76
	Chemung Supply Corporation	\$5.00
	Culverts, Inc.	\$6.50
	LB Water Service, Inc.	\$5.50
12"	Stephenson Equipment, Inc.	\$6.48
	Chemung Supply Corporation	\$5.65
	Culverts, Inc.	\$6.25
	LB Water Service, Inc.	\$6.15
15"	Stephenson Equipment, Inc.	\$8.71
	Chemung Supply Corporation	\$8.00
	Culverts, Inc.	\$8.75
	LB Water Service, Inc.	\$8.75
18"	Stephenson Equipment, Inc.	\$12.75
	Chemung Supply Corporation	\$12.38
	Culverts, Inc.	\$13.50
	LB Water Service, Inc.	\$13.55
24"	Stephenson Equipment, Inc.	\$22.76
	Chemung Supply Corporation	\$19.50
	Culverts, Inc.	\$21.00
	LB Water Service, Inc.	\$21.40
30"	Stephenson Equipment, Inc.	\$33.66
	Chemung Supply Corporation	\$29.50
	Culverts, Inc.	\$32.00
	LB Water Service, Inc.	\$32.40
36"	Stephenson Equipment, Inc.	\$39.93
	Chemung Supply Corporation	\$40.00
	Culverts, Inc.	\$43.50
	LB Water Service, Inc.	\$43.75
48"	Stephenson Equipment, Inc.	\$72.69
	Chemung Supply Corporation	\$60.00
	Culverts, Inc.	\$65.00
	LB Water Service, Inc.	\$65.50
60"	Stephenson Equipment, Inc.	\$135.37
	Chemung Supply Corporation	\$98.00
	Culverts, Inc.	\$106.00
	LB Water Service, Inc.	\$107.00

PRICED/LINEAL FOOT DELIVERD

MATERIAL	VENDOR	PRICE
Heavy-Duty Corrugated Polyethylene Pipe - Smooth Interior - Coupler		
4"	Stephenson Equipment, Inc.	\$2.80
	Chemung Supply Corporation	\$1.75
6"	Stephenson Equipment, Inc.	\$4.76
	Chemung Supply Corporation	\$4.10
8"	Stephenson Equipment, Inc.	\$8.12
	Chemung Supply Corporation	\$5.60
10"	Stephenson Equipment, Inc.	\$10.50
	Chemung Supply Corporation	\$7.71
12"	Stephenson Equipment, Inc.	\$12.35
	Chemung Supply Corporation	\$8.69
15"	Stephenson Equipment, Inc.	\$17.36
	Chemung Supply Corporation	\$14.48
18"	Stephenson Equipment, Inc.	\$25.34
	Chemung Supply Corporation	\$24.68
24"	Stephenson Equipment, Inc.	\$41.44
	Chemung Supply Corporation	\$34.80
30"	Stephenson Equipment, Inc.	\$67.20
	Chemung Supply Corporation	\$80.91
36"	Stephenson Equipment, Inc.	\$126.00
	Chemung Supply Corporation	\$112.57
48"	Stephenson Equipment, Inc.	\$210.00
	Chemung Supply Corporation	\$193.42
60"	Stephenson Equipment, Inc.	\$392.00
	Chemung Supply Corporation	\$300.88
Heavy-Duty Corrugated Polyethylene Pipe - Smooth Interior - Wye		
4"	Stephenson Equipment, Inc.	\$36.59
	Chemung Supply Corporation	\$13.09
6"	Stephenson Equipment, Inc.	\$49.88
	Chemung Supply Corporation	\$22.92
8"	Stephenson Equipment, Inc.	\$94.26
	Chemung Supply Corporation	\$33.85
10"	Stephenson Equipment, Inc.	\$122.60
	Chemung Supply Corporation	\$104.79
12"	Stephenson Equipment, Inc.	\$164.55
	Chemung Supply Corporation	\$144.29
15"	Stephenson Equipment, Inc.	\$209.48
	Chemung Supply Corporation	\$231.06
Heavy-Duty Corrugated Polyethylene Pipe - Smooth Interior - Tee		
4"	Stephenson Equipment, Inc.	\$29.15
	Chemung Supply Corporation	\$13.09
6"	Stephenson Equipment, Inc.	\$36.14
	Chemung Supply Corporation	\$22.92
8"	Stephenson Equipment, Inc.	\$94.26
	Chemung Supply Corporation	\$33.85
10"	Stephenson Equipment, Inc.	\$87.41
	Chemung Supply Corporation	\$84.83

MATERIAL	VENDOR	PRICE
12"	Stephenson Equipment, Inc.	\$117.35
	Chemung Supply Corporation	\$114.98
15"	Stephenson Equipment, Inc.	\$164.67
	Chemung Supply Corporation	\$171.87
Heavy-Duty Polyethylene Pipe w/ Bell End - Price per Lineal Foot		
4"	Stephenson Equipment, Inc.	\$1.33
	Chemung Supply Corporation	\$1.40
6"	Stephenson Equipment, Inc.	\$2.61
	Chemung Supply Corporation	\$2.65
8"	Stephenson Equipment, Inc.	\$4.06
	Chemung Supply Corporation	\$3.65
10"	Stephenson Equipment, Inc.	\$5.84
	Chemung Supply Corporation	\$5.00
12"	Stephenson Equipment, Inc.	\$6.55
	Chemung Supply Corporation	\$5.65
15"	Stephenson Equipment, Inc.	\$8.76
	Chemung Supply Corporation	\$8.00
18"	Stephenson Equipment, Inc.	\$12.83
	Chemung Supply Corporation	\$12.38
24"	Stephenson Equipment, Inc.	\$22.89
	Chemung Supply Corporation	\$19.50
30"	Stephenson Equipment, Inc.	\$33.66
	Chemung Supply Corporation	\$29.50
36"	Stephenson Equipment, Inc.	\$39.93
	Chemung Supply Corporation	\$40.00
48"	Stephenson Equipment, Inc.	\$72.69
	Chemung Supply Corporation	\$60.00
60"	Stephenson Equipment, Inc.	\$135.37
	Chemung Supply Corporation	\$98.00
Heavy-Duty Polyethylene Pipe w/ Bell End - Coupler		
4"	Stephenson Equipment, Inc.	\$2.80
	Chemung Supply Corporation	\$1.75
6"	Stephenson Equipment, Inc.	\$4.76
	Chemung Supply Corporation	\$4.10
8"	Stephenson Equipment, Inc.	\$8.12
	Chemung Supply Corporation	\$5.60
10"	Stephenson Equipment, Inc.	\$10.50
	Chemung Supply Corporation	\$7.71
12"	Stephenson Equipment, Inc.	\$12.35
	Chemung Supply Corporation	\$8.69
15"	Stephenson Equipment, Inc.	\$17.36
	Chemung Supply Corporation	\$14.48
18"	Stephenson Equipment, Inc.	\$25.34
	Chemung Supply Corporation	\$24.68
24"	Stephenson Equipment, Inc.	\$41.44
	Chemung Supply Corporation	\$34.80
30"	Stephenson Equipment, Inc.	\$67.20
	Chemung Supply Corporation	\$80.91
36"	Stephenson Equipment, Inc.	\$126.00
	Chemung Supply Corporation	\$112.57

DELIVERED

MATERIAL	VENDOR	PRICE
48"	Stephenson Equipment, Inc.	\$210.00
	Chemung Supply Corporation	\$193.42
60"	Stephenson Equipment, Inc.	\$392.00
	Chemung Supply Corporation	\$300.88
Heavy-Duty Polyethylene Pipe w/ Bell End - Wye		
4"	Stephenson Equipment, Inc.	\$36.59
	Chemung Supply Corporation	\$13.09
6"	Stephenson Equipment, Inc.	\$49.88
	Chemung Supply Corporation	\$22.92
8"	Stephenson Equipment, Inc.	\$94.26
	Chemung Supply Corporation	\$33.85
10"	Stephenson Equipment, Inc.	\$122.60
	Chemung Supply Corporation	\$104.79
12"	Stephenson Equipment, Inc.	\$164.55
	Chemung Supply Corporation	\$144.29
15"	Stephenson Equipment, Inc.	\$209.48
	Chemung Supply Corporation	\$231.06
Heavy-Duty Polyethylene Pipe w/ Bell End - Tees		
4"	Stephenson Equipment, Inc.	\$29.15
	Chemung Supply Corporation	\$13.09
6"	Stephenson Equipment, Inc.	\$36.14
	Chemung Supply Corporation	\$22.92
8"	Stephenson Equipment, Inc.	\$94.26
	Chemung Supply Corporation	\$33.85
10"	Stephenson Equipment, Inc.	\$87.41
	Chemung Supply Corporation	\$84.83
12"	Stephenson Equipment, Inc.	\$117.35
	Chemung Supply Corporation	\$114.98
15"	Stephenson Equipment, Inc.	\$164.67
	Chemung Supply Corporation	\$171.87
SDR 35 PVC Pipe - Price per Lineal Foot		
4"	Culverts, Inc.	\$3.00
6"	Culverts, Inc.	\$6.50
8"	Culverts, Inc.	\$12.00
12"	Culverts, Inc.	\$26.50
15"	Culverts, Inc.	\$39.00
18"	LB Water Service, Inc.	\$45.00
24"	LB Water Service, Inc.	\$78.00

F.O.B. & DELIVERED

Topsoil - PRICE/TON

MATERIAL	VENDOR	PRICE
Delivered & Dumped	Woehler Landscape Supply	\$31.75
<i>* Minimum tons for delivery - 22 tons</i>		
F.O.B., Picked Up by Municipality	Woehler Landscape Supply	\$27.75
<i>* Minimum cubic yards for pickup by municipality - 1</i>		

MATERIAL	VENDOR	PRICE
Delivered & Dumped	Diamond Mulch. Inc.	\$31.00
<i>* Minimum tons for delivery - 18 tons</i>		
F.O.B., Picked Up by Municipality	Diamond Mulch, Inc.	\$27.00
<i>* Minimum cubic yards for pickup by municipality - 1</i>		

Wood Carpet- Playground Surface Material

MATERIAL	VENDOR	PRICE
50 Cubic Yards- Delivered & Dumped	Woehler Landscape Supply	\$34.50
100 Cubic Yard - Delivered & Dumped	Woehler Landscape Supply	\$33.00
F. O. B. - Picked up by Municipality	Woehler Landscape Supply	\$27.00
<i>* Minimum Quantity for Pickup by Municipality - 1 CY</i>		
Blower Truck - Delivered & Installed	Woehler Landscape Supply	\$80.00
<i>* Minimum Quantity for Blower Installation - 20 CY</i>		

BOROUGH OF FOX CHAPEL
ROADWAY AGGREGATES
CONTRACT NO. 25-RA1

	ALLEGHENY MINERAL CORP. PO BOX 1022 KITTINGING, PA 16201	LINDY PAVING 1807 SHENANGO ROAD NEW GALILEE, PA 16141
No. 2A Limestone	\$28.50	\$28.00
No. 57 Limestone	\$30.90	\$32.45
No. 1 Limestone	\$30.90	\$31.80
R-8 RipRap	\$42.40	\$55.00
AASHTO No. 8 Limestone	\$38.40	\$40.55
AASHTO No. 57 Gravel	NO BID	\$31.65
No. 8 Pea Gravel	\$27.35	\$28.15
Fine Mason Sand	\$28.85	\$29.90
Fill Sand	\$24.00	\$25.90

Bids opened at 10 a.m. on Monday, April 14, 2025.
Present: Gary J. Koehler and Shawn M. Peterson



GSA CivicPlus Statement of Work

Labor Category	GSA Hourly Rate with IFF	Hours	Total Cost
Website Consultant	\$149.01	2	\$298.02
Project Manager	\$135.86	32	\$4,347.52
Network Consultant	\$135.86	0	\$0.00
Wireless Network Technician	\$135.86	0	\$0.00
Programmer	\$131.48	34	\$4,470.32
Graphic Designer	\$109.57	46	\$5,040.22
Writer	\$109.57	0	\$0.00
Server and Network Technician	\$109.57	46	\$5,040.22
Trainer	\$109.57	4	\$438.28
PC Technician	\$89.41	0	\$0.00
Content Developer	\$80.64	72	\$5,806.08
Subtotal			\$25,440.66
Discount			(\$4,813.41)
Total Fees Year 1			\$20,627.25

Agenda Meetings & Management

- AMM Select: Pro First Year Annual
- AMM Select: Live Meeting Manager
- AMM Select: Historical Import Fee – historical import of 750 meetings, volume is calculated based on number of imported meeting; import does not include video
- AMM Select: Additional Staff Report Design Configuration Fee (Original Design) – Includes configuration of 1 original report design
- Pro Premium Implementation; Includes config. of up to 10 meeting types, up to 10 boards, 1 approval workflow per meeting type, 4 hrs of training, and 2 hrs of consulting; Includes 1 original agenda, 1 original minutes, and 1 original staff report design

Municipal Website

- CivicEngage Central First Year Annual
- Guadian Security (Cloudflare WAF/CDN)
- SSL Management CivicPlus Provided
- DNS Hosting and Domain Setup & Annual
- Standard Implementation
- 37x Pages Content Pages
- 6x Website New Customer Virtual Training Blocks – 3 hours each

Total First Year Fees \$20,627.25

Annual Services (subject to uplift)

\$10,719.00



GSA Statement of Work for Fox Chapel Borough, PA
GSA Contract GS-35F-0124U

1. Performance and payment under this Statement of Work ("SOW") by and between Fox Chapel Borough, Pennsylvania ("Customer") and CivicPlus ("CivicPlus") shall be subject to the terms & conditions of the Agreement by and between the General Services Administration and CivicPlus and the terms and conditions of the CivicPlus Master Services Agreement and the applicable Solution and Services terms and conditions located at <https://www.civicplus.help/hc/en-us/p/legal-stuff>.
2. This SOW shall remain in effect beginning at signing and continuing for 2 Years (the "initial Term"). Unless otherwise terminated with at least 60 days' notice to the other Party prior to the end of the Initial Term or any Renewal Term, this SOW will automatically be for an additional 1-year Renewal Term.
3. The Total First Year Fees will be invoiced as follows: 20% at signing, the remaining 80% on January 1, 2026.
4. Annual Services shall be invoiced beginning 12 months from signing and every 12 months thereafter. Annual services, including but not limited to hosting, support and maintenance services, shall be subject to a 5% annual increase beginning in year 2.

Production Today

175 kWh

56°F

20.6 kW

Solar Power Now

This Month

11.2 MWh

\$1,239.85

This Year


18.2 MWh

\$2,010.11

Lifetime

302 MWh

\$33,360.06



Environmental Benefits

CO2 Emission
Saved

468,613 lb

Equivalent
Trees Planted

3,541



Fox Chapel Annual Tonnage Report - 2025

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	35.6	35.8	15.5	119.8	135.3
February	0.1	26.6	26.7	3.7	108.6	112.3
March	0.1	28.8	28.9	11.9	118.1	130.0
Total 1QTR	0.4	91.0	91.4	31.1	346.5	377.6
April	0.0	0.0	0.0	0.0	0.0	0.0
May	0.0	0.0	0.0	0.0	0.0	0.0
June	0.0	0.0	0.0	0.0	0.0	0.0
Total 2QTR	0.0	0.0	0.0	0.0	0.0	0.0
July	0.0	0.0	0.0	0.0	0.0	0.0
August	0.0	0.0	0.0	0.0	0.0	0.0
September	0.0	0.0	0.0	0.0	0.0	0.0
Total 3QTR	0.0	0.0	0.0	0.0	0.0	0.0
October	0.0	0.0	0.0	0.0	0.0	0.0
November	0.0	0.0	0.0	0.0	0.0	0.0
December	0.0	0.0	0.0	0.0	0.0	0.0
Total 4QTR	0.0	0.0	0.0	0.0	0.0	0.0
TOTALS	0.4	91.0	91.4	31.1	346.5	377.6


****No residue has been removed from the tonnage reported****

Report Prepared By:

Marcí Martínez

marcis@senecalandfill.com

Phone: (724) 625-9000



Record of Operations

Household/Small Business Hazardous Waste Collection Program

If you have questions filling out this form, please call your regional office listed in the directions that accompanied this form or call (717) 787-7382.

This form must be completed by all sponsors of collection events. The form must be submitted within 30 days of each non-permanent event. Permanent programs should submit this form on a quarterly basis and indicate the reporting period in question #1. If more than one location was utilized for the event, a separate form should be completed for each collection location.

1. Sponsor's Name Fox Chapel Borough
 Address 401 Fox Chapel Rd
Pittsburgh, PA 15238

Lead contact Person and Title Gary Koehler
 Telephone Number 412-963-1100

Date(s) of event From 1/1/2025 To 3/31/2025 Quarter (if applicable) 1st quarter

Location(s) of event Door to Door HHW Collection from Fox Chapel Boro Residents

2. Certification

This is to certify that I have personally examined and am familiar with the information in this application and attached documents. I have reviewed the legislation and regulations that pertain to household/small business hazardous waste collection and disposal programs and I am aware of the Department of Environmental Protection's requirements for this application. To the best of my knowledge, the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Sworn to and subscribed before me

this 16th day of April, 2025



 signature of sponsor's authorized, official/contractor

3. Waste Information

Location Name Fox Chapel Borough

Type of Waste	Collector EPA ID	EPA Haz Waste ID	Number of Participants household	business/other	Lbs Collected	Management Method
1. Latex Paint	PAR000552851	N/A			600.21	Recycle/Fuels
2. Oil Based Paint	PAR000552851	N/A			89.50	Fuels
3. Paint Products/Turpentine	PAR000552851	D001, D002			14.20	See Flammables
4. Corrosives/Caustics	PAR000552851	D002			.80	Neutralization; incineration
5. Pesticides/Poisons	PAR000552851	D001, D013, D020			112.23	Incineration
6. Chlorine Products	PAR000552851	D001, D002				Incineration
7. Used Oil	PAR000552851	N/A			91.60	Recycle
8. Flammable Liquids	PAR000552851	D001, D002			93.45	Fuels
9. Antifreeze	PAR000552851	N/A			23.40	Recycle; fuels
10. Lead Acid Batteries	PAR000552851	D002, D008 (only if broken)			50.30	Recycle
11. NiCad Batteries	PAR000552851	N/A				Recycle
12. Asbestos	N/A	Not Collected				N/A
13. Other	-	-	-	-	-	-
Compressed Gas-Aerosols/Cylinders	PAR000552851	D001, D003			5.65	Fuels
Flammable Solids	PAR000552851	D001				Fuels
Household Batteries	PAR000552851	N/A			100.85	Recycle
Lamps	PAR000552851	N/A			81.90	Recycle
Mercury Containing Devices	PAR000552851	D009, U151 (only if broken)				
Oxidizers	PAR000552851	D001, D002, D003				Incineration
Non-Haz/Non-Regulated	PAR000552851	N/A			5.71	Recycle
14. Computers	PAR000552851	N/A				Recycle
15. Computer Monitors	PAR000552851	N/A				Recycle
16. Printers	PAR000552851	N/A				Recycle
17. Computer Peripherals	PAR000552851	N/A				Recycle
18. Televisions	PAR000552851	N/A				Recycle
19. Other Electronics	PAR000552851	N/A				Recycle
20. Tires	N/A	Not Collected				N/A
21. Pharmaceuticals	N/A	Not Collected				N/A
Total			49		1269.80	

Conversions

Assume 8 pounds equals 1 gallon

For lead acid batteries, assume 20 pounds per battery

4. Management Information

	Collector's EPA ID	Management Facility EPA ID	Name of Treatment/ Disposal Facility	Address of Treatment/Disposal Facility
1.	PAR000504068	WVD981107600	Clean Earth of Morgantown (AES)	1750 Morgantown Industrial Parkway Morgantown, WV 26501
2.	PAR000504068	KYD985073196	AES Environmental, LLC	1689 Shar-Cal Road Calvert City, KY 42029
3.	NYD986908085	PAD000797548	Fielding Environmental, LLC	150 4th Avenue Freedom, PA 15042
4.				
5.				
6.				
7.				
8.				
9.				
10.				

DEPARTMENT USE ONLY

Received by _____ Date _____

Reviewed by _____ Date _____

Approved by _____ Date _____

Disapproved by _____ Date _____