FOX CHAPEL
BOROUGH

AGENDA
BOROUGH COUNCIL MEETING
MONDAY, JULY 15, 2024, at 6 PM

CALL TO ORDER

APPROVAL OF MINUTES
The meeting was held on June 17, 2024.

Motion to *[approve, deny, or approve with conditions] the June 17, 2024 minutes.*

RESIDENT COMMENTS

ENVIRONMENTAL ADVISORY COUNCIL
Meeting held Monday, July 8, 2024. Austin Henry, Chairperson for the EAC will present.

Environmental Disturbance Application No. 24-14:
Nick Beckwith
121 1/2 Springhouse Lane
Submitted by Gregory Gorman - *PVE, LLC*
Proposed Addition

The EAC recommends approval of Environmental Disturbance Application No. 24-14 as submitted, contingent upon:

- Presentation of the recorded, fully executed easement agreement with the adjacent property owner.
- Satisfaction of the standard requirements set forth in the LSSE letter dated July 5, 2024.
- With a recommendation that there be a further assessment by an arborist specifically focusing on the Silver Maple and Black Walnut.

Motion to *[approve, deny, or approve with conditions] Environmental Disturbance Application No. 24-14.*

Environmental Disturbance Application No. 24-15:
Stephen G. and Janine S. Mauersberg
12 James Ross Place
Submitted by Chris M. Schmidt - *Hampton Technical Associates Inc.*
Proposed Construction of Single-Family Dwelling

The EAC recommends approval of Environmental Disturbance Application No. 24-15 as submitted, contingent upon:

- Satisfaction of the standard requirements in the LSSE response letter dated July 8, 2024.
- The addition of eight deciduous hardwoods to the replanting plan, including approval to remove tree no. 6.
- With the recommendation to grant the waiver on very steep slopes with low risk up to 1,756 square feet or 91.12% and the waiver from the 15% limitation on disturbance of very steep slopes with moderate risk up to 422 square feet or 18.93% on the property.

Motion to *[approve, deny, or approve with conditions] Environmental Disturbance Application No. 24-15.*

Environmental Disturbance Application No. 24-16:
Jack and Michelle Ellenberger
500 Fairview Road (Parcel No. 525-R-234)
Submitted by Chris M. Schmidt - *Hampton Technical Associates Inc.*
Proposed Construction of Garage and Pool

The EAC recommends approval of Environmental Disturbance Application No. 24-16 as submitted, contingent upon:

- Satisfaction of the standard requirements set forth in the LSSE letter dated July 8, 2024.
- Along with the recommendation for the waiver as requested from the limitation on disturbance of very steep slopes with low risk to permit disturbance up to 2,366 square feet.

***Motion to** [approve, deny, or approve with conditions] Environmental Disturbance Application No. 24-16.*

CONTRACT AWARDS
Installation of a New Fire Alarm System in the Municipal, Police and Fire Department Spaces

***Motion to** [award, deny, award with conditions] the contract for the installation of a new fire alarm system in the municipal, police, and fire department spaces to replace the existing non-upgradeable fire alarm panel, smoke and heat detectors, and notification devices to Everon, formerly ADT, under the CoStars Contract No. 4400023904 in the amount of $20,633.39 with a monthly recurring service charge of $226.14. The 2024 Capital Budget includes $40,000 for this work.*

POLICE REPORT
Police Report for June 2024

FIRE REPORT
Total of 41 calls: 28 calls Fox Chapel Borough (2- Pittsburgh, 9- O'Hara, 1-Etna, 1- Aspinwall)

FOXWALL EMS REPORT
EMS Report for June 2024

PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT
The meeting was held on Wednesday, July 10, 2024. Betsy Monroe, Chairperson for the PSAC will present.

PUBLIC WORKS REPORT

ENGINEER REPORT
LSSE Engineer Report for June 2024

TREASURER REPORT
Treasurer Reports for June 2024

RATIFICATION OF PAYMENTS
June 2024

***Motion to** [ratify, deny, or ratify with conditions] the payment of bills for June 2024 General Fund Vouchers 4959 - 5045 in the amount of $670,062.55.*

UNFINISHED BUSINESS

NEW BUSINESS
Ordinance 731 Amending Section 338.12.A., Through Highways Established, and 338.13.A., Stop Intersections Established, of the Code of the Borough
The proposed ordinance was advertised and posted on the Borough website. The placement of the stop

signs was recommended by the Chief of Police, Borough Manager, and Public Works Director to alleviate concerns regarding sight distance.

***Motion to** [enact, deny, enact with conditions] Ordinance No. 731, amending Section 338.13A, Stop Intersections Established, of the Code of the Borough by adding stop signs on Fairview Road at Fairview Manor and Whispering Pines (north, south), and a stop sign on Fairview Manor at Fairview Road (west).*

Letter of Resignation

***Motion to** [accept, deny, accept with conditions] the irrevocable letter of resignation from Sergeant Craig Sorg from regular employment with the Fox Chapel Police Department effective August 7, 2024, and who has elected to enter into the Deferred Retirement Option Plan (DROP).*

ENVIRONMENTAL REPORTS
Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

ADJOURNMENT

Equipment and Investment Statement for: DMP RF Takeover POTS

Site Information: Fox Chapel Borough, 401 Fox Chapel Rd, PITTSBURGH, PA 15238

Scope of Work:

ADT will replace the existing Silent Knight 5207 with a DMP XR150 fire alarm control panel.
ADT will replace the existing Remote Annunciator at location, using existing wire.
ADT will replace all existing Smoke and Heat Detectors and add Smoke and Heat Detectors as shown on plan dated 07.05.04.
ADT will add one (1) Pull Station and (1) Smoke Detector at the fire alarm control panel.
ADT will provide a new Fire Control Power Supply (FCPS), connect to the existing bell circuit and all existing appliances, and add appliances as shown on plan dated 07.05.24.
The system will communicate via two (2) Plain Old Telephone System (POTS) lines at the control panel. Customer to provide POTS lines.
The Storage Garage has an existing Autocall fire alarm system that is not in service. ADT will power down this Autocall system add one (1) repeater and four (4) wireless Heat Detectors in each building; Cold Storage and Storage Garage for monitoring on this primary system. This quote does NOT include dismantle of the Autocall system.
NOTE: There is an existing access control system. It is assumed that the access control system is either independent or controlled by the existing intrusion system. This intrusion system is not in use. Either or both the access control and/or intrusion can be captured and controlled by the DMP XR150 for an additional cost, written under separate cover.
ADT COSTARS PA Contract# 4400023904 applies to this project.
This quote does not include architectural or engineer stamped shop drawings. ADT will provide submittal documents upon contract authorization.
ADT will not proceed with an installation without Authority Having Jurisdiction (AHJ) approval.
ADT will provide Central Station Monitoring, Annual Fire Alarm Inspections, and Extended Service Plan (ESP). Customer understands that fire alarm inspections and ESP are optional and can be declined.

Investment Summary

Total Proposal Option	
Installation Price	**$20,633.39**
Total Monthly Recurring Services Charges*	**$226.14**

*Plus applicable tax

Proposal pricing is valid for 30 days

If Everon and Customer are parties to a mutually signed, written agreement, then the terms of that agreement control. If Everon and Customer are not parties to a signed contract, then the scope of work and prices set forth above are based upon and subject to the Everon Terms and Conditions ("Terms") available at https://www.everonsolutions.com/terms-and-conditions-sale. Any modifications to the Terms may result in pricing changes. Any other terms and conditions are rejected by Everon unless in a document signed by an authorized representative of Everon.

Fox Chapel Police Department Report Totals from 06/01/2024 12:00:00 AM to 06/30/2024 11:59:00 PM

INCIDENT REPORTS

TYPE OF REPORT	Total
Accident/Non-Reportable	2
Accident/Reportable	2
Administrative Report - Information Request	5
Animal Complaint	9
Animal Complaint - Injured/Deceased Deer	4
Assist Other Agency	1
Assist Person	8
Burglar Alarm-Business	4
Burglar Alarm-Residence	28
Burglary-Residence	2
Case Number Error (No Report Needed)	1
Civil Dispute	1
Community Relations Event	1
Criminal Mischief to All Other	1
Death-Natural	1
Domestic Disturbance	1
Duress Alarm	1
EMS Call	23
Fire Alarm-Business	2
Fire Alarm-Natural Gas	1
Fire Alarm-Residence	7
Fire Call	1
Found Property	2
Fraud	2
Hazardous Conditions	7
Identity Theft	2
Local Ordinance Violations- Noise Complaint- All Other	1
Local Ordinance Violations- Noise Complaint- Loud Music	1
Lost dog	1
Lost/Found	5
Mental Health	3
Missing Person	1
Park and Walk	11
Parking Complaint	6
PFA Information	1
PFA Violation	1
Police Detail	1
Police Detail - Aggressive Driving	1
Police Detail - Fingerprint	1
Police Detail - House Watch	2
Police Info	2
Property Damage	1
Road Closure	2
Road Hazard	16
SRT/SWAT Report	1
Suspicious Incident	5
Suspicious Persons	9
Suspicious Vehicle	4
Theft	7
Traffic Post	5
Traffic Stop	1
Trespassing of Real Property	1
Utility Complaint	2
Welfare Check	5
Wires Down	15
Total	**231**

ARRESTS

Violation Type	Summoned/Cited (not taken into custody)	Total Arrests for Violation Type
9999: Non NIBRS Offense	1	1
Total Number of Offenses Cleared by Arrest	1	1
Total Number of Persons Arrested	1	1

CITATIONS

Citation Type	June
Traffic-Filed	34
Warning Notice	6
Total	**40**

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Further Info
2024-06-02 11:10:26	02:17	04:43	GLADE RUN LN/RIDING MEADOW RD	<100/ 752>, 40.525748, -79.891234	FOX	CRASH - HIGH MECHANISM	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: MVACAD RESPONSE: F0DISPATCH CODE: 77D02 (HIGH MECHANISM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A ROLLOVER. 3. ONE VEHICLE IS INVOLVED. 4. A PICKUP TRUCK IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE.
2024-06-04 15:55:21	04:46	Cancelled	STATE ROUTE 28 NB/FOX CHAPEL RD RAMP	<71/ 0>, 40.490700, -79.186100	PGH	CRASH - UNKNOWN INJURIES	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: AUTOMATED IPHONE CRASH NOTIFICATION, NO SOUNDS OF DISTRESS, NO CONTACT MADECAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE TYPE OF INCIDENT IS: UNK 3. IT IS NOT KNOWN HOW MANY VEHICLES ARE INVOLVED. 4. OTHER TYPE OF VEHICLE IS INVOLVED: UNK 5. THERE ARE NO VEHICLES ON FIRE. 6.
2024-06-06 06:55:18	02:24	02:44	COOPER SIEGEL LIBRARY	at 403 FOX CHAPEL RD, FOX, btwn FIELD CLUB RD and EVERGREEN RD, 40.515377, -79.879819	FOX	FIRE ALARM - COMMERCIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: COMMERCIAL FIRE ALAMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 999 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412/828-9520 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: COOPER SEIGEL LIBRARY 6.
2024-06-06 10:39:28	03:02	05:01	2 INDIAN HILL RD	btwn FOX CHAPEL RD and END, 40.524831, -79.881140	FOX	SERVICE/ASSIST - FIRE	Medical ProQA recommends dispatch at this time, 88-YEAR-OLD, MALE, CONSCIOUS, BREATHING.CC TEXT: SICK PERSON (SPECIFIC DIAGNOSIS)CALLER STATEMENT: MALE NOT ALERTCAD RESPONSE:
							DELTADISPATCH CODE: 26D01 (NOT ALERT)SHORT KEY QUESTIONS: 1. HE IS NOT RESPONDING NORMALLY (NOT COMPLETELY ALERT). 2. HE IS BREATHING NORMALLY. 3. HE IS NOT BLEEDING (OR VOMITING BLOOD).
2024-06-07 19:08:15	No Acknowledgement	Cancelled	742 FIELD CLUB RD	btwn ORCHARD HILL DR and FIELD CLUB RIDGE RD, 40.521051, -79.859898	OHA	CRASH - UNKNOWN INJURIES	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: APPLE CRASH DETECTION ALERTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. OTHER TYPE OF VEHICLE IS INVOLVED: UNKNOWN 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF AN
2024-06-08 09:32:35	02:56	Cancelled	FOX CHAPEL GOLF CLUB	at 426 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.522930, -79.877818	FOX	FIRE ALARM - COMMERCIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALRMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ENTRY HALL ZONE 36 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4127213748 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: FOX CHAPEL GOLD CLUB 6.
2024-06-11 12:12:30	11:11	13:26	86 VILSACK ST	btwn MAPLE ALY and KRAUS ST, 40.504448, -79.954007	ETN	FIRE - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: BUILDING EXPLOSIONCALLER STATEMENT: BIG EXPLOSION, PEOPLE RUNNING AND POSS FIRECAD RESPONSE: F0DISPATCH CODE: 57D06 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 4. IT IS NOT KNOWN IF ANYTHING IS BURNING. 2. A BUILDING/STRUCTURE HAS EXPLODED. 3. THE EXPLOSION INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-06-13 12:45:12	03:45	04:17	20 WEDGEWOOD LN	btwn END and WOODBROOK DR, 40.515166, -79.913824	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARMSCALLER STATEMENT: FIRE

							ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BEDROOM SMOKE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 724.462.0307 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGLE-FAMILY RE
2024-06-13 13:02:03	02:04	Cancelled	20 WEDGEWOOD LN	btwn END and WOODBROOK DR, 40.515166, -79.913824	FOX	FIRE ALARM - RESIDENTIAL CLASS	POA BEDROOM SMOKE/ CAME IN AT 12:57 / ADVISED PRIOR DISPO- CONSTRUCTION WORKERS ON SCENE WANTED IT SENT AGAIN
2024-06-14 20:42:20	03:06	01:18	FCASD FOX CHAPEL HIGH SCHOOL	at 611 FIELD CLUB RD, OHA, btwn CROFTON DR and TIMBERLANE DR, 40.518099, -79.868674	OHA	FIRE ALARM - COMMERCIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ZONE 992 FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 992 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 862 1406 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: JOE ABBOTT 6. THE INCIDEN
2024-06-15 07:33:21	02:22	04:16	105 TREE FARM RD	btwn WILDBERRY RD and END, LUTHER 412 807 8002, 40.534338, -79.859557	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FIRST FLOOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SIN
2024-06-17 14:07:11	No Acknowledgement	Cancelled	24 5TH ST	btwn FIELD AVE and WESTERN AVE,	ASP	GAS/ODOR - RESIDENTIAL	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELLS GAS IN
					40.494284, -79.906882		THE KITCHEN, OVEN WONT IGNITECAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-06-17 14:26:15	No Acknowledgement	08:20	KALIVIR IMMUNOTHERAPEUTICS	at 240 ALPHA DR, OHA, btwn FREEPORT RD and BETA DR, 40.492369, -79.870742	OHA	GAS/ODOR - COMMERCIAL	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELLS NATURAL GAS INSIDE, ALREADY CALLED GAS CO, BUILDING EVACUCATEDCAD RESPONSE: F0DISPATCH CODE: 60D03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A COMMERCIAL/INDUSTRIAL BUILDING.
2024-06-17 17:50:57	No Acknowledgement	Cancelled	BUCKINGHAM PL/BUCKINGHAM RD	<99/ 305>, 40.506355, -79.900184	FOX	SERVICE/ASSIST - FIRE	PD REQ FIRE FOR TREE ON A VEH UNK INJURIES
2024-06-17 17:44:17	No Acknowledgement	Cancelled	440 DORSEYVILLE RD	btwn GLEN BROOK DR and HEMLOCK HOLLOW RD, 40.519566, -79.912799	FOX	WIRES - HOT (ENERGIZED)	BRANCH FROM A TREE CAME DOWN LEANING ACROSS THE POWER LINES.
2024-06-17 17:42:15	No Acknowledgement	Cancelled	104 BUCKINGHAM RD	btwn GUYASUTA RD and JAMES ROSS PL, 40.501565, -79.900761	FOX	WIRES - HOT (ENERGIZED)	POWER LINE DOWN ON TREE BLOCKING ROAD
2024-06-17 17:48:58	No Acknowledgement	Cancelled	HEMLOCK HOLLOW RD/FIELD CLUB RD	<554/ 0>, 40.508991, -79.888222	FOX	WIRES - HOT (ENERGIZED)	TREE ON WIRES IN THIS AREA
2024-06-17 17:38:50	No Acknowledgement	Cancelled	5 MEADOWOOD DR	btwn MEADOWOOD CT and MEADOWOOD LN, OBRIEN,TIM 412 973 5921, 40.503275, -79.885700	FOX	STRUCTURE COLLAPSE/DAMAGE - ENTRAPMENT	ALARM COMPANY REPORTING FIRE ALARM. SPOKE TO HOMEOWNER STATED A TREE FELL INTO HIS HOUSE. UNK ENTRAP
2024-06-17 18:20:39	No Acknowledgement	Cancelled	OLD MILL RD/FOX CHAPEL RD	<898/ 0>, 40.549507, -79.885428	FOX	WIRES - HOT (ENERGIZED)	CALLER REPORTING TREE AND WIRES DOWN IN THE ROADWAY.
2024-06-17 18:20:27	No Acknowledgement	Cancelled	HALLSBOROUGH DR/WILMAR DR	<0/ 198>, 40.537342, -79.895750	FOX	SERVICE/ASSIST - FIRE	TREES DOWN BLOCKING THE ROADWAY.....REQ RESPONDERS
2024-06-17 17:45:30	00:17	Cancelled	560 DORSEYVILLE RD	btwn BROWNSHILL RD and GLEN DAVID DR, 40.531842, -79.913838	FOX	GAS/ODOR - OUTSIDE	TREE DOWN IN THE FRONT YARD., CALLER CAN SMELL GAS OUTSIDE NOW Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR

							OUTSIDECALLER STATEMENT: GAS LEAK IN FRONT YARDCAD RESPONSE: F2DISPATCH CODE: 60B01 (OUTSIDE RESIDENTIAL LINE)SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THE LEAK IS COMING FROM A RUPTURED LINE. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE SMELLED ONLY. 5. THE SOURCE IS A RESIDENTIAL GAS LINE. 6. NO ONE IS REPO
2024-06-18 09:17:42	02:31	04:26	FREEPORT RD/POWERS RUN RD	<1995/ 900>, 40.507409, -79.851720	OHA	CRASH - UNKNOWN INJURIES	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 2 VEH COLLISION, UNK INJURIESCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PICKUP TRUCK IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VE
2024-06-18 09:33:37	No Acknowledgement	25:53	600 RIDING MEADOW RD	btwn GLEN LAUREL LN and GLADE RUN LN, 40.528181, -79.889730	FOX	FIRE - BRUSH / MULCH	Fire ProQA recommends dispatch at this time, CC TEXT: BRUSH/GRASS FIRECALLER STATEMENT: HEARD LOUD POP//SMOKE NEAR RIDING MEADOWCAD RESPONSE: F1DISPATCH CODE: 82C03 (SMALL BRUSH/GRASS FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THIS IS A BRUSH/GRASS FIRE. 3. IT IS NOT KNOWN WHAT SIZE OF AN AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.
2024-06-18 16:05:39	03:57	01:34	3 FIELDVUE LN	btwn GUYASUTA RD and END, 40.507254, -79.891642	FOX	WIRES - HOT (ENERGIZED)	Fire ProQA recommends dispatch at this time, CC TEXT: TREES/OBJECTS INTO POWER LINES/WIRESCALLER STATEMENT: TREE FELL ON A LIVE POWERLINECAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SUFFIX: W (WATER INVOLVED WITH/NEAR HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. NO ONE IS IN CONTACT WITH THE ELECTRICAL
							HAZARD. 2. THIS INCIDENT INVOLVES TREES/OBJECTS INTO POWER LINES/WIRES. 3. NEITHER FLAMES NOR SMOKE ARE VISIBLE. 5. NO ONE IS
2024-06-18 16:20:05	No Acknowledgement	01:16	96 STATE ROUTE 28 NB	btwn STATE ROUTE 28 NB RAMP and ROUTE 910 RAMP, 40.513221, -79.854318	OHA	CRASH - UNKNOWN INJURIES	CALLER REPOTING A 6 VEH ACC ,,,,NO INJURIES FOR FIRST PARTY CALLER BUT HE IS UNSURE OF ANYONE ELSE, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CALLER REPORTING A 6 VEH ACCIDENT...STATES HE IS UN INJURED BUT IS UNSURE OF THE OTHER DRIVERS...PSP AWARE AND SENDING CARS NOWSHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY).
2024-06-18 17:02:24	00:59	01:31	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	WIRES - HOT (ENERGIZED)	Fire ProQA recommends dispatch at this time, CC TEXT: TREES/OBJECTS INTO POWER LINES/WIRESCALLER STATEMENT: BRANCH ON WIRE / SMOLDERINGCAD RESPONSE: F2DISPATCH CODE: 55C02 (TREES/OBJECTS INTO POWER LINES/WIRES WITH FIRE/SMOKE OR ARCING)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 5. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. THIS INCIDENT INVOLVES TREES/OBJECTS INTO POWER LINES/WIRES. 3. SMOKE IS VISIBLE. 4. THE CALLER REPORTS SMOKE OUTSIDE. 6. NO ONE IS REPORTED TO
2024-06-18 19:15:27	No Acknowledgement	01:10	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, HEALTH CENTER PARKING LOT, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	WIRES - HOT (ENERGIZED)	Fire ProQA recommends dispatch at this time, CC TEXT: POWER LINES/WIRES DOWNCALLER STATEMENT: WIRE IS DOWN AND SMOKINGCAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SUFFIX: W (WATER INVOLVED WITH/NEAR HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 5. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. THERE ARE POWER LINES/WIRES REPORTED AS DOWN. 3. SMOKE IS VISIBLE. 4. THE CALLER REPORTS SMOKE OUTSIDE. 6. NO ONE IS REPORTED TO BE
2024-06-18 19:29:42	14:31	01:14	476 OLD MILL RD	btwn MILLVIEW DR and MILLSTONE DR, 40.533007, -79.895005	FOX	GAS/ODOR - RESIDENTIAL	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK / GAS ODOR (NATURAL AND LP GASES)CALLER STATEMENT: MALE SMELLS GAS ON BURNER //CAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL

							(SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-06-19 02:53:21	No Acknowledgement	03:12	523 FAIRVIEW RD	btwn WHISPERING PINES DR and OLD MILL RD, 40.539118, -79.888877	FOX	POSSIBLE FIRE - RESIDENTIAL CLASS	S/C STRONG SMELL OF SOMETHING BURNING, NO FIRE OR SMOKE SEEN AT THIS TIME.
2024-06-19 07:17:06	No Acknowledgement	Cancelled	FCASD FOX CHAPEL HIGH SCHOOL	at 611 FIELD CLUB RD, OHA, btwn CROFTON DR and TIMBERLANE DR, 40.518099, -79.868674	OHA	FIRE ALARM - COMMERCIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: COMMERCIAL FIRE ALARM //CAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 992 // 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 9600 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: ABET , JOE // 412 862 1406 6. T
2024-06-19 13:59:30	No Acknowledgement	Cancelled	112 HILLCREST RD	btwn FOX CHAPEL RD and ROYSTON RD, // DICK , DAVID // 412 963 1442 //, 40.509164, -79.876463	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: RES FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: UTILITY ROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 1442 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: DICK , DAVID 6. THE INCIDENT INV
2024-06-19 22:54:55	No Acknowledgement	Cancelled	FREEPORT RD/POWERS RUN RD	<1995/ 900>, 40.507409, -79.851720	OHA	CRASH - UNKNOWN INJURIES	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: CALLER THINKS SHE AN ACCIDENT ON THIS ROAD, CANNOT SEE OR HEAR ANYTHING ELSE, UNK INJURIESCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE

							INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF AN
2024-06-20 01:21:22	10:12	05:38	OLD MILL RD/FAIRVIEW RD	<700/ 525>, 40.540285, -79.889296	FOX	WIRES - HOT (ENERGIZED)	LIFE WIRES DOWN AT INTERSECTION AFTER TRANSFORMER BLEW
2024-06-22 20:26:41	02:34	04:28	127 SOUTH DR	btwn FOX CHAPEL RD and NORTH DR, 40.510626, -79.875646	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARM ZONE 27 MUD ROOM SMOKECAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: MUD ROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 513/907-4707 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: KEATING, SUNI 6.
2024-06-23 03:45:02	03:11	03:26	204 HILLCREST RD	btwn ROYSTON RD and END, 412 551 6018, 40.505612, -79.872925	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 13 SMOKE DETECTOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 551 6018 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: CAROL ROBINSON 6. THE INCIDENT
2024-06-24 09:33:59	02:38	04:27	4TH ST/DELAFIELD RD	<702/ 231>, 40.491767, -79.896965	PGH	CRASH - UNKNOWN INJURIES	Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACCIDENT / UNK INJURIESCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS

							TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS TH
2024-06-24 12:39:45	No Acknowledgement	Cancelled	PITTSBURGH FIELD CLUB	at 121 FIELD CLUB RD, FOX, MAIN, btwn WOODCLIFF RD and HICKORY HILL RD, 40.513113, -79.889895	FOX	FIRE ALARM - COMMERCIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE EXACT AREA OR ZONE/ROOM ACTIVATED IS NOT KNOWN. 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129638500 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SAME AS ENTRY 6. THE INCIDENT I
2024-06-27 01:46:48	No Data	No Data	102 ETON DR	btwn DELAFIELD RD and WOODSHIRE DR, 40.498452, -79.885989	OHA	GAS/ODOR - RESIDENTIAL	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: FEMALE RETURNED HOME AND SMELLED GAS AS SOON AS SHE OPENED BASEMENT DOOR IT APPERARS RANGE KNOB IS ON BUT NOT IGNIGHTEDCAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-06-27 13:06:33	No Data	No Data	105 YORKSHIRE DR	btwn POWERS RUN RD and END, 40.521524, -79.868428	OHA	FIRE - TRANSFORMER	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: TELEPHONE POLE SMOKING--ITEM ON FIRE FELL OFFCAD RESPONSE: F2DISPATCH CODE: 55B04 (TRANSFORMER WITH FIRE/SMOKE OR ARCING)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 5. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS INVOLVED. 3. SMOKE IS VISIBLE. 4. THE CALLER REPORTS SMOKE OUTSIDE. 6. NO ONE IS REPORTED TO BE INJURED. 7. THE HAZARD DOES NOT INVOLVE
2024-06-27 14:30:31	No Data	No Data	340 FOX CHAPEL RD	btwn HEMLOCK HOLLOW RD and DEER	FOX	GAS/ODOR - OUTSIDE	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER
				BROOKE LN, 40.504777, -79.880459			STATEMENT: WORKERS ON PROP STRUCK GAS LINECAD RESPONSE: F2DISPATCH CODE: 60B01 (OUTSIDE RESIDENTIAL LINE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THE LEAK IS COMING FROM A RUPTURED LINE. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE BOTH SMELLED AND HEARD. 5. THE SOURCE IS A RESIDENTIAL GAS LINE. 6. NO ONE IS REPORTEDLY SICK OR INJURED. 7. THE GAS COMPANY IS: PEOPLES NATURA
2024-06-30 09:34:25	No Data	No Data	10 WOODLAND FARMS RD	btwn FOX CHAPEL RD and END, 40.539192, -79.877840	FOX	FIRE ALARM - RESIDENTIAL CLASS	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 9 HALLWAY SMOKE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-350-0330 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SENICH, JOHN 6. THE INCIDENT

Municipality	Calls
FOX	28
PGH	2
OHA	9
ETN	1
ASP	1
Total	41

Foxwall EMS

June 2024

Council EMS Report

News and Noteworthy

FOXWALL
EMERGENCY MEDICAL SERVICE

- Welcome **Ben Shopland, MHA, NRP, FP-C**
  - **Professional Background**: Ben brings nearly two decades of EMS and healthcare leadership experience, with degrees from Duquesne University and Point Park University. He has extensive experience as a paramedic, flight paramedic, and leader in quality improvement initiatives.
  - **Leadership and Innovation**: At UPMC, Ben implemented innovative paramedicine and telemedicine programs, providing emergency and inpatient-level care in the home, significantly easing hospital overcrowding during the pandemic.
  - **Personal Background**: Originally from Indiana, PA, Ben resides in Pittsburgh with his husband Eric and their dog Bruce. An avid hiker and kayaker, Ben enjoys spending time outdoors.

News and Noteworthy (contd.)

FOXWALL
EMERGENCY MEDICAL SERVICE

- Foxwall EMS has received the highest award from the American Heart Association in treating cardiac and stroke emergencies. The **Mission Lifeline Gold Award** illustrates Foxwall EMS continued commitment to providing the best of care to our communities and we thank our staff and volunteers for their dedication to excellence!
- Timmy Welch, Pre-Hospital RN, and Jordan Smith, Paramedic, were recognized by the American Red Cross for their participation in saving the life of Mr. Tony Suleski who suffered a cardiac arrest last October in Borough of Aspinwall. Timmy and Jordan received the **National Life Saving Award** along with several others.
- The new ambulance is in-service! It's already scene numerous critical patients and works wonderfully.

June 2024

- Total calls for service were 191
- Total 911 calls for service were 110 (including STAT trips)
- Total non-emergency / interfacility calls were 81

Call Type	Count of Dispatch Priority
E0	15
E1	23
E2	19
E3	10
E4	36
NET	81
STAT Trip	7
Grand Total	**191**

June 2024 - Dispatched 911 Calls

Dispatched 911 Calls (E0-E4) - June 2024	Count
Abdominal Pain	3
Altered Mental Status	1
Assault	1
Back Pain	1
Breathing Problems	8
Cardiac	1
Cardiac Arrest - Medical	4
Chest Pain	2
Choking	1
CO Poisoning / Hazmat	2
Convulsions / Seizure	1
Dizziness	1
Fall Victim	9
Headache	1
Heart Problems	2
Hemorrhage/Laceration	2
Lift Assist Only	1
Other	27
Pain	1
Psychiatric Problems	5
Sick Person	10
Stand By	6
Stroke/CVA	2
Traffic Accident	1
Unconscious / Fainting	6
Unknown Problems	3
Weakness	1
Grand Total	**103**

June 2024 Dispatched 911 Calls By Boro/MCD Code

June 2024 MCD Name	Count
Aspinwall	32
Blawnox	2
Cheswick	1
Fox Chapel	47
Hampton	1
Harmar	1
Indiana	4
O'Hara	9
Rankin	1
Shaler	1
Sharpsburg	1
Swissvale	2
Verona	1
Grand Total	**103**

June 2024 – Dispatched 911

Aspinwall	**32**
Abdominal Pain	1
Breathing Problems	5
CO Poisoning / Hazmat	2
Convulsions / Seizure	1
Dizziness	1
Fall Victim	3
Headache	1
Other	8
Psychiatric Problems	2
Sick Person	2
Stand By	2
Stroke/CVA	1
Unconscious / Fainting	1
Unknown Problems	2

Blawnox	**2**
Other	1
Sick Person	1

Verona	**1**
Hemorrhage/Laceration	1

Fox Chapel	**47**
Back Pain	1
Breathing Problems	1
Cardiac Arrest - Medical	4
Chest Pain	1
Choking	1
Fall Victim	5
Heart Problems	1
Lift Assist Only	1
Other	15
Pain	1
Psychiatric Problems	2
Sick Person	4
Stand By	4
Stroke/CVA	1
Traffic Accident	1
Unconscious / Fainting	2
Unknown Problems	1
Weakness	1

Hampton	**1**
Other	1

Harmar	**1**
Chest Pain	1

Indiana (Township of), Allegheny	**4**
Breathing Problems	1
Fall Victim	1
Sick Person	1
Unconscious / Fainting	1

O'Hara	**9**
Abdominal Pain	1
Heart Problems	1
Hemorrhage/Laceration	1
Other	1
Psychiatric Problems	1
Sick Person	2
Unconscious / Fainting	2

Rankin	**1**
Abdominal Pain	1

Shaler	1
Breathing Problems	1

Sharpsburg, Allegheny	**1**
Assault	1

Swissvale	**2**
Altered Mental Status	1
Cardiac	1

Verona	**1**
Other	1

Responses Times By Dispatch

Responses Times By Dispatch	Min	Max	Average
Aspinwall	0.0	13.0	7.1
E0	2.0	8.0	5.0
E1	4.0	13.0	7.3
E2	5.0	10.0	8.3
E3	7.0	13.0	9.7
E4	0.0	6.0	4.0
Blawnox	24.0	24.0	24.0
E3	24.0	24.0	24.0
Cheswick	13.0	13.0	13.0
E2	13.0	13.0	13.0
Fox Chapel	0.0	16.0	8.4
E0	5.0	11.0	7.3
E1	4.0	13.0	9.7
E2	4.0	16.0	10.4
E3	9.0	13.0	11.0
E4	0.0	9.0	5.3

Responses Times By Dispatch	Min	Max	Average
Indiana Township	10.0	12.0	11.0
E1	10.0	12.0	11.0
O'Hara	8.0	10.0	8.5
E1	8.0	8.0	8.0
E2	8.0	8.0	8.0
E3	10.0	10.0	10.0
E4	8.0	8.0	8.0

E0: Most critical (i.e., cardiac arrests, significant trauma, etc)

E1: Advanced Life Support (ALS) emergency (i.e., strokes, shortness of breath, etc).

E2: ALS/BLS emergency (i.e., diabetic issues, fall with injuries., etc.)

E3: Basic Life Support Emergency (BLS) (i.e., fall with minor injury)

E4: Least critical (i.e., life assists)

Questions?

FOXWALL
EMERGENCY MEDICAL SERVICE

Benjamin Shopland, MHA, NPR, FP-C (he/him)

Chief of EMS

Foxwall Emergency Medical Services

749 Hemlock Hollow Rd.

Pittsburgh, PA 15238

main: (412) 963-6611 ext 1001

cell: (724) 840-9653

shopland@foxwall.org

FOX CHAPEL
BOROUGH

FOX CHAPEL BOROUGH PUBLIC SAFETY ASSISTANCE COMMITTEE
MEETING HELD JULY 10, 2024

PRESENT: Betsy Monroe, Chairperson; Sarah Hanna, Bradley D. Harrison, Councilmembers; Dylan Morris, MD, Committee Member; Michael Stevens, Chief of Police; John Miclot, Fox Chapel Volunteer Fire Department; Gary J. Koehler, Borough Manager; Shawn M. Peterson, Borough Secretary

VIA ZOOM: Walter A. Scott, III, Mayor; Thomas Donahoe, Committee Member; Ben Shopland, Chief of Foxwall EMS; Gino Mollica, Deputy Chief of Foxwall EMS

The meeting was called to order at 8:30 a.m.

Recap of the June 17, 2024, Storm and Public Safety Response

Internal Communication:

- Hand-held radios worked well for internal communication between Public Works, the Police Department, and the Volunteer Fire Department. Allegheny County will have a new radio system within the next two years and will be equipping emergency responders with radios. Training should be conducted on how to utilize hand-held radios correctly.
- The first responders who use FirstNet did not experience any issues.
- Overall, internal communication between Public Works, the Police Department, and the Volunteer Fire Department went great. The Public Works Department and the Police Department will have Point of Contact personnel called in to assist with communication between departments during an emergency.

Public Communication:

- Chief Stevens fielded approximately 50 phone calls in the first hour of the storm from residents reporting issues. This, along with ever-changing information on road closures, downed trees, and other emergencies, showed the Borough that sending an alert to residents with detailed information is impossible. The Committee recommended creating templates for future issues that include sheltering in place, fully-staffed first responders out working in the Borough, etc. Mr. Morris stated the goal is to be first, be right, and be empathetic when sending notifications.
- Ms. Hanna suggested an article for the newsletter celebrating the response of the first responders and what they were doing during the storm to assist the Borough. Ms. Monroe suggested two newsletter articles a year (winter and spring) with information on how to prepare for a storm and rules for what to do in an emergency.
- Mr. Koehler has asked Ford Office Technologies about getting FirstNet hotspot connected to the Borough computers so that in the event of loss of Comcast access, the Borough can still get information out to the residents, and residents will be able to contact the Borough.

Fox Chapel Volunteer Fire Department

John Miclot of the Fox Chapel Volunteer Fire Department presented a report from the Fire Department highlighting its key performance indicators (KPIs). He stated that the department had 46 actual calls in June. (The Allegheny County report shows 41 calls, but 5 calls were not received from the County during the storm as a communication tower was lost, which meant some communication was delayed.)

Ms. Monroe asked for a new column to be added to the Fire Department report that contains the response time for each call the Department receives. Mr. Miclot stated that the Department is trying to discover a way to make this information available on the report as best it can and will continue to look into how best to accomplish this task. Chief Stevens will look at the CAD system from his point of view to see if he can find the response times when the VFD contacts the county that they are ready.

Mr. Miclot also said that the Department is holding its first “Health Fair for the Heroes” health screening for first responders and their family members on September 28, 2024.

Mr. Miclot stated that the Department would attend a course provided by Allegheny County to receive Gold Helmet Status, achieved by the top 10 percent of departments nationally.

Ms. Monroe asked for a breakdown of members and the categories of each member: active, lifetime, junior, or administrative, for the next meeting.

The meeting was adjourned at 9:49 a.m.

SHAWN MARIE PETERSON
Borough Secretary

LSSE
Est. 1985 Civil Engineers and Surveyors
LSSE • Rabell • Senate
846 Fourth Avenue, Coraopolis, PA 15108
(412) 264-4400 • (412) 264-1200 Fax
info@lsse.com • www.lsse.com

MEMO

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: July 10, 2024

S. O. No.: 0424-01

FROM: Kevin A. Brett, P.E.

cc:

SUBJECT: **Monthly Engineer's Report**
July 15, 2024 Meeting

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded $51,500.00 grant through CFA – Local Share Account. LSSE transmitted project advertisement to the Borough via letter dated February 26, 2024 for a bid opening of April 9, 2024. LSSE transmitted bid documents to the Borough via letter dated March 22, 2024. Bids were opened April 15, 2024. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of $70,700.00. LSSE issued award letter dated May 28, 2024 to Energy Independent Solutions, LLC. LSSE to schedule pre-construction meeting upon receiving Executed Contract Documents from Contractor.* **LSSE transmitted letter requesting executed contract documents from Contractor on July 5, 2024.**

2. **2024 Roadway Improvements:** *Scope of work is outlined in the following table:*

BASE BID			
ROADWAY	**FROM**	**TO**	**Award Amount**
Windmere Drive	Powers Run Road	Cul-De-Sac	$1,164,068.50
Foxwood Drive	Highland Road	Cul-De-Sac	
Silent Run Road	Highland Road	Cul-De-Sac	
Autumn Path Lane	Silent Run Road	Cul-De-Sac	
Hickory Hill Road	Field Club Road	Cul-De-Sacs	
Marvelwood Place	Cul-De-Sac	Cul-De-Sac	
Hemlock Hollow Road	Hunt Road	Old Mill Road	
Fieldvue Lane	Guyasuta Road	Cul-De-Sac	
Shadow Ridge Drive	Field Club Road	Cul-De-Sac	
Fox Chapel Borough Mill and Pave	Various Locations	As Directed	

ADD ALTERNATE			
ROADWAY	**FROM**	**TO**	
Westmoreland Farms Drive	Hunt Road	Cul-De-Sac	$60,805.73
Hemlock Hollow Road	Fox Chapel Road	Hunt Road	$219,985.35
Hemlock Hollow Road^	Old Mill Road	Dorseyville Road	$118,324.70
FCA Utility Repairs*	Various Locations	As Directed	$16,872.00

^Cost Sharing Agreement with PNG / *To Be Paid Directly By FCA

LSSE issued PNG Hemlock Hollow Restoration OPC letter dated May 1, 2024 LSSE transmitted fully executed Notice to Proceed to the Borough on May 7, 2024. LSSE transmitted pre-construction meeting minutes. Contractor mobilized on June 12, 2024 and is anticipated to work on the roads in the western portion of the Borough first. **LSSE issued shop drawing letter dated June 18, 2024. LSSE transmitted periodical estimate form to Contractor via letter dated June 27, 2024. Construction is ongoing.**

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. . LSSE assisted Borough and submitted CFA-LSA application for a grant request of $1,000,000.00. Grant awarded in the amount of $474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024. LSSE issued Act 14 Notification to Allegheny County on May 22, 2024. LSSE is working with the Borough's Landscape Architect to finalize planting plan associated with the permit application.* **Ongoing.**

4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions.* **PaDEP issued Chapter 105 Permit on June 9, 2024. Project is out to bid. Bids to be received and opened on July 25, 2024.**

5. Volunteer Fire Company Renovations: *Updated conceptual plans have been provided for Borough's review. LSSE preparing DD's for Borough's review. Steve Paxton anticipates bid documents to be completed by end of May 2024. LSSE, Borough Staff and Steve Paxton conducted field review on June 4, 2024 to review plans. Final plans to be transmitted to fire department mid-July for final review. Anticipate bid opening beginning of August 2024.* **LSSE transmitted project advertisement to the Borough on July 5, 2024 for an August 8, 2024 bid opening.**

   Fox Chapel Road and Field Club Road: *LSSE provided a revised plan to the Borough on March 27, 2024. LSSE revised the plan per Borough comments. PennDOT comments were received on April 2, 2024, LSSE is preparing the plan for resubmission. LSSE transmitted project advertisement for Contract No. 24-TS01 2024 - Traffic Signal Improvements on May 15, 2024. LSSE issued utility letter dated May 16, 2024. Bid opening is scheduled for July 8, 2024.* **LSSE transmitted contract specifications to the Borough via letter dated July 3, 2024. Bid opening is scheduled for July 31, 2024.**

6. Guyasuta Road and Fieldvue Lane Sight Distance: *LSSE transmitted Sight Distance Memo on March 12, 2024 for Borough review.*

Municipal Separate Storm Sewer System (MS4)

1. *PaDEP issued permit on November 18, 2018. LSSE uploaded Permit Renewal to DEP on February 6, 2023. Outfall screening to begin in June 2023. LSSE transmitted Annual MS4 Status Report to PaDEP on September 27, 2023.*

2. **PRP Plan:**

   A. **Stream Restoration (Hemlock Hollow Road):** *Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.*

   B. **Current PRP Status:** *LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements.*

Planning Commission Applications

- None this month.

Environmental Advisory Council Applications

- 314 Old Indian Trail Court – Beaver Residence/Enclave 312R – EAC 24-13: *LSSE issued review letter dated May 31, 2024.* **LSSE issued review letter dated June 19, 2024.**

- 12 James Ross Place – Mauersberg Residence – EAC 24-15: **LSSE issued review letters dated June 25, 2024 and July 8, 2024.**

- 140 Willow Farms Lane – Lot 101 – EAC 24-17: **LSSE issued review letter dated June 27, 2024.**

- 500 Fairview Road – Ellenberger Residence – EAC 24-16: **LSSE issued review letter dated June 27, 2024 and July 8, 2024.**

- 121½ Springhouse Lane – Beckwith Residence – EAC 24-14: **LSSE issued review letter dated July 1, 2024.**

Stormwater Management Plans

- None this month.

Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:

  - **Phase I COA / O&M:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers. The 2021 CCTV and lining work has been completed. The 2022 CCTV and lining work has been completed. The 2023 Lining Program has been established with the Sewer Supervisor. A Letter of Interest (LOI) for this program was submitted to ALCOSAN for potential GROW Grant funding on March 31, 2023. Fox Chapel received invitation to submit a GROW application. Completed application was submitted to the ALCOSAN on June 28, 2023. This project was not approved for funding.* 2024 O&M CCTV scope finalized, and generally includes 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A). The 2024 O&M lining scope reviewed with Borough, and generally includes sanitary sewer lining along Hemlock Hollow Road and Old Mill Road. Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE has initiated drafting the application. Resolutions for GROW application submittal provided to the Borough. **LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024.**

  - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution.* Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. **The Phase II COA BDD Report was submitted to ACHD on June 24, 2024.**

  - **Sycamore Run Flow Monitor:** *Data collection ongoing and will be for life of system. LSSE preparing quarterly flow data reports. Meter service and recalibration completed October 7, 2022. Data collection ongoing. LSSE evaluating alternatives for remote data access. Data collection issues were identified in September 2023 caused by storm event / power outages that occurred previously. LSSE field technicians are working with Advanced Instruments to replace and reprogram the data storage device.* Meter has been sent to ISCO for refurbishment. ISCO has provided and installed a temporary meter. Potential options moving forward include meter refurbishment, meter replacement, or a differing meter technology. **Meter replacement authorized, LSSE coordinating.**

  - **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in*

February 2024. LSSE issued 2023 Flow Data Review Memo dated February 28, 2024.

- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete.*

- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months.* No Change.

- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. Future discussions will need to take place regarding municipal agreements before moving forward to the construction phase. An A/E Firm was selected but the fees requested were over the amount budgeted. Additional funding is needed to move forward per ALCOSAN. Project design firm to be selected. A project update meeting with ALCOSAN and the Army Corps of Engineers (USACE) was held in June 2023. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023.*

- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024.* **Public Works finalizing installation of sanitary sewer.**

- **Old Mill Road Sanitary Sewer Replacement Phase II: Survey complete. LSSE is preparing permitting documents. Project will require GP8 and GP11 permits for stream crossings; PaDEP sewage facility planning module approval; and a PaDEP Part II Water Quality Management Permit.**

- **<u>Upper Allegheny Near Surface Facilities Package 6 Project:</u>** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024.* LSSE provided Sycamore Run flow data to ALCOSAN.

- **<u>2024 Sanitary Sewer Repairs:</u>** *LSSE to prepare PADEP General Permit No. 5 for the repair of sanitary sewers along four streams within the Borough.* **LSSE completed surveys and started design plans. LSSE is working with Borough Staff to confirm access to each repair.**

FOX CHAPEL
BOROUGH

ORDINANCE NO. 731

AN ORDINANCE OF FOX CHAPEL BOROUGH, ALLEGHENY COUNTY, PENNSYLVANIA, AMENDING SECTION 338.12.A., THROUGH HIGHWAYS ESTABLISHED, AND SECTION 338.13.A., STOP INTERSECTIONS ESTABLISHED, OF THE CODE OF THE BOROUGH.

BE IT ENACTED AND ORDAINED by the Council of the Borough of Fox Chapel, Allegheny County, Pennsylvania, and it is hereby enacted and ordained by the same as follows:

SECTION 1.

§338.12.A, entitled "Through Highways established," of the Code of the Borough of Fox Chapel, is hereby amended by replacing the line relating to Fairview Road to read as follows:

Highway	**Between**
Fairview Road	Fox Chapel Road and Whispering Pines Drive – Fairview Manor; and Whispering Pines Drive – Fairview Manor and Fox Chapel Borough-Indiana Township line

SECTION 2.

§338.13A, entitled "Stop intersections established," of the Code of the Borough of Fox Chapel, is hereby amended by adding the following:

Highway	**Through Highway**	**Direction of Travel**
Fairview Road	Whispering Pines Drive – Fairview Manor	North, South
Fairview Manor	Fairview Road	West
Whispering Pines Drive	Fairview Road	East

SECTION 3. As amended, all other portions of §338.12.A. and §338.13.A. shall remain in full force and effect.

ORDAINED AND ENACTED this 15th day of July 2024.

_____
Shawn M. Peterson
Secretary

_____
Andrew C. Bennett
President of Council

EXAMINED AND APPROVED by me this 15th day of July 2024.

_____
Walter A. Scott, III
Mayor

solaredge

Home Gary Koehler

Dashboard Layout Analysis Reports Alerts Admin

Choose a site (insert at least 3 letters to search):

EIS Fox Chapel Boro

Current Power	Energy today	Energy this month	Lifetime energy	Lifetime revenue
81.16 kW	627.48 kWh	16.89 MWh	212.88 MWh	$23,458.59

Power and Energy

Day Week Month Billing Cycle Year

01/01/2024 - 12/31/2024

System Production: **71.48 MWh**



Comparative Energy

Month Quarter Year



Status	Active
ID	3321592
Name	EIS Fox Chapel Boro
Address	Fox Chapel Road 401, Pittsburgh,Pennsylvania,Unit...
Installed	12/09/2022
Last Updated	06/28/2024 15:58
Peak Power	129.6 kWp

Mostly Sunny
85.82 °F
Feels like 86.9 °F
Wind WSW 4.6 MPH
Humidity 47.6 %
Sunrise at 05:52
Sunset at 20:54

Thursday	Friday	Saturday
69.8 - 82.4 °F	68 - 84.2 °F	55.4 - 80.6 °F
Mostly Sunny	Thunderstorms	50% Chance of Storms

Environmental Benefits

CO2 Emission Saved
329,641.31 lb

Equivalent Trees Planted
2,490.74

Vogel
DISPOSAL SERVICE, INC.

Phone: (724) 625-1511
Fax: (724) 625-3750
121 Brickyard Road
Mars, PA 16046

www.vogeldisposal.com

Fox Chapel Annual Tonnage Report - 2024

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	34.1	34.3	10.1	140.9	151.0
February	0.2	29.1	29.3	4.0	112.9	116.9
March	0.2	25.5	25.7	10.7	117.0	127.7
Total 1QTR	**0.6**	**88.7**	**89.3**	**24.8**	**370.8**	**395.6**
April	0.2	30.9	31.1	12.0	123.8	135.8
May	0.3	42.4	42.7	18.1	137.4	155.5
June	0.1	31.8	31.9	8.9	138.7	147.6
Total 2QTR	**0.6**	**105.1**	**105.7**	**39.0**	**399.9**	**438.9**
July	0.0	0.0	0.0	0.0	0.0	0.0
August	0.0	0.0	0.0	0.0	0.0	0.0
September	0.0	0.0	0.0	0.0	0.0	0.0
Total 3QTR	**0.0**	**0.0**	**0.0**	**0.0**	**0.0**	**0.0**
October	0.0	0.0	0.0	0.0	0.0	0.0
November	0.0	0.0	0.0	0.0	0.0	0.0
December	0.0	0.0	0.0	0.0	0.0	0.0
Total 4QTR	**0.0**	**0.0**	**0.0**	**0.0**	**0.0**	**0.0**
TOTALS	***1.2***	***193.8***	***195.0***	***63.8***	***770.7***	***834.5***

No residue has been removed from the tonnage reported

Report Prepared By:
Marci Martinez
marcis@senecalandfill.com
Phone: (724) 625-9000