



FOX CHAPEL BOROUGH

AGENDA **BOROUGH COUNCIL MEETING** **MONDAY, OCTOBER 21, 2024, at 6 PM**

CALL TO ORDER

APPROVAL OF MINUTES

The meeting was held on September 16, 2024

Motion to [approve, deny, or approve with conditions] the September 16, 2024 minutes.

RESIDENT COMMENTS

POLICE REPORT

Police Report for September 2024

Resignation of Officer

Officer Adam Painter submitted his Letter of Resignation to be effective November 27, 2024. The Civil Service Commission recommends the approval from Borough Council to proceed with the hiring process for a new patrol officer. This includes the advertisement for the Civil Service Exam and the designation of Police Consulting Services to administer a written exam for the patrol officer position.

Motion to [approve, deny, or approve with conditions] the resignation of Officer Adam Painter, effective November 27, 2024.

Motion to [approve, deny, or approve with conditions] the Civil Service Commission to proceed with the hiring process for a new patrol officer.

Motion to [approve, deny, or approve with conditions] the advertisement for the Civil Service Exam.

Motion to [approve, deny, or approve with conditions] the designation of Police Consulting Services to administer a written examination for the patrol officer position.

FIRE REPORT

Total of 43 calls: 20 calls Fox Chapel Borough (12- O'Hara, 6- Aspinwall, 2- Indiana, 2- Harmar, 1- Pittsburgh)

FOXWALL EMS REPORT

EMS Report for September 2024

PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT

The meeting was held on September 25, 2024.

PUBLIC WORKS REPORT

ENGINEER REPORT

LSSE Engineer Report for September 2024

TREASURER REPORT

RATIFICATION OF PAYMENTS

September 2024

Motion to [ratify, deny, or ratify with conditions] the payment of bills for September 2024, General Fund Vouchers 5211 - 5279 in the amount of \$1,135,759.27.

NEW BUSINESS

Waiver for Meadow - 730 Fairview Road

Residents Douglas and Shelley Campbell, 730 Fairview Road, formally request a waiver to the mowed lawn rule stated in Article VII, Vegetative Area Maintenance of the Code of the Borough of Fox Chapel, to begin the directed process of transforming specific areas of their property from lawn to meadow. Zoning Administrator, Dan Moretti has reviewed the site plans and recommends approval of the meadow.

Motion to [approve, deny, approve with conditions] a waiver for a meadow at 730 Fairview Road.

Waiver for Meadow - 578 Dorseyville Road

Resident Jonathan Hosack, 578 Dorseyville Road, formally requests a waiver to the mowed lawn rule stated in Article VII, Vegetative Area Maintenance of the Code of the Borough of Fox Chapel, to begin the directed process of transforming areas of his property from lawn to meadow. Zoning Administrator, Dan Moretti has reviewed the site plans and recommends approval of the meadow.

Motion to [approve, deny, approve with conditions] a waiver for a meadow at 578 Dorseyville Road.

Resolution No. 703

Motion to [adopt, deny, or adopt with conditions] Resolution No.703, authorizing the Borough of Fox Chapel to enter into a Grant Contract with Allegheny County Economic Development (ACED), through the Active Allegheny Grant Program to apply for funds in the amount of \$30,000 for the proposed O'Hara/Fox Chapel Community Connector. The Borough also allocates \$29,945 of matching funds to the project.

Resolution No. 703 also designates Gary J. Koehler, Borough Manager, as the official to execute all documents and agreements between Fox Chapel and ACED to facilitate and assist in obtaining the requested grant.

Resolution No. 704

Motion to [adopt, deny, or adopt with conditions] Resolution No.704, authorizing the Borough of Fox Chapel to request a Statewide Local Share Assessment grant in the amount of \$650,000 from the Commonwealth Financing Authority to be used for the Dorseyville Fire Station Improvements Project.

Resolution No. 704 also designates Borough Manager Gary J. Koehler, and Council President Andrew C. Bennett, as the officials to execute all documents and agreements between the Borough of Fox Chapel and the Commonwealth Financing Authority to facilitate and assist in obtaining the requested grant.

Resolution No. 702

Motion to [adopt, deny, or adopt with conditions] Resolution No. 702, recognizing Andrew C. Bennett for his 25 years of dedicated service as a member of the Borough Council.

ENVIRONMENTAL REPORTS

Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

ADJOURNMENT

FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 9/1/24 12:00:00 AM TO 9/30/24 11:59:00 PM

INCIDENT REPORTS

TYPE OF REPORT	Total
9-1-1 Hang Up	2
Accident/DUI	1
Accident/Hit-Run	3
Accident/Non-Reportable	3
Accident/Reportable	1
Administrative Report - Information Request	4
Animal Complaint	8
Animal Complaint - Dog Bite Report	1
Animal Complaint - Injured/Deceased Deer	6
Assist Other Agency	9
Assist Person	3
Burglar Alarm-Business	3
Burglar Alarm-Residence	29
Burglary-Residence	2
Case Number Error (No Report Needed)	2
Childline/Child Welfare Report	1
County Ordinance - Violation	1
Disabled Vehicle	3
Domestic Disturbance	1
EMS Call	19
Expungement Order	1
Fire Alarm-Business	4
Fire Alarm-Natural Gas	1
Fire Alarm-Residence	11
Fire Call	2
Found Property	1
Fraud	3
Fraud- Credit Cards/ATM	1
Harassment	1
Hazardous Conditions	1
Juvenile Investigation	1
Local Ordinance Violations- All Other	1
Lockout- Vehicle	1
Lost/Found	1
Lost/Stolen Plate	1
Misc. Disturbance	1
Missing Person	1
Motor Vehicle Theft	2
Park and Walk	1
Parking Complaint	17
PFA Service	2
Police Detail - Directed Patrol	2
Police Detail - Fingerprint	1
Police Detail - House Watch	13
Police Info	4
Road Hazard	4
Solicitor Complaint	1
speed enforcement	1
Suspicious Incident	7
Suspicious Persons	11
Suspicious Vehicle	12
Theft	2
Traffic Complaint	9
Traffic Post	33
Welfare Check	5
Total	262

ARRESTS

Violation Type	Total Arrests for Violation Type
Total Number of Offenses Cleared by Arrest	0
Total Number of Persons Arrested	0
Citation Type	August
Non-Traffic-Filed	3
Traffic-Filed	22
Warning Notice	18
Total	43



FOX CHAPEL POLICE DEPARTMENT

Pennsylvania 1934

October 7, 2024

Borough Council
Fox Chapel Borough
401 Fox Chapel Road
Pittsburgh, PA 15238

RE: Civil Service Commission
Recommendation to Borough Council

Dear Members of Borough Council:

The Borough of Fox Chapel has received a letter of resignation from Officer Adam Painter, effective Wednesday, November 27, 2024. The Civil Service Commission requests that the Borough Council approve proceeding with the hiring process for a patrol officer to replace Officer Painter. This request includes approving the advertisement for the Civil Service Exam as well as designating Police Consulting Services to administer the written examination for the patrol officer position.

Respectfully submitted,

FOX CHAPEL CIVIL SERVICE COMMISSION

JAMES M. ROYSTON
Chairman

Encl.
CC. Chief Michael J. Stevens

Michael J. Stevens | Chief of Police

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Priority	Further Info
2024-09-01 00:24:32	04:13	07:18	ASPINWALL UNITED PRESBY CHURCH	at 209 CENTER AVE, ASP, 4127812884, btwn 2ND ST and 3RD ST, 40.492053, -79.904703	ASP	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: SMOKE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 2 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4127812884 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: ASPINWALL PRESBYTERIAN CHURCH 6.
2024-09-01 03:04:25	03:07	06:49	80 STATE ROUTE 28 SB	btwn STATE ROUTE 28 SB RAMP and STATE ROUTE 28 SB RAMP, 40.493825, -79.871960	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CAR DRIVING NORTH BOUND ON THE SOUTH BOUND SIDE OF THE HIGHWAY JUST CAUSED AN ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE

								ARE NO VEHICLES ON FIRE. 6. IT IS NO
2024-09-02 03:49:53	04:44	08:15	901 SETTLERS RIDGE RD	btwn DORSEYVILLE RD and END, 40.539147, -79.908824	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: MULTIPLE FIRE ALARMSCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 HEAT DECT X4 // TRIPPED 4 TIMES 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 287 9278 5. THE NAME OF THE BUSIN
2024-09-02 18:12:01	No Acknowledgement	Cancelled	ALL AMERICAN EVENT	at 101 FREEPORT RD, ASP, btwn WESTERN AVE and CENTER AVE, 40.490788, -79.907323	ASP	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 14 BASEMNT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4128182738 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER

								IS: GOLDBERG ERIK 6. THE INCIDENT
2024-09-02 21:45:13	02:42	02:04	183 WOODSHIRE DR	btwn ETON DR and END, 40.492055, -79.888632	OHA	POSSIBLE FIRE - RESIDENTIAL CLASS	F1	Fire ProQA recommends dispatch at this time, CC TEXT: ELECTRICAL ODORCALLER STATEMENT: BURING SMELL IN HALLWAYCAD RESPONSE: F3DISPATCH CODE: 55B06 (ELECTRICAL ODOR)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THERE IS AN ELECTRICAL ODOR. 3. NEITHER FLAMES NOR SMOKE ARE VISIBLE. 4. NO ONE IS REPORTED TO BE INJURED. 5. THE HAZARD DOES NOT INVOLVE WATER. 6. THE CALLER CANNOT SEE ANY WIRES ARCING.
2024-09-03 09:22:53	02:43	05:52	618 W WALDHEIM RD	btwn 11TH ST and WINDSOR RD, 40.498480, -79.899657	FOX	GAS/ODOR - OUTSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER STATEMENT: CONTRACTOR REPORTING GAS LEAK UNDERGROUND AT METERCAD RESPONSE: F2DISPATCH CODE: 60B01 (OUTSIDE RESIDENTIAL LINE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THE LEAK IS COMING FROM A RUPTURED LINE. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE BOTH SMELLED AND HEARD. 5. THE SOURCE IS A RESIDENTIAL GAS LINE. 6. NO ONE IS REPORTEDLY SICK OR INJURED. 7. THE GAS COMPANY
2024-09-03 09:41:45	04:50	02:10	295 HUNT RD	btwn RIDING TRAIL LN and BUCKINGHAM RD, 40.511032, -79.902177	FOX	CO ALARM - NO SYMPTOMS - E3	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE

								ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: C (CARBON MONOXIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A CARBON MONOXIDE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: HALLWAY SCO NO SPECIFIC ZONE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4125802921 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: JONAS JOHNSON 6. THE
2024-09-03 13:03:00	03:13	06:59	SAXONBURG BLVD/DORSEYVILLE RD	<3688/999>, 40.571841, -79.893286	IND	CRASH - HIGH MECHANISM	F0	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CAR OVER HILL, GAS LEAK, NO INJCAD RESPONSE: F0DISPATCH CODE: 77D07 (UNSTABLE VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES AN UNSTABLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A MINIVAN/VAN IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED.
2024-09-03 19:46:49	No Acknowledgement	02:23	CENTER AVE/4TH ST	<400/200>, 40.492885, -79.904086	ASP	CRASH - INJURIES	F1	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: PEDAL BIKE VS VEHCAD RESPONSE: F0DISPATCH CODE: 77D04 (VEHICLE VS. PEDESTRIAN/BICYCLE)SHORT

								KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A VEHICLE VS. PEDESTRIAN/BICYCLE. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED.
2024-09-04 10:02:35	03:00	Cancelled	920 RED OAK DR	btwn SWEET GUM RD and END, 40.537012, -79.866833	HAR	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: DEN/ ZONE 020 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-779-5328 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: WILLIAM KRATSA 6. THE INCIDENT INVO
2024-09-04 21:04:45	03:29	03:02	96 STATE ROUTE 28 SB	btwn GAMMA DR RAMP and STATE ROUTE 28 SB RAMP, 40.512995, -79.854545	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: IPHONE CRASH NOTIFICATION-NO CONTACTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY

								QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S N
2024-09-04 21:31:09	No Acknowledgement	01:49	RIDC DR EXIT 10 ROUTE 28 SB	at 100 STATE HWY 28 SB, OHA, 40.502637, -79.861361	OHA	CRASH - UNKNOWN INJURIES	F2	PER PD ANOTHER VEH ACCIDENT JUST HAPPEND... NO FURTHER INFO. REQ FIRE
2024-09-05 01:04:04	04:14	06:38	105 GAMMA DR	btwn END and ALPHA DR, ***GRANE RX ***, 40.494792, -79.871980	OHA	GAS/ODOR - COMMERCIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: ODOR (STRANGE/UNKNOWN) INSIDECALLER STATEMENT: SMELLS A BURNT PLASTIC SMELL INSIDE AND OUTSIDE THE BUILDINGCAD RESPONSE: F3DISPATCH CODE: 66A01 (ODOR INSIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE ODOR IS REPORTEDLY INSIDE. 3. IT IS NOT KNOWN WHAT THE ODOR SMELLS LIKE. 4. NO ONE IS REPORTED AS SICK. 5. IT IS NOT KNOWN WHERE THE ODOR IS COMING FROM. 6. THE CALLER HAS SMELLED THE ODOR FOR: 10 MINS AGO
2024-09-05 22:12:57	02:40	Cancelled	103 CATALPA RIDGE RD	btwn FOX CHAPEL RD and END, 40.519714, -79.878157	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE

								DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: LAUNDRY 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-963-7539 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: CRAWFORD 6. THE INCIDENT INVOLVES A SINGLE-FAM
2024-09-06 18:01:03	03:23	02:07	HIGHLAND PARK BRIDGE	at 73 HIGHLAND PARK BRG, OHA, btwn FREEPORT RD RAMP and HIGHLAND PARK BRG RAMP, 40.489846, -79.911613	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENT/CALLER STATEMENT: MVCCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE.
2024-09-06 19:29:24	02:44	01:44	30 SWEET WATER LN	btwn SWEET WATER CT and END, ***LUKETICH, JAMES/CHRIS 412.848.7650***, 40.532071, -79.888909	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE

								AREA OR ZONE/ROOM ACTIVATED IS: GARAGE SMOKE ZONE 105 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVO
2024-09-07 12:45:14	02:35	04:55	132 WOODSHIRE DR	btwn ETON DR and END, 40.495747, -79.884912	OHA	POSSIBLE FIRE - RESIDENTIAL CLASS	F1	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: OVEN ON FIRECAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SUFFIX: A (APPLIANCE (CONTAINED))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 3 FLOORS 2. SMOKE IS VISIBLE. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 5. THIS IS A REPORTED APPLIANCE FIRE. 6. THE FIRE IS COMPLETELY CONTAINED INSIDE THE APPLIANCE.
2024-09-08 02:59:47	No Acknowledgement	Cancelled	201 W CHAPEL RIDGE RD	btwn EASTON RD and FOX CHAPEL RD, 40.544134, -79.880190	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 2ND FLOOR 4.

							THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-401-7554 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: WARD 6. THE INCIDENT INVOLVES A SINGLE-FAMIL
2024-09-08 07:52:32	02:54	02:18	FOX CHAPEL PRESBYTERIAN CHURCH	at 384 FOX CHAPEL RD, FOX, btwn FIELD CLUB RD and EVERGREEN RD, 40.514249, -79.878486	FOX	FIRE ALARM - COMMERCIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE EXACT AREA OR ZONE/ROOM ACTIVATED IS NOT KNOWN. 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-963-8243 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE TYPE OF STRUCTURE (ENVIR
2024-09-09 14:06:16	03:21	06:11	250 ALPHA DR	btwn FREEPORT RD and BETA DR, 40.493070, -79.869949	OHA	CRASH - INJURIES	F1 Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: MOTORCYCLE ACCIDENTCAD RESPONSE: F0DISPATCH CODE: 77D05 (MOTORCYCLE (SINGLE)/MOTORCYCLE VS. VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THIS INCIDENT INVOLVES A SINGLE MOTORCYCLE/MOTORCYCLE VS. VEHICLE. 3. ONE VEHICLE

							IS INVOLVED. 4. A MOTORCYCLE IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED.
2024-09-10 07:04:02	No Acknowledgement	Cancelled	5 MEADOWOOD DR	btwn MEADOWOOD CT and MEADOWOOD LN, 40.503275, -79.885700	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 17 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129735921 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: OBRIEN 6. THE INCIDENT INVOLVES A SINGLE-FAMILY RESI
2024-09-13 05:09:11	No Acknowledgement	Cancelled	14 OVERLOOK DR	btwn SWEET GUM RD and END, 40.537304, -79.857529	HAR	FIRE ALARM - COMMERCIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C04 (RESIDENTIAL (MULTIPLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 4. THE PHONE NUMBER OF THE

								BUSINESS/RESIDENT/OWNER IS: 412 720 0957 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: PORTNOY, SCOTT 6. THE INCIDENT INVOLVES
2024-09-14 03:32:22	04:48	08:26	FOX CHAPEL PRESBYTERIAN CHURCH	at 384 FOX CHAPEL RD, FOX, btwn FIELD CLUB RD and EVERGREEN RD, 40.514249, -79.878486	FOX	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 8243 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: FOX CHAPEL PRESBYTERIAN 6. THE TYPE OF STRUCTURE (
2024-09-14 03:44:18	No Acknowledgement	07:58	1605 POWERS RUN RD	btwn YORKSHIRE DR and WINDMERE DR, 40.523811, -79.869508	OHA	FIRE - TRANSFORMER	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: SAYS THERES A TRANSFORMER BLEW UP CAD RESPONSE: F2DISPATCH CODE: 55B04 (TRANSFORMER WITH FIRE/SMOKE OR ARCING)SUFFIX: U (UNKNOWN)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 6. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS INVOLVED, 3. FLAMES ARE

								VISIBLE. 4. THE FLAMES ARE OUTSIDE. 5. IT IS NOT KNOWN IF THE FIRE IS THREATENING ANYTHING. 7. NO ON
2024-09-14 12:34:43	04:20	01:52	PITTSBURGH FIELD CLUB	at 121 FIELD CLUB RD, FOX, DORMITORY 4129631308, btwn WOODCLIFF RD and HICKORY HILL RD, 40.513113, -79.889895	FOX	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARM IN ZONE 1 CAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 1 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT
2024-09-15 15:33:53	03:14	Cancelled	206 VIRGINIA AVE	btwn 2ND ST and 4TH ST, 40.490720, -79.898697	ASP	CO ALARM - NO SYMPTOMS - E3	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: CARBON MONOXIDE DETECTOR CAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: C (CARBON MONOXIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A CARBON MONOXIDE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 29 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER

								IS: 678 523 9473 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: GRIFFITH, DANIKA 6. THE I
2024-09-16 08:25:19	02:54	Cancelled	ALPHA DR/GAMMA DR	<520/ 120>, 40.497383, -79.870003	OHA	CONTAINMENT/CLEAN UP DETAIL	F2	N/C ON THE OVER PASS FOR RT 28 FOR A CAR THAT LOOKS LIKE IT WAS IN AN ACCIDENT. FEM STATED THAT SHE HAS AAA ON WAY BUT IS BLOCKING 1 LANE OF TRAFFIC. FEM IS STANDING OUTSIDE THE VEHICLE ON THE SIDE OF THE ROAD...
2024-09-16 16:05:42	02:02	02:16	BUCKINGHAM RD/GUYASUTA RD	<100/ 398>, 11 ft S, 40.500654, -79.899598	FOX	CRASH - HIGH MECHANISM	F0	Medical ProQA recommends dispatch at this time, 53-YEAR-OLD, FEMALE, CONSCIOUS, BREATHING.CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: VEH VS SCHOOL BUS // CALLER NOT HURT KIDS ON THE BUSCAD RESPONSE: DELTADISPATCH CODE: 29D01 (MAJOR INCIDENT (A THROUGH H))SUFFIX: B (BUS)SHORT KEY QUESTIONS: 1. THE INCIDENT INVOLVES A BUS.
2024-09-18 14:36:17	02:27	04:49	74 STATE ROUTE 28 SB	btwn FOX CHAPEL RD RAMP and STATE ROUTE 28 SB RAMP, SOUTHBOUND JUST BEFORE EXIT 8-- FOXCHAPPEL, 40.490954, -79.880542	OHA	CRASH - TRAPPED/PINNED	F0	2X VEH ACCIDENT--POSS ENTRAPMENTMedical ProQA recommends dispatch at this time, AGE UNKNOWN, FEMALE, CONSCIOUSNESS UNKNOWN, BREATHING.CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 2X VEH ACCIDENT-- ENTRAPMENT IN 1X VEHICAD RESPONSE: DELTADISPATCH CODE: 29D05 (TRAPPED OR PINNED VICTIM)SHORT KEY QUESTIONS: 3. ONE PERSON IS TRAPPED OR PINNED. 2. IT'S NOT KNOWN IF

								CHEMICALS OR OTHER HAZARDS ARE INVOLVED. 1. THE INCIDENT INVOLVES MULTIPLE VEHICLES.
2024-09-18 20:15:58	01:52	02:00	EXIT 7 ROUTE 28 NB DELAFIELD AVE	at 70 STATE HWY 28 NB, PGH, 40.492072, -79.895203	PGH	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: 1 VEH ACCIDENT IN THE WOODSCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS T
2024-09-18 21:40:50	03:41	01:16	20 WEDGEWOOD LN	btwn END and WOODBROOK DR, **NICK CROWN 7244620307**, 40.515166, -79.913824	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARMSCALLER STATEMENT: ALARM COMP REPORTING FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BEDROOM 4 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 7244620307 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER

							IS: NICK CRON 6. THE INCIDENT INVOLVES A SINGL
2024-09-21 09:36:41	No Acknowledgement	Cancelled	121 1/2 SPRINGHOUSE LN	btwn FOX CHAPEL RD and GLENHAVEN LN, 40.513774, -79.875706	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4134291129 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: BECKWITH,NICK 6. THE INCIDENT INVOLVES A S
2024-09-22 09:28:08	02:48	05:48	114 WEST DR	btwn RUTLEDGE DR and WINDSOR RD, 40.495454, -79.896457	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARM GOING OFFCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 12; 1ST FLOOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 717/645-9171; JOHNSTON RESIDENCE 5. THE NAME OF THE

							BUSINESS/RESIDENT/OWNER IS: JOH
2024-09-23 07:47:41	No Acknowledgement	Cancelled	121 1/2 SPRINGHOUSE LN	btwn FOX CHAPEL RD and GLENHAVEN LN, 40.513774, -79.875706	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2 Fire ProQA recommends dispatch at this time, CC TEXT: ALARMSCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 413.429.1129 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: BECKWITH RES 6. THE INCIDENT INVOLVES A SINGLE-FAMILY RESI
2024-09-24 09:56:03	02:38	04:07	STATE ROUTE 28 SB/HIGHLAND PARK BRG RAMP	<61/ 0>, 40.495150, -79.907010	ASP	CRASH - HAZARDS	F1 Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACCIDENTCAD RESPONSE: F0DISPATCH CODE: 77D08 (COMMERCIAL VEHICLE/HEAVY VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A TRACTOR-TRAILER (SEMI) IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS

								THROWN FROM THE VEHICLE.
2024-09-25 02:35:07	No Data	No Data	124 SOUTH DR	btwn FOX CHAPEL RD and NORTH DR, 40.510035, -79.876852	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 023 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 760 8395 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: LAURA HARTFORD 6. THE INCIDENT INVOLVES A SI
2024-09-27 19:10:23	No Data	No Data	1007 DELAFIELD RD	btwn PATRIOT WAY and WOODSHIRE DR, **JEWISH SPARK**, 40.497616, -79.890635	FOX	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 21 SMOKE ENTRY HALL 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 589 2677 5. THE NAME OF THE

								BUSINESS/RESIDENT/OWNER IS: KH IS GLE
2024-09-28 08:16:22	No Data	No Data	121 FIELD CLUB RD	btwn WOODCLIFF RD and HICKORY HILL RD, 40.513113, -79.889895	FOX	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 3 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 8500 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SKIPPED BY USER 6. THE INCIDENT INVO
2024-09-28 12:40:13	No Data	No Data	WESTERN AVE/FREEPORT RD	<0/ 0>, 40.490701, -79.907555	ASP	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACCCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS THROWN FROM THE VEHICLE

2024-09-28 18:43:05	No Data	No Data	223 E WALDHEIM RD	btwn ALPINE CIR and ALPINE CIR, 40.493529, -79.892991	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARM/ EXHAUSTED CALL LISTCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: SMOKE CO ALARM DININGROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 8606044727 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: HAMILLA
2024-09-28 20:54:00	No Data	No Data	1100 STONEGATE MNR	btwn CHESTNUT LN and END, 40.557357, -79.885954	IND	FIRE - COMMERCIAL CLASS	1A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: CALLER REPORTING THAT THERE IS A FIRE IN CABANA HOUSECAD RESPONSE: F0DISPATCH CODE: 69D13 (UNKNOWN BUILDING/STRUCTURE TYPE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 2.2. SMOKE IS VISIBLE. 4. IT IS NOT KNOWN WHAT KIND OF STRUCTURE IS INVOLVED. 5. NO INCIDENTS REPORTED.
2024-09-29 19:49:45	No Data	No Data	16 OLD TIMBER TRL	btwn WHITE FAWN LN and END, 40.534359, -79.865096	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALRMCD RESPONSE: F2DISPATCH

								CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: SMOKE DETECT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4125923339 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: FEM CALLER 6. THE INCIDENT INVOLVES A S
2024-09-30 23:27:52	No Data	No Data	FCASD FOX CHAPEL HIGH SCHOOL	at 611 FIELD CLUB RD, OHA, btwn CROFTON DR and TIMBERLANE DR, 40.518099, -79.868674	OHA	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 992 GENERAL FIRE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412.967.2430 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6.

Municipality	Calls
ASP	6
OHA	12
FOX	20
IND	2

HAR	2
PGH	1
Total	43

Foxwall EMS

September 2024

Council EMS Report



FOXWALL
EMERGENCY MEDICAL SERVICE

News and Noteworthy



Teaching Kids about EMS

- Fox Chapel Touch-A-Truck
- FC Presbyterian Preschool
- Homeschool Co-op field trip

Taking Care of our Own

- Health Fair for Heros with FCVFD





FOXWALL
EMERGENCY MEDICAL SERVICE

News and Noteworthy

- FREE Community CPR event at Aspinwall Boro Building
 - October 14, 2024 from 7-8pm – walk-ins welcome!
 - Simplified hands-only bystander training – no breaths, no test!
 - Free Narcan kits will be available.
 - *Community members in need of a certification should contact the station.*

- Congratulations!

- Tom Su, Lieutenant, was selected to speak at the National Association of EMS Physicians annual conference.
- Andy Pichora, Advanced EMT, received a Star of Life Award and scholarship from the PA EMS Provider Foundation





September 2024

Total calls for service were 170

Total 911 calls for service were 109
(including STAT trips)

Total non-emergency / interfacility calls
were 61

	Count of Dispatch Priority
E0	9
E1	28
E2	20
E3	9
E4	36
NET	61
STAT Trip	7
Grand Total	170

September 2024 - Dispatched 911 Calls

Dispatched 911 Calls (E0-E4) – September 2024	Count
Abdominal Pain	1
Altered Mental Status	2
Animal Bite	1
Back Pain	1
Breathing Problems	4
Cardiac	1
Chest Pain	6
CO Poisoning / Hazmat	1
Convulsions / Seizure	1
Fall Victim	14
Heart Problems	3
Hemorrhage/Laceration	1
Lift Assist Only	2
Medical (NOS)	3
Other	18
Psychiatric Problems	2
Sick Person	9
Stand By	12
Stroke/CVA	2
Traffic Accident	9
Trauma, Adult	4
Trauma, Pediatric	1
Unconscious / Fainting	4
Grand Total	102

September 2024 Dispatched 911 Calls By Boro/MCD Code

September 2024 MCD Name	Count
Aspinwall	26
Blawnox	3
Cheswick	2
Etna	1
Fox Chapel	44
Indiana Township	9
O'Hara	13
Sharpsburg	2
Springdale	2
Grand Total	102

September 2024 – Dispatched 911

Aspinwall	26
Altered Mental Status	2
Breathing Problems	1
Cardiac	1
Chest Pain	1
CO Poisoning / Hazmat	1
Fall Victim	3
Heart Problems	1
Lift Assist Only	1
Medical (NOS)	3
Other	4
Sick Person	2
Stand By	2
Traffic Accident	3
Unconscious / Fainting	1

Blawnox	3
Fall Victim	2
Sick Person	1

Cheswick	2
Breathing Problems	1
Trauma, Adult	1

Etna	1
Stand By	1

Fox Chapel	44
Abdominal Pain	1
Animal Bite	1
Breathing Problems	2
Chest Pain	2
Fall Victim	5
Heart Problems	1
Hemorrhage/Laceration	1
Lift Assist Only	1
Other	12
Sick Person	3
Stand By	9
Traffic Accident	2
Trauma, Adult	2
Trauma, Pediatric	1
Unconscious / Fainting	1

Indiana Township	9
Convulsions / Seizure	1
Fall Victim	1
Other	2
Stroke/CVA	2
Traffic Accident	1
Unconscious / Fainting	2

O'Hara	13
Chest Pain	3
Fall Victim	2
Heart Problems	1
Psychiatric Problems	2
Sick Person	3
Traffic Accident	2

Sharpsburg	2
Back Pain	1
Traffic Accident	1

Springdale	2
Fall Victim	1
Trauma, Adult	1

Responses Times By Dispatch

Response Time (in minutes) <i>Dispatched to Arrival (On Scene)</i>	Min	Average	Max
Aspinwall	6.0	8.7	16.0
E1	6.0	8.3	10.0
E2	7.0	9.4	16.0
E3	9.0	9.0	9.0
E4	7.0	7.0	7.0
Blawnox	10.0	10.0	10.0
E4	10.0	10.0	10.0
Cheswick	17.0	17.5	18.0
E1	17.0	17.0	17.0
E3	18.0	18.0	18.0
Fox Chapel	0.0	8.3	14.0
E0	4.0	7.0	11.0
E1	3.0	9.4	14.0
E2	0.0	7.5	12.0
E3	11.0	11.0	11.0
E4	8.0	8.4	10.0

Indiana Township	0.0	8.0	11.0
E1	0.0	7.0	11.0
E2	11.0	11.0	11.0
	Min	Average	Max
O'Hara	3.0	7.9	11.0
E0	9.0	10.0	11.0
E1	3.0	7.0	10.0
E2	6.0	7.0	8.0
E3	8.0	9.0	10.0
Sharpsburg, Allegheny	14.0	14.0	14.0
E3	14.0	14.0	14.0
Springdale, Allegheny	12.0	12.0	12.0
E0	12.0	12.0	12.0

E0: Most critical (i.e., cardiac arrests, significant trauma, etc)

E1: Advanced Life Support (ALS) emergency (i.e., strokes, shortness of breath, etc).

E2: ALS/BLS emergency (i.e., diabetic issues, fall with injuries., etc.)

E3: Basic Life Support Emergency (BLS) (i.e., fall with minor injury)

E4: Least critical (i.e., life assists)



Disposition (Outcomes)

Disposition (Outcome)	Count
Assist EMS Only	1
Cancelled	26
Cancelled, On Scene	2
False Call	2
Fire Call - Incident	1
Lift Assist, No Patient Transported	4
No Patient Found	3
Refused	8
Standby - Fire	7
Standby Only	4
Transported	19
Treated, Transported ALS	23
Treated, Transported BLS	2
Grand Total	102

Sometimes billable	12
Typically billable	44
Not billable	46



FOXWALL
EMERGENCY MEDICAL SERVICE

Questions?

Benjamin Shopland, MHA, NPR, FP-C (he/him)

Chief of EMS

Foxwall Emergency Medical Services

749 Hemlock Hollow Rd.

Pittsburgh, PA 15238

main: (412) 963-6611 ext 1001

cell: (724) 840-9653

shopland@foxwall.org



MEMO

846 Fourth Avenue, Coraopolis, PA 15108
(412) 264-4400 • (412) 264-1200 Fax
info@lsse.com • www.lsse.com

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: October 15, 2024

FROM: Kevin A. Brett, P.E.

S. O. No.: 0424-01

cc:

SUBJECT: **Monthly Engineer's Report
October 21, 2024 Meeting**

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded \$51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of \$70,700.00. Pre-Construction Meeting was held on August 1, 2024. The Notice to Proceed and Contract Documents were executed and distributed at meeting. Contractor is preparing final solar design and DLC interconnection application. LSSE issued shop drawing letter dated October 9, 2024.*
2. **2024 Roadway Improvements:** *Scope of work is outlined in the following table:*

BASE BID				
ROADWAY	FROM	TO	Award Amount	Status
Windmere Drive	Powers Run Road	Cul-De-Sac	\$1,164,068.50	Paving Complete
Foxwood Drive	Highland Road	Cul-De-Sac		Paving Complete
Silent Run Road	Highland Road	Cul-De-Sac		Paving Complete
Autumn Path Lane	Silent Run Road	Cul-De-Sac		Paving Complete
Hickory Hill Road	Field Club Road	Cul-De-Sacs		Paving Complete
Marvelwood Place & Lane	Cul-De-Sac	Cul-De-Sac		Paving Complete
Hemlock Hollow Road	Hunt Road	Old Mill Road		Paving Complete
Fieldvue Lane	Guyasuta Road	Cul-De-Sac		Paving Complete
Shadow Ridge Drive	Field Club Road	Cul-De-Sac		Paving Complete
Fox Chapel Borough Mill and Pave	Various Locations	As Directed		Ongoing

ADD ALTERNATE				
ROADWAY	FROM	TO		
Westmoreland Farms Drive	Hunt Road	Cul-De-Sac	\$60,805.73	Paving Complete
Hemlock Hollow Road	Fox Chapel Road	Hunt Road	\$219,985.35	Paving Complete
Hemlock Hollow Road^	Old Mill Road	Dorseyville Road	\$118,324.70	Paving Complete
FCA Utility Repairs*	Various Locations	As Directed	\$16,872.00	Ongoing

^Cost Sharing Agreement with PNG / *To Be Paid Directly By FCA

*LSSE transmitted fully executed Notice to Proceed to the Borough on May 7, 2024. LSSE transmitted pre-construction meeting minutes LSSE issued shop drawing letter dated June 18, 2024. LSSE transmitted periodical estimate form to Contractor via letter dated June 27, 2024. Construction is ongoing. LSSE issued Partial Payment No. 1 in the amount of \$601,250.98, which includes \$484,250.98 for Fox Chapel Borough's portion of the contract. LSSE issued Partial Payment No. 2 in the amount of \$604,510.45 which includes \$2,071.80 for Fox Chapel Borough's portion of the contract. LSSE issued punchlist letter dated August 30, 2024. **On September 19, 2024, LSSE issued Partial Payment No. 2 in the amount of \$1,097,382.41, which includes \$714,639.23 for Fox Chapel Borough's portion of the contract. LSSE issued updated punch list letter dated October 4, 2024. All main roadway work is complete, minor punchlist items and utility patches remain.***

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. . LSSE assisted Borough and submitted CFA-LSA application for a grant request of \$1,000,000.00. Grant awarded in the amount of \$474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024. LSSE issued Act 14 Notification to Allegheny County on May 22, 2024. LSSE is working with the Borough's Landscape Architect to finalize planting plan associated with the permit application. Permit to be submitted once sewer replacement work has been stabilized.*
4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. Project is out to bid. Bids to be received and opened on July 25, 2024. LSSE transmitted project documents to Pashek on July 26, 2024. LSSE issued bid report and transmitted Opinion of Probable Cost dated July 31, 2024. Pre-Construction Meeting held on September 6, 2024. **LSSE issued shop drawing letter dated September 18, 2024.***
5. Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1: *LSSE transmitted project advertisement to the Borough on July 5, 2024 for an August 8, 2024 bid opening. LSSE issued bid report dated August 9, 2024 recommending award to FMS Construction Company in the amount of \$567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3). LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. Pre-Construction meeting is scheduled at 12:30 PM on September 16, 2024. **Pre-construction meeting was held and corresponding***

minutes were issued. LSSE transmitted Notice to Proceed to FMS Construction for execution on September 23, 2024. LSSE issued shop drawing dated October 2, 2024. Construction is ongoing.

6. Contract No. 24-TS01 2024 - Traffic Signal Improvements: LSSE provided a revised plan to the Borough on March 27, 2024. LSSE revised the plan per Borough comments. PennDOT comments were received on April 2, 2024, LSSE is preparing the plan for resubmission. LSSE transmitted project advertisement for Contract No. 24-TS01 2024 - Traffic Signal Improvements on May 15, 2024. LSSE issued utility letter dated May 16, 2024. Bid opening is scheduled for July 8, 2024. LSSE transmitted contract specifications to the Borough via letter dated July 3, 2024. Bid opening is scheduled for July 31, 2024. LSSE transmitted bid report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of \$489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. **LSSE transmitted Notice to Proceed for Borough execution of September 17, 2024. LSSE and Borough coordinating with Contractor regarding selection of poles.**

Municipal Separate Storm Sewer System (MS4)

1. PaDEP issued permit on November 18, 2018. LSSE uploaded Permit Renewal to DEP on February 6, 2023. Outfall screening to begin in June 2023. LSSE transmitted Annual MS4 Status Report to PaDEP on September 27, 2023. 2024 Outfall Screening has been completed, LSSE to provide memo to Borough. 2024 Progress Report is due September 30, LSSE is preparing draft to review with Borough. **2024 Annual Report has been submitted to PaDEP.**
2. **PRP Plan:**
 - A. **Stream Restoration (Hemlock Hollow Road):** Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.
 - B. **Current PRP Status:** LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project.

Planning Commission Applications

- None this month.

Environmental Advisory Council Applications

- None this month.

Stormwater Management Plans

- None this month.

Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:
 - **Phase I COA / O&M:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers. 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A). The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road. Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. **ALCOSAN requested additional information for the GROW Applications. LSSE to draft response letters prior to the November 1, 2024 deadline.***
 - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution. Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024.*
 - **Sycamore Run Flow Monitor:** *Data collection ongoing and will be for life of system. LSSE preparing quarterly flow data reports. Meter service and recalibration completed October 7, 2022. Data collection ongoing. LSSE evaluating alternatives for remote data access. Data collection issues were identified in September 2023 caused by storm event / power outages that occurred previously. LSSE field technicians are working with Advanced Instruments to replace and reprogram the data storage device. Meter has been sent to ISCO for refurbishment. ISCO has provided and installed a temporary meter. Potential options moving forward include meter refurbishment, meter replacement, or a differing meter technology. Meter replacement complete.*
 - **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024. LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. **On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications.***


- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete.*
- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months. No Change.*
- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023.*
- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete. This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. Grant application is due December 31, 2024.*
- **Old Mill Road Sanitary Sewer Replacement Phase II:** *LSSE is preparing permitting documents. Project will require GP8 and GP11 permits for stream crossings; PaDEP sewage facility planning module approval; and a PaDEP Part II Water Quality Management Permit. Permit package was submitted to PaDEP on August 19, 2024. On October 14, 2024, LSSE submitted response to PaDEP comments received October 9, 2024.*
- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024. LSSE provided Sycamore Run flow data to ALCOSAN.*

- **2024 Sanitary Sewer Repairs:**
 - Wynnwood Drive: **Plans provided to Borough (no permit required).**
 - Hunt Road Site: **PaDEP GP-3 Permit submitted for review on October 9, 2024.**
 - Silent Run Road: *PaDEP GP-3 submitted for review on September 9, 2024.*
 - Boy Scout Camp: *LSSE submitted PaDEP GP-3 documentation for review on September 9, 2024.*



§ 363-33. Waivers.

- A. The provisions of § 363-31 of this part may be waived by the Borough for a lot, or portion thereof, which exhibits one or more of the following characteristics, upon written application by the owner to the Borough Council:
- (1) Floodplain or wetlands (as defined in § 363-14 of this part);
 - (2) Forests (as defined in § 363-14 of this part);
 - (3) Meadow, pasture, wildflower meadow or berry patch;
 - (4) Hedgerow;
 - (5) Areas undergoing a directed process of natural succession;
 - (6) Managed compost piles;
 - (7) Ornamental landscape planting;
 - (8) Undisturbed open space in a planned residential development or density development [as defined in the Zoning Ordinance (Chapter 400)]; and
 - (9) Agriculture, including land left fallow for up to one year.
- B. Notwithstanding any other provision herein to the contrary, the provisions of § 363-31 hereof may be waived by the Borough with respect to the following lots upon written application by the owner thereof to the Borough Council:
- (1) None of the lands abutting or across a road from the lot are being put to developed uses (residential or institutional); or
 - (2) All abutting developed lands are owned by (and occupied by no one other than) the party owning the lot in question, and/or the current abutting landowners waive enforcement of the terms of this section against the lot.





FOX CHAPEL
BOROUGH

RESOLUTION NO. 703

WHEREAS Allegheny County Economic Development (ACED) has established the Active Allegheny Grant Program, AND

WHEREAS the Borough of Fox Chapel intends to apply for funds from the Active Allegheny Grant Program in the amount of \$30,000 for the proposed O'Hara/Fox Chapel Community Connector,

THEREFORE BE IT RESOLVED that the Borough of Fox Chapel hereby allocates \$29,945 of matching funds to said project,

BE IT FURTHER RESOLVED, that the Borough of Fox Chapel does hereby designate Gary J. Koehler, Borough Manager, as the official(s) to execute all documents and agreements between FOX CHAPEL BOROUGH and ACED to facilitate and assist in obtaining the requested grant; and

NOW, THEREFORE, BE IT FURTHER RESOLVED that the Borough of Fox Chapel is hereby authorized to enter into a Grant Contract with Allegheny County and to provide any and all documents relating to the Grant Contract as may be required or necessary.

I, Gary J. Koehler, duly qualified Manager of the Borough of Fox Chapel, Allegheny County, Pennsylvania, hereby certify that the foregoing is a true and correct copy of a Resolution duly adopted by a majority vote of the Borough of Fox Chapel at a regular meeting held October 21, 2024, and said Resolution has been recorded in the Minutes of the Borough of Fox Chapel and remains in effect as of this date.

IN WITNESS THEREOF, I affix my hand and attach the seal of the Borough of Fox Chapel, this 21st day of October, 2024.

ATTEST:

Shawn M. Peterson, Borough Secretary

BOROUGH OF FOX CHAPEL
(Name of Applicant)

Andrew C. Bennett, President of Council

Gary J. Koehler, Borough Manager



FOX CHAPEL
BOROUGH

ALLEGHENY COUNTY, PENNSYLVANIA

RESOLUTION NO. 704

Be it RESOLVED that the Borough of Fox Chapel of Allegheny County hereby request a Statewide Local Share Assessment grant in the amount of \$650,000.00 from the Commonwealth Financing Authority to be used for the Dorseyville Fire Station Improvements Project.

Be it FURTHER RESOLVED that the Applicant does hereby designate Gary Koehler, Borough Manager, and Andrew Bennett, Council President, as the officials to execute all documents and agreements between the Borough of Fox Chapel and the Commonwealth Financing Authority to facilitate and assist in obtaining the requested grant.

I, Shawn M. Peterson, duly qualified Secretary of the Borough of Fox Chapel, Allegheny County, Pennsylvania, hereby certify that the foregoing is a true and correct copy of a Resolution duly adopted by a majority vote of the Fox Chapel Borough Council at a regular meeting held October 21, 2024, and said Resolution has been recorded in the Minutes of the Borough of Fox Chapel and remains in effect as of this date.

IN WITNESS THEREOF, I affix my hand and attach the Borough of Fox Chapel seal on the 21st day of October 2024.

BOROUGH OF FOX CHAPEL

Name of Applicant

ALLEGHENY

County

Andrew C. Bennett, Council President

Shawn M. Peterson, Borough Secretary



FOX CHAPEL
BOROUGH

**OFFICIAL PROCLAMATION
RESOLUTION NO. 702**

A RESOLUTION RECOGNIZING ANDREW C. BENNETT

- WHEREAS, Andrew C. Bennett has faithfully and diligently served as a member of the Borough Council for the past 25 years and as Council President for the past 12 years; and
- WHEREAS, these years of service have been marked by exemplary dedication to the best interests of the community, as he has worked constantly for the betterment of its economic, and aesthetic development; and
- WHEREAS, through the performance of his duties and responsibilities as a member of the Borough Council, he has made excellent and constructive contributions to municipal government in our Borough; and
- WHEREAS, Andrew has earned the admiration and high regard of those with whom he has come into contact and of his fellow public servants; and
- WHEREAS, Andrew's dedicated service to this community deserves special recognition;

NOW, THEREFORE, BE IT RESOLVED that the Borough Council and Mayor of the Borough of Fox Chapel, on behalf of the Fox Chapel community, express their sincere appreciation and thanks to Andrew C. Bennett for his ongoing distinguished service to the community.

ADOPTED this 21st day of September 2024.


Shawn M. Peterson
Borough Secretary

Harrison S. Lauer
Vice-President of Council

EXAMINED AND APPROVED by me this 21st day of September 2024.

Walter A. Scott, III
Mayor


Current Power	Energy today	Energy this month	Lifetime energy	Lifetime revenue
2.73 kW	1.3 kWh	1.3 kWh	262.91 MWh	\$28,977.07



Status	Active
ID	3321592
Name	EIS Fox Chapel Boro
Address	Fox Chapel Road 401, Pittsburgh, Pennsylvania, Unit...
Installed	12/09/2022
Last Updated	10/01/2024 07:53
Peak Power	129.6 kWp

40% Chance of Light Rain
60.98 °F
Feels like 60.98 °F
Wind 0 MPH
Humidity 100 %
Sunrise at 07:17
Sunset at 19:00

Monday	Tuesday	Wednesday
59 - 68 °F 50% Chance of Rain	50 - 64.4 °F 40% Chance of Rain	53.6 - 71.6 °F Mostly Sunny



Environmental Benefits

CO2 Emission Saved
407,102.84 lb

Equivalent Trees Planted
3,076.03

Fox Chapel Annual Tonnage Report - 2024

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	34.1	34.3	10.1	140.9	151.0
February	0.2	29.1	29.3	4.0	112.9	116.9
March	0.2	25.5	25.7	10.7	117.0	127.7
Total 1QTR	0.6	88.7	89.3	24.8	370.8	395.6
April	0.2	30.9	31.1	12.0	123.8	135.8
May	0.3	42.4	42.7	18.1	137.4	155.5
June	0.1	31.8	31.9	8.9	138.7	147.6
Total 2QTR	0.6	105.1	105.7	39.0	399.9	438.9
July	0.1	33.1	33.2	11.2	143.2	154.4
August	0.1	33.9	34.0	14.4	137.8	152.2
September	0.1	33.0	33.1	10.3	133.1	143.4
Total 3QTR	0.3	100.0	100.3	35.9	414.1	450.0
October	0.0	0.0	0.0	0.0	0.0	0.0
November	0.0	0.0	0.0	0.0	0.0	0.0
December	0.0	0.0	0.0	0.0	0.0	0.0
Total 4QTR	0.0	0.0	0.0	0.0	0.0	0.0
TOTALS	1.5	293.8	295.3	99.7	1,184.8	1,284.5

No residue has been removed from the tonnage reported

Report Prepared By:

Marcí Martínez

marcis@senecalandfill.com

Phone: (724) 625-9000