



# FOX CHAPEL BOROUGH

## **AGENDA** **BOROUGH COUNCIL MEETING** **MONDAY, NOVEMBER 18, 2024, at 6 PM**

### **CALL TO ORDER**

### **APPROVAL OF MINUTES**

The meeting was held on October 21, 2024.

***Motion to [approve, deny, or approve with conditions] the October 21, 2024, minutes.***

### **RESIDENT COMMENTS**

### **ENVIRONMENTAL ADVISORY COUNCIL**

Meeting held Tuesday, November 12, 2024. Austin Henry, Chairperson for the EAC will be present.

#### Tree Removal Application TR-24-136:

Pittsburgh Field Club

121 Field Club Road

Submitted by Justin McKay, *Golf Course Superintendent*

Removal of 7 Trees

***Motion to [approve, deny, or approve with conditions] Tree Removal Application TR-24-139 as submitted. This includes the replanting plan with seven properly spaced Tupelo trees.***

### **POLICE REPORT**

Police Report for October 2024

### **FIRE REPORT**

**Total of 50 calls:** 19 calls Fox Chapel Borough (19- O'Hara, 6- Aspinwall, 1-Sharpensburg, 3- Indiana, 1- Pittsburgh, 1- Harmar)

### **FOXWALL EMS REPORT**

EMS Report for October 2024

### **PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT**

The meeting was held on October 30, 2024.

### **PUBLIC WORKS REPORT**

### **ENGINEER REPORT**

LSSE Engineer Report for October 2024

### **TREASURER REPORT**

October 2024 Reports

### **RATIFICATION OF PAYMENTS**

October 2024

***Motion to [ratify, deny, or ratify with conditions] the payment of bills for October 2024, General Fund***

Vouchers 5280 - 5365 in the amount of \$952,754.32.

## **NEW BUSINESS**

### **Budget Advertisement**

***Motion to** [approve, deny, or approve with conditions] advertising the proposed 2025 Budget and an ordinance for the Allegheny County Sanitary Authority (ALCOSAN) sewer rate increase. The budget, sewer rate ordinance, and tax millage resolution will be proposed for adoption at the December 16, 2024, Council meeting. The proposed 2025 millage rate of 2.95 has remained the same since 2019. The Budget will be available for public viewing between December 2 and December 13, 2024. Mr. Lauer will summarize the Finance Committee's work.*

## **ENVIRONMENTAL REPORTS**

Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

Household Hazardous Waste Collection Quarter 3 Report

## **EXECUTIVE SESSION**

Personnel

## **ADJOURNMENT**

**FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 10/1/24 12:00:00 AM TO 10/31/24 11:59:00 PM**

**INCIDENT REPORTS**

| <b>TYPE OF REPORT</b>                                  | <b>Total</b> |
|--------------------------------------------------------|--------------|
| Accident/Reportable                                    | 1            |
| Administrative Report - Information Request            | 4            |
| Animal Complaint                                       | 5            |
| Animal Complaint - Injured/Deceased Deer               | 3            |
| Assist Other Agency                                    | 5            |
| Assist Person                                          | 3            |
| Burglar Alarm-Business                                 | 5            |
| Burglar Alarm-Residence                                | 32           |
| Burglary-Business                                      | 1            |
| Civil Dispute                                          | 1            |
| Disabled Vehicle                                       | 4            |
| dispute                                                | 2            |
| EMS Call                                               | 23           |
| Fire Alarm-Business                                    | 1            |
| Fire Alarm-Residence                                   | 13           |
| Fire Call                                              | 3            |
| Found Property                                         | 1            |
| Fraud- Credit Cards/ATM                                | 1            |
| Hazardous Conditions                                   | 1            |
| Juvenile Disturbance                                   | 1            |
| Local Ordinance Violations- Noise Complaint- All Other | 1            |
| Loose Dog                                              | 1            |

**ARRESTS**

| <b>Violation Type</b>                      | <b>Total Arrests for Violation Type</b> |
|--------------------------------------------|-----------------------------------------|
|                                            |                                         |
| Total Number of Offenses Cleared by Arrest | 0                                       |
| Total Number of Persons Arrested           | 0                                       |
|                                            |                                         |
| <b>Citation Type</b>                       | <b>August</b>                           |
| Traffic-Filed                              | 16                                      |
| Warning Notice                             | 6                                       |
| <b>Total</b>                               | <b>22</b>                               |
|                                            |                                         |

**FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 10/1/24 12:00:00 AM TO 10/31/24 11:59:00 PM**

**INCIDENT REPORTS**

| <b>TYPE OF REPORT</b>                           | <b>Total</b> |
|-------------------------------------------------|--------------|
| Lost/Found                                      | 5            |
| Missing Person                                  | 2            |
| Motor Vehicle Theft                             | 1            |
| Overdose Non-Fatal                              | 1            |
| Park and Walk                                   | 1            |
| Parking Complaint                               | 6            |
| PFA Violation                                   | 1            |
| Police Detail - Fingerprint                     | 1            |
| Police Detail - House Watch                     | 9            |
| Police Info                                     | 4            |
| Property Damage                                 | 1            |
| Road Hazard                                     | 1            |
| Solicitor Complaint                             | 1            |
| Stolen Property- Possessing- All Other Property | 1            |
| Suspicious Incident                             | 9            |
| Suspicious Persons                              | 10           |
| Suspicious Vehicle                              | 10           |
| Theft                                           | 7            |
| Traffic Complaint                               | 4            |
| Traffic Post                                    | 14           |
| Trespassing of Real Property                    | 1            |
| Utility Complaint                               | 1            |
| Vacation Watch                                  | 1            |
| Welfare Check                                   | 4            |
| <b>Total</b>                                    | <b>208</b>   |

| Dispatch Time       | Acknowledge Time | Response Time | Location                        | Location Info                                                                                           | Municipality | Incident Type                 | Priority | Further Info                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|------------------|---------------|---------------------------------|---------------------------------------------------------------------------------------------------------|--------------|-------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2024-10-01 18:06:37 | 02:35            | 01:47         | LAURI ANN WEST COMMUNITY CENTER | at 1220 POWERS RUN RD, OHA, ***KITCHEN***, btwn LOCUST DR and ALMA DR, 40.513723, -79.857161            | OHA          | GAS/ODOR - COMMERCIAL         | F1       | Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: REPORTS THAT SHE SMELLS GAS IN THE KITCHENCAD RESPONSE: F0DISPATCH CODE: 60D01 (HIGH LIFE HAZARD)SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE TYPE OF STRUCTURE (ENVIRONMENT) INVOLVES A HIGH LIFE HAZARD.                                                                             |
| 2024-10-01 22:27:35 | 05:54            | 08:16         | ROUTE 28 SB EXIT 8 BLAWNOX      | at 80 STATE HWY 28 SB, OHA, 40.490939, -79.882605                                                       | OHA          | CRASH - UNKNOWN INJURIES      | F2       | Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: VEH FLIPPEDCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS THROWN FROM THE VEHICLE |
| 2024-10-01 23:21:00 | 07:55            | Cancelled     | 303 FREEPORT RD                 | btwn EASTERN AVE and WATERWORKS DR, 40.489559, -79.903225                                               | ASP          | GAS/ODOR - COMMERCIAL         | F1       | Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELL OF GAS INSIDECAD RESPONSE: F0DISPATCH CODE: 60D03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A COMMERCIAL/INDUSTRIAL BUILDING.                                                                                               |
| 2024-10-02 08:26:51 | 02:20            | Cancelled     | FCASD FOX CHAPEL HIGH SCHOOL    | at 611 FIELD CLUB RD, OHA, PREM: 412 967 2430, btwn CROFTON DR and TIMBERLANE DR, 40.518099, -79.868674 | OHA          | FIRE ALARM - COMMERCIAL CLASS | F2       | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 992 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE                                                                                |

|                     |                    |       |                  |                                                                 |     |                                   |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|--------------------|-------|------------------|-----------------------------------------------------------------|-----|-----------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |                    |       |                  |                                                                 |     |                                   |    | BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE TYPE OF STRUCTURE (ENVIRONMENT) IN                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 2024-10-02 19:17:03 | 02:30              | 02:42 | 24 EDGEWOOD RD   | btwn COLBERT LN and END, 40.503183, -79.887528                  | FOX | FIRE ALARM - RESIDENTIAL CLASS    | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: WIRED SMOKE DETECTORS 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 510 882 7781 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: WEI WU 6. THE INCIDENT INVOLVES    |
| 2024-10-02 21:05:41 | No Acknowledgement | 01:30 | 85 QUAIL HILL RD | btwn QUAIL HILL LN and END, 646 675 6573, 40.542319, -79.871300 | FOX | FIRE ALARM - RESIDENTIAL CLASS    | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: SMOKE ALARM ZONE 1 LOOPCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 LOP 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 6466756573 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: KII LITTWIN, SUSAN 6466756573  |
| 2024-10-04 09:31:53 | No Acknowledgement | 01:46 | 806 FAIRVIEW RD  | btwn SHANNON DR and ELM DR, 40.542847, -79.898090               | FOX | FIRE ALARM - RESIDENTIAL CLASS    | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARM // ZONE 39 BASEMENT HEAT DETECTORCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412/913-6232 5. THE NAME OF THE BUSINESS/RE |
| 2024-10-05 17:10:50 | 03:26              | 01:42 | 523 FAIRVIEW RD  | btwn WHISPERING PINES DR and OLD MILL RD, 4129638263            | FOX | POSSIBLE FIRE - RESIDENTIAL CLASS | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR OF SMOKE)SHORT                                                                                                                                                                                                                                                                                                               |

|                     |                    |       |                      |                                                                                         |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------|--------------------|-------|----------------------|-----------------------------------------------------------------------------------------|-----|--------------------------------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |                    |       |                      | MEENA AGRAWAL, 40.539118, -79.888877                                                    |     |                                |    | KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (4TH PARTY). 4. A MULTI-STORY STRUCTURE IS INVOLVED: 2.2. THIS IS AN ODOR OF SMOKE WITH NOTHING VISIBLE. 3. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 6. NO INCIDENTS REP                                                                                                                                                                                                     |
| 2024-10-07 16:44:41 | No Acknowledgement | 02:36 | ALL AMERICAN EVENT   | at 101 FREEPORT RD, ASP, btwn WESTERN AVE and CENTER AVE, 40.490788, -79.907323         | ASP | FIRE ALARM - COMMERCIAL CLASS  | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 14 BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 782 6107 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: ALL AMERICAN EVENT 6. THE  |
| 2024-10-09 08:28:27 | 07:04              | 05:57 | 64 STATE ROUTE 28 SB | btwn HIGHLAND PARK BRG RAMP and STATE ROUTE 28 SB RAMP, 40.492696, -79.896978           | ASP | CRASH - UNKNOWN INJURIES       | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WAS THROWN FROM THE VEHICL    |
| 2024-10-09 08:46:34 | No Acknowledgement | 01:50 | 201 RAYNOR LN        | btwn RIDING MEADOW RD and END, KASSLING RESIDENCE - 412 551 7244, 40.529100, -79.885925 | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 33 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGLE-FAMI |

|                     |                    |           |                                   |                                                                                 |     |                               |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|--------------------|-----------|-----------------------------------|---------------------------------------------------------------------------------|-----|-------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2024-10-09 12:04:45 | No Acknowledgement | Cancelled | OVERPASS ROUTE 28 SB POWERS RUN   | at 102 STATE HWY 28 SB, OHA, 40.509598, -79.855451                              | OHA | CRASH - ENTRAPMENT - E0       | F0 | Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: X1 VEHICLE CRASH WITH ENTRAPMENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8.           |
| 2024-10-10 07:37:54 | 03:46              | Cancelled | EXIT 10 RIDC DR ROUTE 28 NB       | at 100 STATE HWY 28 NB, OHA, 40.499310, -79.863876                              | OHA | CRASH - UNKNOWN INJURIES      | F2 | Medical ProQA recommends dispatch at this time, AGE UNKNOWN, GENDER UNKNOWN, CONSCIOUSNESS UNKNOWN, BREATHING STATUS UNKNOWN.CC TEXT: SOLITARY VEHICLECALLER STATEMENT: SINGLE VEH1 ACCIDENT - CAR HIT DEERCAD RESPONSE: E2DISPATCH CODE: 29B05 (UNKNOWN STATUS/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 3. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 4. NO ONE WAS THROWN FROM THE VEHICLE. 6. THE TYPE AND NATURE OF THEIR INJURIES ARE NOT KNOWN. 2. CHEMICALS OR OTHER HAZARDS ARE NOT INVOLVED. |
| 2024-10-11 05:17:53 | 04:22              | Cancelled | SHARPSBURG TOWERS                 | at 601 MAIN ST, SHP, btwn 6TH ST and 7TH ST, 40.494423, -79.935617              | SHP | FIRE ALARM - COMMERCIAL CLASS | F2 | ZONE 7Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 7.4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A C    |
| 2024-10-11 18:06:13 | 01:58              | 04:53     | FCASD FOX CHAPEL FOOTBALL STADIUM | at 611 FIELD CLUB RD, OHA, btwn FOXTOP DR and CROFTON DR, 40.520015, -79.870870 | OHA | FIRE - UNCATEGORIZED          | F3 | Fire ProQA recommends dispatch at this time, CC TEXT: OUTSIDE / OTHER FIRESCALLER STATEMENT: NEAR THE BACK OF THE TRACK OF THE HIGH SCHOOL ON FIRECAD RESPONSE: F2DISPATCH CODE: 67B01 (SMALL OUTSIDE FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 6. NO HAZARDOUS MATERIALS ARE REPORTED. 2. THIS IS AN OUTSIDE FIRE. 3. A SMALL AREA IS BURNING. 4.                                                                                                                                         |

|                        |       |           |                 |                                                                                            |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------|-------|-----------|-----------------|--------------------------------------------------------------------------------------------|-----|--------------------------------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |       |           |                 |                                                                                            |     |                                |    | THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.                                                                                                                                                                                                                                                                                                                                                                                              |
| 2024-10-12<br>18:17:59 | 02:57 | 02:26     | GET GO GAS OHA  | at 1081 FREEPORT RD, OHA, btwn FREEPORT RD RAMP and OLD FREEPORT RD, 40.487940, -79.883729 | OHA | CRASH - INJURIES               | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACC // 1 FEMALE ASKING FOR MEDICSCAD RESPONSE: F2DISPATCH CODE: 77B01 (INJURIES)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. THERE ARE SOME OBVIOUS INJURIES.       |
| 2024-10-13<br>18:12:10 | 02:20 | 01:52     | 424 WICKFORD DR | btwn CROFTON DR and END, 40.515575, -79.870132                                             | OHA | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 50 CHILDS ROOM 2 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 917-992-4983 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: MARTONE. LOU 6. THE INCIDENT INV |
| 2024-10-15<br>14:01:29 | 02:39 | Cancelled | 201 RAYNOR LN   | btwn RIDING MEADOW RD and END, KAFFLING - 412 551 7244, 40.529100, -79.885925              | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | POA: FIRE ALARM ZONE 30 - PROQA DID NOT FUNCTION, MANUAL ENTRY., CALLER STATEMENT: FIRE ALARM                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 2024-10-15<br>15:12:59 | 01:54 | Cancelled | 424 WICKFORD DR | btwn CROFTON DR and END, 40.515575, -79.870132                                             | OHA | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 49 CHILDS ROOM 1 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 9179924983 5. THE NAME OF THE                                                                |

|                        |                    |           |                             |                                                                                |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------|--------------------|-----------|-----------------------------|--------------------------------------------------------------------------------|-----|--------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                    |           |                             |                                                                                |     |                                |    | BUSINESS/RESIDENT/OWNER IS: LOU MARTONE 6. THE INCIDENT INVOLV                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 2024-10-15<br>16:41:09 | 04:21              | 01:25     | 3400 HARTS RUN RD           | btwn GREEN VALLEY DR and BLACK WALNUT LN, PIATT, 40.554579, -79.918702         | IND | CRASH - INVOLVING A STRUCTURE  | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: VEHICLE VS. BUILDINGCALLER STATEMENT: SINGLE VEHICLE INTO BUILDING // DRIVER MAY BE TRAPPEDCAD RESPONSE: F0DISPATCH CODE: 77D06 (VEHICLE VS. BUILDING)SUFFIX: T (TRAPPED/PINNED VICTIM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A VEHICLE VS. BUILDING. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. ONE PERSON IS TRAPPED OR PINNED.                       |
| 2024-10-16<br>17:04:39 | 03:21              | 01:54     | 622 TWIN PINE RD            | btwn BERKSHIRE DR and END, LAWERENCE, JOHN 412 963 0917, 40.504485, -79.906764 | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | POA - ZONE 1 SMOKE /HEAT DETECTOR - ATTEMPTING KH                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 2024-10-16<br>21:30:43 | 02:56              | 05:58     | ROUTE 28 NB EXIT 10 RIDC DR | at 100 STATE HWY 28 NB, OHA, 40.499310, -79.863876                             | OHA | CRASH - INJURIES               | F1 | 1 VEH CAR VS DEER - X1 PERSON COMP OF INJURY Medical ProQA recommends dispatch at this time, 30-YEAR-OLD, FEMALE, CONSCIOUS, BREATHING CC TEXT: SOLITARY VEHICLECALLER STATEMENT: VEH ACCIDENTCAD RESPONSE: BRAVODISPATCH CODE: 29B01 (INJURIES)SHORT KEY QUESTIONS: 3. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 4. IT'S NOT KNOWN IF ANYONE WAS THROWN FROM THE VEHICLE. 6. THE INJURIES ARE TO A NOT DANGEROUS AREA. 2. IT'S NOT KNOWN IF CHEMICALS OR OTHER HAZARDS ARE INVOLVED. 1. THE INCIDENT INVOL |
| 2024-10-17<br>18:11:18 | No Acknowledgement | Cancelled | 450 176 EB                  | btwn 176 EB RAMP and FREEPORT RD RAMP, 40.570262, -79.857336                   | IND | CRASH - HAZARDS                | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: TRACTOR TRAILER VS VEHCAD RESPONSE: F0DISPATCH CODE: 77D08 (COMMERCIAL VEHICLE/HEAVY VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A TRACTOR-TRAILER (SEMI) IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE.              |

|                        |       |           |                                 |                                                                              |     |                          |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|-------|-----------|---------------------------------|------------------------------------------------------------------------------|-----|--------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2024-10-18<br>16:28:10 | 02:52 | 05:38     | ROUTE 28 NB OVERPASS POWERS RUN | at 102 STATE HWY 28 NB, OHA, **UNDERNEATH OVERPASS***, 40.509329, -79.855275 | OHA | CRASH - UNKNOWN INJURIES | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 2 VEH ACCIDENT, CALLER REAR ENDED CAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY), 2. THE INCIDENT INVOLVES TWO VEHICLES, 3. TWO VEHICLES ARE INVOLVED, 4. A PASSENGER CAR IS INVOLVED, 5. THERE ARE NO VEHICLES ON FIRE, 6. THERE IS NO ONE TRAPPED OR PINNED, 7. NO ONE WAS THROWN FROM THE VEHICLE, 8. NO   |
| 2024-10-18<br>17:27:43 | 02:05 | Cancelled | ROUTE 28 NB EXIT 10 RIDC PARK   | at 100 STATE HWY 28 NB, OHA, 40.499310, -79.863876                           | OHA | CRASH - UNKNOWN INJURIES | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: TRAFFIC ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (4TH PARTY), 2. THE TYPE OF INCIDENT IS: UNK 3, IT IS NOT KNOWN HOW MANY VEHICLES ARE INVOLVED, 4. OTHER TYPE OF VEHICLE IS INVOLVED: UNK 5, THERE ARE NO VEHICLES ON FIRE, 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED, 7. |
| 2024-10-18<br>21:25:28 | 03:19 | 06:40     | 97 STATE ROUTE 28 NB            | btwn STATE ROUTE 28 NB RAMP and ROUTE 910 RAMP, 40.514450, -79.853945        | OHA | CRASH - HAZARDS          | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: H=VEH INTO A DEERCAD RESPONSE: F1DISPATCH CODE: 77C02 (FUEL/FLUID LEAK)SUFFIX: F (FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY), 2. THE INCIDENT INVOLVES A SINGLE VEHICLE, 3. ONE VEHICLE IS INVOLVED, 4. A PASSENGER CAR IS INVOLVED, 5. THERE ARE VEHICLES ON FIRE, 6. THERE IS NO ONE TRAPPED OR PINNED, 7. NO ONE WAS THROWN FROM THE VEHICLE, 8. IT WAS CONFIRMED THAT NO INJURY   |
| 2024-10-20<br>16:46:19 | 03:07 | 05:53     | ASPINWALL DPW                   | at 224 WATERWORK RD, ASP, 40.488040, -79.901928                              | ASP | BOAT NON EMERGENCY       | F0 | PADDLE BOARDER STUCK ON GRASSY KNOLL ABOVE H PARK DAM Fire ProQA recommends dispatch at this time, CC TEXT: WATERCRAFT DISABLED (OUT OF FUEL, BROKEN SAIL, LOST OARS, ENGINE PROBLEMS)CALLER STATEMENT: WATER RESCUECAD RESPONSE: F2DISPATCH CODE: 73B01 (WATERCRAFT DISABLED (OUT OF FUEL, BROKEN SAIL, LOST OARS, ENGINE PROBLEMS))SUFFIX: 1 (INLAND)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY), 5. THE                                                                              |

|                        |                    |       |                                 |                                                                                                          |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------|--------------------|-------|---------------------------------|----------------------------------------------------------------------------------------------------------|-----|--------------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                    |       |                                 |                                                                                                          |     |                                |    | NUMBER OF PEOPLE ON BOARD IS: 1 7, THE CALLER IS REPORTING THAT THERE ARE NO PEOPLE IN                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 2024-10-21<br>05:27:05 | 04:31              | 07:59 | SHADYSIDE ACADEMY SENIOR SCHOOL | at 423 FOX CHAPEL RD, FOX, ***MOORWOOD HALL**, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902 | FOX | FIRE ALARM - COMMERCIAL CLASS  | F2 | POA WAS SMOKE ALARM, FLOOR 2 DORM 212 M1-47Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GEN FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY, 2. IT IS A SMOKE DETECTOR ALARM, 3. THE AREA OR ZONE/ROOM ACTIVATED IS: POA WAS SMOKE ALARM, FLOOR 2 DORM 212 M1-47 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412/968-3186 5. THE NAME |
| 2024-10-21<br>17:43:05 | 03:02              | 05:30 | 426 BLACK WALNUT LN             | btwn END and HARTS RUN RD, 40.551591, -79.917605                                                         | IND | FIRE - RESIDENTIAL CLASS       | 1A | Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: REPORTED BUILDING/STRUCTURE FIRECAD RESPONSE: F0DISPATCH CODE: 69E06 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. A MULTI-STORY STRUCTURE IS INVOLVED: 2 2. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.                                                                                                                                                                                                  |
| 2024-10-21<br>18:54:06 | 00:59              | 02:33 | 895 FIELD CLUB RD               | btwn TIMBER RIDGE RD and WOODVALLEY DR, 40.526316, -79.858829                                            | OHA | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY, 2. IT IS A SMOKE DETECTOR ALARM, 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FIRST FLOOR ZONE 10 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 7036787340 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: JOE SALMON 6. THE INCIDENT INVO   |
| 2024-10-22<br>07:24:14 | No Acknowledgement | 17:45 | ST MARGARETS EXIT 7 ROUTE 28 NB | at 70 STATE HWY 28 NB, PGH, 40.492072, -79.895203                                                        | PGH | CONTAINMENT/CLEAN UP DETAIL    | F2 | S/C. CALLER IN A NAVY BLUE MAZDA 3 2018// DEBRI ON 28 DID DAMAGE TO CALLERS VEH//WOULD LIKE TO SEE THE OFFICER//CALLER ALSO ADVISED DEBRI IS STILL ON THE ROADWAY CONCERNED IT WILL DO MORE DAMAGE TO ANOTHER PERSONS VEH//STATES ITS A LARGE PIECE OF METAL//INFO WAS TRANSFERRED TO PSP BUT THEY ARE OUT OF POSITION AND WILL BE AWHILE//SEEING IF LOCAL PD CAN GET THE                                                                                                                                        |

|                        |       |       |                                 |                                                                                            |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------|-------|-------|---------------------------------|--------------------------------------------------------------------------------------------|-----|--------------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |       |       |                                 |                                                                                            |     |                                |    | DEBRI OUT OF THE ROADWAY TO AVOID FURTHER DAMAGE TO VEHICLES                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 2024-10-22<br>14:05:24 | 01:33 | 03:39 | PGH FIELD CLUH                  | at 121 FIELD CLUB RD, FOX, btwn WOODCLIFF RD and HICKORY HILL RD, 40.513113, -79.889895    | FOX | FIRE ALARM - COMMERCIAL CLASS  | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: COMMERCIAL FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY 2. IT IS A GENERAL/FIRE ALARM 3. THE AREA OR ZONE/ROOM ACTIVATED IS: GENERAL FIRE ALARM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 1308 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN 6. |
| 2024-10-23<br>09:37:39 | 02:11 | 01:27 | 738 FAIRVIEW RD                 | btwn FLOWER HILL RD and WESPORT DR, 40.546415, -79.892612                                  | FOX | GAS/ODOR - RESIDENTIAL         | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK / GAS ODOR (NATURAL AND LP GASES)CALLER STATEMENT: GAS LEAK IN HOUSE, HOME DEPOT PINCHED A LINECAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY) 2. THE PROBLEM IS REPORTEDLY INSIDE 3. THE GAS CAN BE BOTH SMELLED AND HEARD 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.                                                                           |
| 2024-10-23<br>13:30:01 | 05:50 | 02:59 | WESLEY FAMILY SERVICES OHA BETA | at 104 BETA DR, OHA, btwn ALPHA DR and GAMMA DR, 40.496532, -79.865540                     | OHA | FIRE - COMMERCIAL CLASS        | 1A | Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: SMELLS SMOKECAD RESPONSE: F0DISPATCH CODE: 69D03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: K (LIGHT SMOKE (1ST PARTY))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY) 4. A SINGLE-LEVEL STRUCTURE IS INVOLVED 6. NO HAZARDOUS MATERIALS ARE REPORTED 2. THIS IS AN ODOR OF SMOKE WITH NOTHING VISIBLE 3. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED 5. THE INCIDENT INVOLVES A COMMERCIAL |
| 2024-10-23<br>15:44:44 | 02:46 | 00:58 | 301 FAIRVIEW RD                 | btwn NANTUCKET DR and FAIR OAKS DR, **CHLOE DOMVILLE 650.304.4013**, 40.533521, -79.883452 | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARM COMP REPORTING FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY 2. IT IS A SMOKE DETECTOR ALARM 3. THE AREA OR ZONE/ROOM ACTIVATED IS: NANNYS HALL SMOKE DETECTOR 4. THE                                                                                                             |

|                        |                    |           |                            |                                                                                |      |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|--------------------|-----------|----------------------------|--------------------------------------------------------------------------------|------|--------------------------------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                    |           |                            |                                                                                |      |                                |    | PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 6503044013 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: CHLOE                                                                                                                                                                                                                                                                                                                                                                                          |
| 2024-10-24<br>07:30:53 | 04:33              | 06:31     | EXIT 8 BLAWNOK ROUTE 28 SB | at 80 STATE HWY 28 SB, OHA, 40.490939, -79.882605                              | OTIA | CONTAINMENT/CLEAN UP DETAIL    | F2 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 2024-10-24<br>10:49:02 | 03:01              | Cancelled | 920 RED OAK DR             | btwn SWEET GUM RD and END, KRATSA, WILLIAM 412 779 5328, 40.537012, -79.866833 | HAR  | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY 3. THE AREA OR ZONE/ROOM ACTIVATED IS: MASTER BEDROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: INFO 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: INFO 6. THE INCIDENT INVOLVES A SINGLE-FAM                             |
| 2024-10-26<br>10:25:26 | No Acknowledgement | Cancelled | 132 3RD ST                 | btwn WESTERN AVE and CENTER AVE, 40.492253, -79.905223                         | ASP  | GAS/ODOR - RESIDENTIAL         | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELL OF NAT GAS AT A NEIGHBORS HOUSECAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY) 2. THE PROBLEM IS REPORTEDLY INSIDE 3. THE GAS CAN BE SMELLED ONLY 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.                                                                                |
| 2024-10-26<br>11:23:25 | 03:42              | 05:56     | RIDING MEADOW PARK         | at 592 SQUAW RUN RD E, FOX, 40.524834, -79.894373                              | FOX  | WIRES - HOT (ENERGIZED)        | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: POWER LINES/WIRES DOWNCALLER STATEMENT: SPARKING POWER LINECAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SUFFIX: W (WATER INVOLVED WITH/NEAR HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY) 5. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD 2. THERE ARE POWER LINES/WIRES REPORTED AS DOWN 3. SMOKE IS VISIBLE 4. THE CALLER REPORTS SMOKE OUTSIDE 6. NO ONE IS REPORTED TO BE INJ |
| 2024-10-26<br>11:49:30 | No Acknowledgement | 00:54     | RIDING MEADOW PARK         | at 900 RIDING MEADOW RD, FOX, btwn                                             | FOX  | FIRE - BRUSH / MULCH           | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: BRUSH/GRASS FIRECALLER STATEMENT: WIRE DOWN, DEAD TREES ON FIRECAD                                                                                                                                                                                                                                                                                                                                                                                 |

|                     |       |       |                       |                                                                       |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|-------|-------|-----------------------|-----------------------------------------------------------------------|-----|--------------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |       |       |                       | GLADE RUN LN and WINTERBERRY LN, 40.523679, -79.892571                |     |                                |    | RESPONSE: F1DISPATCH CODE: 82C03 (SMALL BRUSH/GRASS FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THIS IS A BRUSH/GRASS FIRE. 3. A SMALL AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.                                                                                                                                                                                                             |
| 2024-10-26 14:10:19 | 05:21 | 01:30 | 706 FAIRVIEW RD       | btwn LAKESIDE DR and FLOWER HILL RD, 40.540636, -79.893228            | FOX | FIRE - VEHICLE                 | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: VEHICLE FIRECALLER STATEMENT: LAWN TRACTOR ON FIRE IN WOODS BEHIND THE HOUSECAD RESPONSE: F1DISPATCH CODE: 71C04 (VEHICLE FIRE THREATENING VEGETATION/WILDLAND/BRUSH/GRASS)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE VEHICLE IS NOT INSIDE A BUILDING/STRUCTURE. 3. A MOTORCYCLE/SCOOTER/ATV IS INVOLVED. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. VEGETATION/WILDLAND/BRUSH/GRASS IS BEING THREATENED |
| 2024-10-27 04:16:28 | 04:27 | 06:08 | 101 STATE ROUTE 28 NB | btwn STATE ROUTE 28 NB RAMP and ROUTE 910 RAMP, 40.520645, -79.852766 | OHA | CRASH - INJURIES               | F1 | Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: VEH VS DEERCAD RESPONSE: F1DISPATCH CODE: 77C01 (INJURIES WITH HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. THERE ARE SOME OBVIOUS INJ         |
| 2024-10-28 08:12:02 | 02:45 | 05:13 | 1323 POWERS RUN RD    | btwn AQUA DR and DRIFTWOOD DR, 40.515289, -79.860066                  | OHA | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM PRIVATE CALLERCALLER STATEMENT: FIRE ALARM GOING OFFCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 2. THE CALLER IS ON SCENE (1ST PARTY). 6. A MULTI-STORY STRUCTURE IS INVOLVED: 2 8. IT IS NOT KNOWN WHAT CAUSED THE ALARM. 9. THERE ARE PEOPLE INSIDE. 1. THIS IS A PRIVATE CALLER. 3. IT IS A SMOKE DETECTOR ALARM. 4. THE EXACT AREA OR ZONE/ROOM ACTIVATED IS NOT KNOWN. 5          |
| 2024-10-28          | 02:24 | 03:41 | 150 GUYASUTA          | btwn FIELDVUE LN and                                                  | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                     |                    |           |                     |                                                                                          |     |                                |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|--------------------|-----------|---------------------|------------------------------------------------------------------------------------------|-----|--------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 20:44:13            |                    |           | RD                  | LONGFELLOW RD, 40.506478, -79.893109                                                     |     |                                |    | STATEMENT: RES FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: HALLWAY SMOKE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 9174885497 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: JAMES KELLY 6. THE INCIDENT INVOL                                                                                         |
| 2024-10-29 08:54:36 | 01:53              | 05:12     | 115 CENTER AVE      | btwn 1ST ST and 2ND ST, 40.491447, -79.904996                                            | ASP | FIRE ALARM - COMMERCIAL CLASS  | F2 | S/C REPORTING SMOKE ALARM GOING OFF INSIDE BUILDING. NO FIRE OR SMOKE. UNSURE WHAT'S GOING ON. Fire ProQA recommends dispatch at this time, CC TEXT: ALARM PRIVATE CALLERCALLER STATEMENT: SMOKE ALARM GOING OFF INSIDE BUILDINGCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 2. THE CALLER IS ON SCENE (1ST PARTY). 6. A MULTI-STORY STRUCTURE IS INVOLVED: 2 1. THIS IS A PRIVATE CALLER. 3. IT IS A SMOKE DETECTOR ALARM. 4. THE AREA OR |
| 2024-10-29 09:09:18 | No Acknowledgement | 00:52     | 323 OLDE CHAPEL TRL | btwn DOGWOOD LN and DOGWOOD LN, 40.547304, -79.894290                                    | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FAMILY ROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-418-9415 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A     |
| 2024-10-29 10:05:30 | No Acknowledgement | Cancelled | 323 OLDE CHAPEL TRL | btwn DOGWOOD LN and DOGWOOD LN, DORRANCE RESD///412 418 9415 PREM, 40.547304, -79.894290 | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2 | POA - FAMILY ROOM SMOKEFire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: SMOKE DETECTORCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FAMILY ROOM 4. THE PHONE NUMBER OF THE                                                                                                           |

|                        |       |           |                           |                                                                                          |     |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|-------|-----------|---------------------------|------------------------------------------------------------------------------------------|-----|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |       |           |                           |                                                                                          |     |                                | BUSINESS/RESIDENT/OWNER IS NOT KNOWN.<br>5. THE NAME OF THE<br>BUSINESS/RESIDENT/OWNER IS NOT KNOWN.<br>6. THE                                                                                                                                                                                                                                                                                                                                                                                                       |
| 2024-10-29<br>11:40:40 | 02:26 | 01:30     | 835 FOX CHAPEL RD         | btwn RIDING MEADOW RD and FAIRVIEW RD, GANASSI, CHIP 412 406 5600, 40.529116, -79.876364 | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2<br>Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ZONE 11 1ST FLOOR GENERAL FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 1ST FLOOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: INFO 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: INFO 6. THE INCIDENT INVO |
| 2024-10-30<br>06:03:35 | 04:19 | 03:42     | 2 EDGEMOOR LN             | btwn DORSEYVILLE RD and END, 40.534645, -79.906672                                       | FOX | FIRE ALARM - RESIDENTIAL CLASS | F2<br>Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA 3 FLOOR EAST K -- X3 ALARMSCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FLOOR 3 - EAST K 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 724 602 6644 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: WANG, SHUGANG 6 |
| 2024-10-30<br>18:18:32 | 02:14 | Cancelled | FREEPORT RD/POWERS RUN RD | <1995/ 900>, 40.507409, -79.851720                                                       | OHA | CRASH - UNKNOWN INJURIES       | F2<br>Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 2 VEH ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PICKUP TRUCK IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WA    |

| Municipality | Calls |
|--------------|-------|
| OHA          | 19    |
| ASP          | 6     |
| FOX          | 19    |

|       |    |
|-------|----|
| SHP   | 1  |
| IND   | 3  |
| PGH   | 1  |
| HAR   | 1  |
| Total | 50 |



FOXWALL  
EMERGENCY MEDICAL SERVICE

# Foxwall EMS

---

**October 2024**

**Council EMS Report**



**FOXWALL**  
EMERGENCY MEDICAL SERVICE

# News and Noteworthy

## Fall Fun with Foxwall!

- Foxwall Pumpkin Fest
  - Remembering Chief Cuda
- Aspinwall Trick or Treat & Parade
- Fox Chapel Trick or Treat





**FOXWALL**  
EMERGENCY MEDICAL SERVICE

# News and Noteworthy (contd.)

## Educating our Crews...



## ...Educating our Community

## October 2024

Total calls for service were 229

Total 911 calls for service were 133  
(including STAT trips)

Total non-emergency / interfacility calls  
were 96

| Row Labels         | Count of Dispatch Priority |
|--------------------|----------------------------|
| E0                 | 27                         |
| E1                 | 24                         |
| E2                 | 23                         |
| E3                 | 13                         |
| E4                 | 35                         |
| NET                | 96                         |
| STAT Trip          | 11                         |
| <b>Grand Total</b> | <b>229</b>                 |

# October 2024 - Dispatched 911 Calls

| Dispatched 911 Calls (E0-E4) – October 2024 | Count      |
|---------------------------------------------|------------|
| Abdominal Pain                              | 5          |
| Allergies                                   | 1          |
| Altered Mental Status                       | 1          |
| Back Pain                                   | 1          |
| Breathing Problems                          | 7          |
| Cardiac Arrest - Medical                    | 1          |
| Convulsions / Seizure                       | 2          |
| Fall Victim                                 | 21         |
| Heart Problems                              | 2          |
| Hemorrhage/Laceration                       | 9          |
| Ingestion/Poisoning                         | 1          |
| Other                                       | 23         |
| Poison / Overdose                           | 1          |
| Psychiatric Problems                        | 1          |
| Sick Person                                 | 14         |
| Stand By                                    | 6          |
| Stroke/CVA                                  | 2          |
| Traffic Accident                            | 8          |
| Transfer / Interfacility / Palliative Care  | 1          |
| Trauma, Pediatric                           | 1          |
| Unconscious / Fainting                      | 8          |
| Unknown Problems                            | 4          |
| Weakness                                    | 2          |
| <b>Grand Total</b>                          | <b>122</b> |

# October 2024 Dispatched 911 Calls By Boro/MCD Code

| October 2024 MCD Name | Count      |
|-----------------------|------------|
| Aspinwall             | 30         |
| Blawnox               | 2          |
| Cheswick              | 5          |
| Fox Chapel            | 53         |
| Indiana               | 2          |
| McCandless            | 1          |
| Monroeville           | 1          |
| O'Hara                | 12         |
| Pittsburgh            | 7          |
| Shaler                | 4          |
| Springdale            | 5          |
| <b>Grand Total</b>    | <b>122</b> |

# October 2024 – Dispatched 911

|                          |           |                        |           |                        |           |                              |          |
|--------------------------|-----------|------------------------|-----------|------------------------|-----------|------------------------------|----------|
| <b>Aspinwall</b>         | <b>30</b> | <b>Fox Chapel</b>      | <b>53</b> | <b>McCandless</b>      | <b>1</b>  | <b>Shaler</b>                | <b>4</b> |
| Abdominal Pain           | 3         | Abdominal Pain         | 1         | Hemorrhage/Laceration  | 1         | Breathing Problems           | 3        |
| Breathing Problems       | 2         | Allergies              | 1         |                        |           | Hemorrhage/Laceration        | 1        |
| Cardiac Arrest - Medical | 1         | Back Pain              | 1         | <b>O'Hara</b>          | <b>12</b> | <b>Springdale, Allegheny</b> | <b>5</b> |
| Convulsions / Seizure    | 1         | Breathing Problems     | 2         | Altered Mental Status  | 1         | Abdominal Pain               | 1        |
| Fall Victim              | 3         | Fall Victim            | 5         | Fall Victim            | 5         | Fall Victim                  | 3        |
| Hemorrhage/Laceration    | 4         | Heart Problems         | 1         | Other                  | 1         | Other                        | 1        |
| Other                    | 5         | Hemorrhage/Laceration  | 2         | Psychiatric Problems   | 1         | Grand Total                  | 122      |
| Sick Person              | 2         | Ingestion/Poisoning    | 1         | Sick Person            | 1         |                              |          |
| Stand By                 | 2         | Other                  | 16        | Traffic Accident       | 2         |                              |          |
| Traffic Accident         | 2         | Sick Person            | 7         | Unknown Problems       | 1         |                              |          |
| Unconscious / Fainting   | 1         | Stand By               | 4         |                        |           |                              |          |
| Unknown Problems         | 2         | Stroke/CVA             | 2         | <b>Pittsburgh</b>      | <b>7</b>  |                              |          |
| Weakness                 | 2         | Traffic Accident       | 4         | Convulsions / Seizure  | 1         |                              |          |
| <b>Blawnox</b>           | <b>2</b>  | Trauma, Pediatric      | 1         | Fall Victim            | 1         |                              |          |
| Fall Victim              | 1         | Unconscious / Fainting | 5         | Poison / Overdose      | 1         |                              |          |
| Heart Problems           | 1         |                        |           | Sick Person            | 2         |                              |          |
| <b>Cheswick</b>          | <b>5</b>  | <b>Indiana</b>         | <b>2</b>  | Unconscious / Fainting | 2         |                              |          |
| Fall Victim              | 2         | Fall Victim            | 1         |                        |           |                              |          |
| Hemorrhage/Laceration    | 1         | Unknown Problems       | 1         |                        |           |                              |          |
| Sick Person              | 2         |                        |           |                        |           |                              |          |

# Responses Times By Dispatch

| Response Time (in minutes)<br><i>Dispatched to Arrival (On Scene)</i> | Min         | Average     | Max         |
|-----------------------------------------------------------------------|-------------|-------------|-------------|
| <b>Aspinwall</b>                                                      | <b>5.0</b>  | <b>7.9</b>  | <b>15.0</b> |
| E0                                                                    | 6.0         | 6.8         | 7.0         |
| E1                                                                    | 5.0         | 6.3         | 8.0         |
| E2                                                                    | 7.0         | 9.3         | 15.0        |
| E3                                                                    | 6.0         | 7.3         | 8.0         |
| E4                                                                    | 11.0        | 11.0        | 11.0        |
| <b>Fox Chapel</b>                                                     | <b>0.0</b>  | <b>7.4</b>  | <b>15.0</b> |
| E0                                                                    | 3.0         | 9.6         | 15.0        |
| E1                                                                    | 3.0         | 6.5         | 12.0        |
| E2                                                                    | 7.0         | 8.0         | 11.0        |
| E3                                                                    | 0.0         | 6.0         | 9.0         |
| E4                                                                    | 0.0         | 5.5         | 11.0        |
| <b>O'Hara</b>                                                         | <b>2.0</b>  | <b>6.7</b>  | <b>12.0</b> |
| E2                                                                    | 6.0         | 8.3         | 12.0        |
| E3                                                                    | 7.0         | 7.0         | 7.0         |
| E4                                                                    | 2.0         | 4.0         | 6.0         |
| <b>Cheswick</b>                                                       | <b>12.0</b> | <b>17.3</b> | <b>24.0</b> |
| E0                                                                    | 17.0        | 17.0        | 17.0        |
| E1                                                                    | 16.0        | 16.0        | 16.0        |
| E2                                                                    | 12.0        | 12.0        | 12.0        |
| E3                                                                    | 24.0        | 24.0        | 24.0        |
| <b>Springdale</b>                                                     | <b>16.0</b> | <b>19.7</b> | <b>22.0</b> |
| E2                                                                    | 16.0        | 16.0        | 16.0        |
| E3                                                                    | 22.0        | 22.0        | 22.0        |
| E4                                                                    | 21.0        | 21.0        | 21.0        |

**E0:** Most critical (i.e., cardiac arrests, significant trauma, etc)

**E1:** Advanced Life Support (ALS) emergency (i.e., strokes, shortness of breath, etc).

**E2:** ALS/BLS emergency (i.e., diabetic issues, fall with injuries., etc.)

**E3:** Basic Life Support Emergency (BLS) (i.e., fall with minor injury)

**E4:** Least critical (i.e., life assists)



# Disposition (Outcomes)

| Row Labels                                             | Count |
|--------------------------------------------------------|-------|
| ALS Assist                                             | 1     |
| Cancelled                                              | 29    |
| Cancelled, On Scene                                    | 3     |
| Dead at Scene - Resuscitation Attempted - No Transport | 1     |
| Lift Assist, No Patient Transported                    | 2     |
| No Patient Found                                       | 2     |
| Patient Refused Care                                   | 4     |
| Refused                                                | 9     |
| Standby - Committed                                    | 2     |
| Standby - Fire                                         | 17    |
| Transported                                            | 20    |
| Treated, Transported ALS                               | 22    |
| Treated, Transported BLS                               | 9     |
| Treatment / No Transport                               | 1     |
| Grand Total                                            | 122   |

Typically billable 51  
Sometimes billable 16  
Not billable 55



FOXWALL  
EMERGENCY MEDICAL SERVICE

# Questions?

**Benjamin Shopland, MHA, NPR, FP-C (he/him)**  
Chief of EMS

Foxwall Emergency Medical Services

749 Hemlock Hollow Rd.

Pittsburgh, PA 15238

main: (412) 963-6611 ext 1001

cell: (724) 840-9653

[shopland@foxwall.org](mailto:shopland@foxwall.org)



# MEMO

846 Fourth Avenue, Coraopolis, PA 15108  
(412) 264-4400 • (412) 264-1200 Fax  
info@lsse.com • www.lsse.com

TO: Gary J. Koehler, Manager  
Borough of Fox Chapel

DATE: November 13, 2024

FROM: Kevin A. Brett, P.E.

S. O. No.: 0424-01

cc:

SUBJECT: **Monthly Engineer's Report  
November 18, 2024 Meeting**

Following is a summary of the engineering work performed.

## **Roadway and Public Improvement Projects**

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded \$51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of \$70,700.00. Pre-Construction Meeting was held on August 1, 2024. The Notice to Proceed and Contract Documents were executed and distributed at meeting. Contractor is preparing final solar design and DLC interconnection application. LSSE issued shop drawing letter dated October 9, 2024. LSSE issued shop drawing letter dated November 4, 2024. LSSE requested updated schedule from Contractor.*
2. **2024 Roadway Improvements:** *Scope of work is outlined in the following table:*

| BASE BID                         |                   |               |                |                 |
|----------------------------------|-------------------|---------------|----------------|-----------------|
| ROADWAY                          | FROM              | TO            | Award Amount   | Status          |
| Windmere Drive                   | Powers Run Road   | Cul-De-Sac    | \$1,164,068.50 | Paving Complete |
| Foxwood Drive                    | Highland Road     | Cul-De-Sac    |                | Paving Complete |
| Silent Run Road                  | Highland Road     | Cul-De-Sac    |                | Paving Complete |
| Autumn Path Lane                 | Silent Run Road   | Cul-De-Sac    |                | Paving Complete |
| Hickory Hill Road                | Field Club Road   | Cul-De-Sacs   |                | Paving Complete |
| Marvelwood Place & Lane          | Cul-De-Sac        | Cul-De-Sac    |                | Paving Complete |
| Hemlock Hollow Road              | Hunt Road         | Old Mill Road |                | Paving Complete |
| Fieldvue Lane                    | Guyasuta Road     | Cul-De-Sac    |                | Paving Complete |
| Shadow Ridge Drive               | Field Club Road   | Cul-De-Sac    |                | Paving Complete |
| Fox Chapel Borough Mill and Pave | Various Locations | As Directed   |                | Ongoing         |

| ADD ALTERNATE            |                   |                  |              |                        |
|--------------------------|-------------------|------------------|--------------|------------------------|
| ROADWAY                  | FROM              | TO               |              |                        |
| Westmoreland Farms Drive | Hunt Road         | Cul-De-Sac       | \$60,805.73  | <b>Paving Complete</b> |
| Hemlock Hollow Road      | Fox Chapel Road   | Hunt Road        | \$219,985.35 | <b>Paving Complete</b> |
| Hemlock Hollow Road^     | Old Mill Road     | Dorseyville Road | \$118,324.70 | <b>Paving Complete</b> |
| FCA Utility Repairs*     | Various Locations | As Directed      | \$16,872.00  | <b>Ongoing</b>         |

^Cost Sharing Agreement with PNG / \*To Be Paid Directly By FCA

*LSSE transmitted fully executed Notice to Proceed to the Borough on May 7, 2024. LSSE transmitted pre-construction meeting minutes LSSE issued shop drawing letter dated June 18, 2024. LSSE transmitted periodical estimate form to Contractor via letter dated June 27, 2024. Construction is ongoing. LSSE issued Partial Payment No. 1 in the amount of \$601,250.98, which includes \$484,250.98 for Fox Chapel Borough's portion of the contract. LSSE issued Partial Payment No. 2 in the amount of \$604,510.45 which includes \$2,071.80 for Fox Chapel Borough's portion of the contract. LSSE issued punchlist letter dated August 30, 2024. On September 19, 2024, LSSE issued Partial Payment No. 2 in the amount of \$1,097,382.41, which includes \$714,639.23 for Fox Chapel Borough's portion of the contract. LSSE issued updated punch list letter dated October 4, 2024. **All main roadway work is complete, minor punchlist items and utility patches are ongoing. LSSE is reviewing Payment Request No. 3.***

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. . LSSE assisted Borough and submitted CFA-LSA application for a grant request of \$1,000,000.00. Grant awarded in the amount of \$474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024. LSSE issued Act 14 Notification to Allegheny County on May 22, 2024. LSSE is working with the Borough's Landscape Architect to finalize planting plan associated with the permit application. Permit to be submitted once sewer replacement work has been stabilized.*
4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. Project is out to bid. Bids to be received and opened on July 25, 2024. LSSE transmitted project documents to Pashek on July 26, 2024. LSSE issued bid report and transmitted Opinion of Probable Cost dated July 31, 2024. Pre-Construction Meeting held on September 6, 2024. LSSE issued shop drawing letter dated September 18, 2024. **LSSE prepared revised grading plan to address site conditions and addition of a 6" underdrain tie in, provided to Contractor on October 28, 2024. Contractor submitted a change order for work completed which is under review by Borough.***
5. Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1: *LSSE transmitted project advertisement to the Borough on July 5, 2024 for an August 8, 2024 bid opening. LSSE issued bid report dated August 9, 2024 recommending award to FMS Construction Company in the amount of \$567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3).*

*LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. Pre-Construction meeting is scheduled at 12:30 PM on September 16, 2024. Pre-construction meeting was held and corresponding minutes were issued. LSSE transmitted Notice to Proceed to FMS Construction for execution on September 23, 2024. LSSE issued shop drawing dated October 2, 2024. Construction is ongoing. **LSSE issued shop drawing letters dated November 4, 2024 and November 6, 2024. Construction is ongoing.***

6. Contract No. 24-TS01 2024 - Traffic Signal Improvements: *LSSE provided a revised plan to the Borough on March 27, 2024. LSSE revised the plan per Borough comments. PennDOT comments were received on April 2, 2024, LSSE is preparing the plan for resubmission. LSSE transmitted project advertisement for Contract No. 24-TS01 2024 - Traffic Signal Improvements on May 15, 2024. LSSE issued utility letter dated May 16, 2024. Bid opening is scheduled for July 8, 2024. LSSE transmitted contract specifications to the Borough via letter dated July 3, 2024. Bid opening is scheduled for July 31, 2024. LSSE transmitted bid report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of \$489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. LSSE transmitted Notice to Proceed for Borough execution of September 17, 2024. LSSE and Borough coordinating with Contractor regarding selection of poles. **LSSE issued shop drawing letter dated November 1, 2024. A field meeting was held for November 14, 2024 to establish the location of poles to be installed.***

#### **Municipal Separate Storm Sewer System (MS4)**

1. *PaDEP issued permit on November 18, 2018. LSSE uploaded Permit Renewal to DEP on February 6, 2023. Outfall screening to begin in June 2023. LSSE transmitted Annual MS4 Status Report to PaDEP on September 27, 2023. 2024 Outfall Screening has been completed, LSSE to provide memo to Borough. 2024 Progress Report is due September 30, LSSE is preparing draft to review with Borough. 2024 Annual Report has been submitted to PaDEP. **PaDEP inspection is anticipated by early 2025.***
2. **PRP Plan:**
  - A. **Stream Restoration (Hemlock Hollow Road):** *Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.*
  - B. **Current PRP Status:** *LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project.*

#### **Planning Commission Applications**

- None this month.

## Environmental Advisory Council Applications

- EAC 24-04 : 313 Old Indian Trail Court Regoli Residence: **LSSE issued review letter dated October 29, 2024.**

## Stormwater Management Plans

- None this month.


## Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:
  - **Phase I COA / O&M:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers. 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A). The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road. Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. ALCOSAN requested additional information for the GROW Applications. **LSSE transmitted letter to ALCOSAN indicating the Borough's intent to submit a GROW application for 2023 Lining Program (excludes 2024 Hemlock Hollow Lining due to post construction flow monitoring costs).***
  - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution. Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024.*
  - **Sycamore Run Flow Monitor:** *Data collection ongoing and will be for life of system. LSSE preparing quarterly flow data reports. Meter service and recalibration completed October 7, 2022. Data collection ongoing. LSSE evaluating alternatives for remote data access. Data collection issues were identified in September 2023 caused by storm event / power outages that occurred previously. LSSE field technicians are working with Advanced Instruments to replace and reprogram the data storage device. Meter has been sent to ISCO for refurbishment. ISCO has provided and installed a temporary meter. Potential options moving forward include meter refurbishment, meter replacement, or a differing meter technology. Meter replacement complete.*

- **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024. LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications.*
- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete.*
- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months. No Change.*
- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023.*
- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete. This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. Grant application is due December 31, 2024.*
- **Old Mill Road Sanitary Sewer Replacement Phase II:** *PaDEP General Permit Nos. 8 and 11 issued on October 25, 2024. PaDEP Part II Permit application submitted on October 31, 2024.*

- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024. LSSE provided Sycamore Run flow data to ALCOSAN.*
- **2024 Sanitary Sewer Repairs:**
  - **Wynnwood Drive:** *Plans provided to Borough (no permit required).*
  - **Hunt Road Site:** *PaDEP GP-3 Permit submitted for review on October 9, 2024.*
  - **Silent Run Road:** *PaDEP GP-3 submitted for review on September 9, 2024. Permit issued on November 8, 2024.*
  - **Boy Scout Camp:** *LSSE submitted PaDEP GP-3 documentation for review on September 9, 2024. Permit issued on September 26, 2024.*

|               |              |                   |                 |                  |
|---------------|--------------|-------------------|-----------------|------------------|
| Current Power | Energy today | Energy this month | Lifetime energy | Lifetime revenue |
| 25.83 kW      | 261.16 kWh   | 11.95 MWh         | 274.86 MWh      | \$30,295.05      |



|              |                                                        |
|--------------|--------------------------------------------------------|
| Status       | Active                                                 |
| ID           | 3321592                                                |
| Name         | EIS Fox Chapel Boro                                    |
| Address      | Fox Chapel Road 401, Pittsburgh, Pennsylvania, Unit... |
| Installed    | 12/09/2022                                             |
| Last Updated | 10/31/2024 16:03                                       |
| Peak Power   | 129.6 kWp                                              |

Partly Cloudy  
77.72 °F  
Feels like 77.72 °F  
Wind 6.77 MPH  
Humidity 48.7 %  
Sunrise at 07:49  
Sunset at 18:16

Wednesday


57.2 - 77 °F  
Partly Cloudy

Thursday

33.8 - 60.8 °F  
70% Chance of Rain

Friday

32 - 57.2 °F  
Sunny



CO2 Emission Saved  
425,602.56 lb

Equivalent Trees Planted  
3,215.81

## Fox Chapel Annual Tonnage Report - 2024

| Month/<br>Quarter | Commercial<br>Recycling | Residential<br>Recycling | Recycling<br>Totals | Solid Waste<br>Commercial | Solid Waste<br>Residential | Solid Waste<br>Totals |
|-------------------|-------------------------|--------------------------|---------------------|---------------------------|----------------------------|-----------------------|
| January           | 0.2                     | 34.1                     | 34.3                | 10.1                      | 140.9                      | 151.0                 |
| February          | 0.2                     | 29.1                     | 29.3                | 4.0                       | 112.9                      | 116.9                 |
| March             | 0.2                     | 25.5                     | 25.7                | 10.7                      | 117.0                      | 127.7                 |
| <b>Total 1QTR</b> | <b>0.6</b>              | <b>88.7</b>              | <b>89.3</b>         | <b>24.8</b>               | <b>370.8</b>               | <b>395.6</b>          |
| April             | 0.2                     | 30.9                     | 31.1                | 12.0                      | 123.8                      | 135.8                 |
| May               | 0.3                     | 42.4                     | 42.7                | 18.1                      | 137.4                      | 155.5                 |
| June              | 0.1                     | 31.8                     | 31.9                | 8.9                       | 138.7                      | 147.6                 |
| <b>Total 2QTR</b> | <b>0.6</b>              | <b>105.1</b>             | <b>105.7</b>        | <b>39.0</b>               | <b>399.9</b>               | <b>438.9</b>          |
| July              | 0.1                     | 33.1                     | 33.2                | 11.2                      | 143.2                      | 154.4                 |
| August            | 0.1                     | 33.9                     | 34.0                | 14.4                      | 137.8                      | 152.2                 |
| September         | 0.1                     | 33.0                     | 33.1                | 10.3                      | 133.1                      | 143.4                 |
| <b>Total 3QTR</b> | <b>0.3</b>              | <b>100.0</b>             | <b>100.3</b>        | <b>35.9</b>               | <b>414.1</b>               | <b>450.0</b>          |
| October           | 0.1                     | 35.2                     | 35.3                | 11.4                      | 139.6                      | 151.0                 |
| November          | 0.0                     | 0.0                      | 0.0                 | 0.0                       | 0.0                        | 0.0                   |
| December          | 0.0                     | 0.0                      | 0.0                 | 0.0                       | 0.0                        | 0.0                   |
| <b>Total 4QTR</b> | <b>0.1</b>              | <b>35.2</b>              | <b>35.3</b>         | <b>11.4</b>               | <b>139.6</b>               | <b>151.0</b>          |
| <b>TOTALS</b>     | <b>1.6</b>              | <b>329.0</b>             | <b>330.6</b>        | <b>111.1</b>              | <b>1,324.4</b>             | <b>1,435.5</b>        |

\*\*No residue has been removed from the tonnage reported\*\*

Report Prepared By:

*Marcí Martínez*

[marcis@senecalandfill.com](mailto:marcis@senecalandfill.com)

Phone: (724) 625-9000



## Record of Operations

### Household/Small Business Hazardous Waste Collection Program

If you have questions filling out this form, please call your regional office listed in the directions that accompanied this form or call (717) 787-7382.

This form must be completed by all sponsors of collection events. The form must be submitted within 30 days of each non-permanent event. Permanent programs should submit this form on a quarterly basis and indicate the reporting period in question #1. If more than one location was utilized for the event, a separate form should be completed for each collection location.

1. Sponsor's Name \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_

Lead contact Person and Title \_\_\_\_\_

Telephone Number \_\_\_\_\_

Date(s) of event From \_\_\_\_\_ To \_\_\_\_\_ Quarter (if applicable) \_\_\_\_\_

Location(s) of event \_\_\_\_\_

#### 2. Certification

This is to certify that I have personally examined and am familiar with the information in this application and attached documents. I have reviewed the legislation and regulations that pertain to household/small business hazardous waste collection and disposal programs and I am aware of the Department of Environmental Protection's requirements for this application. To the best of my knowledge, the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information.

Sworn to and subscribed before me

this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_



signature of sponsor's authorized, official/contractor

## 3. Waste Information

Location Name Fox Chapel Borough

| Type of Waste                         | Collector<br>EPA ID | EPA Haz<br>Waste ID            | Number of Participants |                | Lbs Collected | Management Method               |
|---------------------------------------|---------------------|--------------------------------|------------------------|----------------|---------------|---------------------------------|
|                                       |                     |                                | household              | business/other |               |                                 |
| 1. Latex Paint                        | PAR000552851        | N/A                            |                        |                |               | Recycle/Fuels                   |
| 2. Oil Based Paint                    | PAR000552851        | N/A                            |                        |                |               | Fuels                           |
| 3. Paint<br>Products/Turpentine       | PAR000552851        | D001, D002                     |                        |                |               | See Flammables                  |
| 4. Corrosives/Caustics                | PAR000552851        | D002                           |                        |                |               | Neutralization;<br>incineration |
| 5. Pesticides/Poisons                 | PAR000552851        | D001, D013,<br>D020            |                        |                |               | Incineration                    |
| 6. Chlorine Products                  | PAR000552851        | D001, D002                     |                        |                |               | Incineration                    |
| 7. Used Oil                           | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 8. Flammable Liquids                  | PAR000552851        | D001, D002                     |                        |                |               | Fuels                           |
| 9. Antifreeze                         | PAR000552851        | N/A                            |                        |                |               | Recycle; fuels                  |
| 10. Lead Acid Batteries               | PAR000552851        | D002, D008 (only<br>if broken) |                        |                |               | Recycle                         |
| 11. NiCad Batteries                   | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 12. Asbestos                          | N/A                 | Not Collected                  |                        |                |               | N/A                             |
| 13. Other                             | -                   | -                              | -                      | -              | -             | -                               |
| Compressed Gas-<br>Aerosols/Cylinders | PAR000552851        | D001, D003                     |                        |                |               | Fuels                           |
| Flammable Solids                      | PAR000552851        | D001                           |                        |                |               | Fuels                           |
| Household Batteries                   | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| Lamps                                 | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| Mercury Containing Devices            | PAR000552851        | D009, U151 (only<br>if broken) |                        |                |               |                                 |
| Oxidizers                             | PAR000552851        | D001, D002,<br>D003            |                        |                |               | Incineration                    |
| Non-Haz/Non-Regulated                 | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 14. Computers                         | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 15. Computer Monitors                 | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 16. Printers                          | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 17. Computer Peripherals              | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 18. Televisions                       | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 19. Other Electronics                 | PAR000552851        | N/A                            |                        |                |               | Recycle                         |
| 20. Tires                             | N/A                 | Not Collected                  |                        |                |               | N/A                             |
| 21. Pharmaceuticals                   | N/A                 | Not Collected                  |                        |                |               | N/A                             |
| <b>Total</b>                          |                     |                                |                        |                |               |                                 |

**Conversions**

Assume 8 pounds equals 1 gallon

For lead acid batteries, assume 20 pounds per battery

## 4. Management Information

|     | Collector's<br>EPA ID | Management Facility<br>EPA ID | Name of Treatment/<br>Disposal Facility | Address of Treatment/Disposal Facility               |
|-----|-----------------------|-------------------------------|-----------------------------------------|------------------------------------------------------|
| 1.  | NYD986908085          | PAD000797548                  | Fielding Environmental, LLC             | 150 4th Avenue<br>Freedom, PA 15042                  |
| 2.  | NYD986908085          | KYD985073196                  | Clean Earth of Calvert City             | 1689 Shar-Cal Road<br>Calvert City, KY 42029         |
| 3.  | NYD986908085          | PAR000554295                  | Miller Environmental Group, Inc.        | 3100 Benjamin Franklin Highway<br>Edinburg, PA 16116 |
| 4.  |                       |                               |                                         |                                                      |
| 5.  |                       |                               |                                         |                                                      |
| 6.  |                       |                               |                                         |                                                      |
| 7.  |                       |                               |                                         |                                                      |
| 8.  |                       |                               |                                         |                                                      |
| 9.  |                       |                               |                                         |                                                      |
| 10. |                       |                               |                                         |                                                      |

**DEPARTMENT USE ONLY**

Received by \_\_\_\_\_

Date \_\_\_\_\_

Reviewed by \_\_\_\_\_

Date \_\_\_\_\_

Approved by \_\_\_\_\_

Date \_\_\_\_\_

Disapproved by \_\_\_\_\_

Date \_\_\_\_\_