FOX CHAPEL
BOROUGH

AGENDA
BOROUGH COUNCIL MEETING
MONDAY, DECEMBER 16, 2024, at 6 PM

CALL TO ORDER

APPROVAL OF MINUTES
The meeting was held on November 18, 2024.

Motion to *[approve, deny, or approve with conditions] the November 18, 2024, minutes.*

RESIDENT COMMENTS

PARK COMMISSION
The meeting was held on December 9, 2024.

Bird Town Pennsylvania Official Certification

Nick Stahlman, from the Western PA Audubon, will present Borough Council with a certificate for the Borough of Fox Chapel, designating it as an official Bird Town.

Signage Plan for the Borough of Fox Chapel and O'Hara Township as Described in the Joint Implementable Comprehensive Plan
Kolano Design submitted a proposal to the Borough of Fox Chapel and O'Hara Township for park and wayfinding signs.

Motion to *[approve, deny, approve with conditions] the engagement of Kolano Design for the Signage Plan for the Borough of Fox Chapel and O'Hara Township as described in the Joint Implementable Comprehensive Plan proposal at a cost to the Borough of $9,275.00. The total cost of the proposal is $18,550.00, which will be split equally with O'Hara Township.*

ENVIRONMENTAL ADVISORY COUNCIL
Meeting held Monday, December 9, 2024. Austin Henry, Chairperson for the EAC will be present.

Environmental Disturbance Application No. 24-04:
Anna Regoli
Lot 313-R Old Indian Trail (Parcel 621-P-11)
Submitted by Leonard White, *PE - KU Resources, Inc.*
Proposed Construction of Single-Family Dwelling

Motion to *[approve, deny, or approve with conditions] Environmental Disturbance Application No. 24-04 as submitted contingent upon the following:*

- *The submission of a brief supplement to the geotechnical report that opines on the post-construction stability of the detention facility given the redbed indicated beneath it.*
- *Bringing manhole CB6 up to grade.*
- *Adding 25 trees to the replanting plan including outside the limit of disturbance. If the additional trees are determined to be too many for the site by the landscape architect, the applicant should return with a modification to the plan towards the end of construction.*

And including the granting of:

- *The implicit request for a waiver from the section of the ordinance prohibiting clear-cutting*

Member Appointment
At the November 2024 Council meeting, after serving on the EAC for the last twelve years, Nanette Bennett resigned.

***Motion to** [approve, deny, approve with conditions] the appointment of Ronald Morosky to the Environmental Advisory Council (EAC) based on the recommendation from the EAC, whose term expiration will be December 31, 2027.*

PLANNING COMMISSION
The meeting will be held at 5:30 p.m., prior to the Council meeting. Harrison Lauer, Chairperson for the Planning Commission will present.

Member Appointment
At the October 2024 Council meeting, after serving on the Planning Commission for the last 18 years, Jeffrey Todd resigned.

***Motion to** [approve, deny, approve with conditions] the appointment of a new member to the Planning Commission based on the recommendation from the Planning Commission, whose term expiration will be December 31, 2028.*

POLICE REPORT
Police Report for November 2024

Retention of Officer Nicholas Posa
Officer Nicholas Posa has completed his probationary period satisfactorily. The Chief of Police recommends the retention of the officer.

***Motion to** [approve, deny, approve with conditions] the retention of Officer Nicholas Posa.*

FIRE REPORT
Total of 35 calls: 17 calls Fox Chapel Borough (11 - O'Hara, 3 - Aspinwall, 1 - Harmar, 2 - Indiana, 1 - Sharpsburg)

FOXWALL EMS REPORT
EMS Report for November 2024

PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT
The meeting was held on November 20, 2024.

Resolution No. 706 - Traffic Calming

***Motion to** [approve, deny, approve with conditions] Resolution No. 706, regarding traffic calming.*

PUBLIC WORKS REPORT

ENGINEER REPORT
LSSE Engineer Report for November 2024

TREASURER REPORT
November 2024 Reports

RATIFICATION OF PAYMENTS
November 2024

***Motion to** [ratify, deny, or ratify with conditions] the payment of bills for November 2024, General Fund Vouchers 5366 - 5412 in the amount of $640,618.84.*

CONTRACT AWARD
CCTV Inspections of 8" PVC Sanitary Lines (Indian Trail/Campbells Run Area)

***Motion to** [award, deny, award with conditions] the contract for CCTV Inspections of 8" PVC Sanitary Lines for the Indian Trail/Campbells Run Area to Insight Pipe Contracting, LLC via CoStar Contract No. 016 at $14,575.47. The 2024 Budget has $34,212 remaining for this item and related work.*

NEW BUSINESS
2025 Budget

***Motion to** [approve, deny, or approve with conditions] the 2025 Budget. This budget has been recommended by the Finance Committee, reviewed by Council, and advertised for available viewing by the public.*

Resolution 705 - Fixing the Real Estate Tax Rate for the Year 2025

***Motion to** [adopt, deny, adopt with conditions] Resolution No. 705, Fixing the Real Estate Tax Rate for the Year 2025 for general revenue purposes at a sum of 2.95 mills on each dollar of market valuation for 2025. This is the same rate for the past six years.*

Ordinance No. 732 - An Amended and Restated Ordinance Setting ALCOSAN Rates and Restating Borough, Harmar, and AVJSA Sewage Rates

***Motion to** [enact, deny, enact with conditions] Ordinance No. 732 establishing the sewer rates for Allegheny County Sanitary Authority (ALCOSAN) and restating Borough, Harmar, and AVJSA sewage rates.*

Resolution No. 707 - Allegheny County Sanitary Authority (ALCOSAN) Green Revitalization of Our Waterways (GROW) Program Grant

***Motion to** [adopt, deny, adopt with conditions] Resolution No. 707, ALCOSAN GROW Program Grant. The Borough is seeking grant funding under the GROW Program to fund a project that proposes to reduce inflow/infiltration in the sanitary sewer system, specifically, to help fund the 2024 Old Mill - Sycamore Interceptor Repairs Project.*

Resolution No. 708 Authorizing the Borough Manager Signatory Authority with the Commonwealth of PA Department of Environmental Protection

***Motion to** [adopt, deny, adopt with conditions] Resolution No. 708, authorizing the Borough Manager of Fox Chapel signatory authority with the Commonwealth of Pennsylvania Department of Environmental Protection Bureau of Waterways Engineering and Wetlands Department.*

Disability Pension Authorization

***Motion to** [approve, deny, approve with conditions] a disability pension for Employee Payroll No. 28, based upon the information provided by the employee's medical provider for the purpose of establishing a total and permanent disability, and entitling the employee to a disability pension in accordance with the Borough's Non-Uniformed Pension Plan to be payable effective January 1, 2025, and to confirm separation from employment with the Borough of Employee Payroll No. 28 resulting from that same total and permanent disability effective December 31, 2024.*

Borough Employee Gym Waiver and Release of Liability, and Rules & Regulations

***Motion to** [approve, deny, approve with conditions] the Borough Employee Gym Waiver and Release, and Gym Rules and Regulations for the use of the employee gym and equipment. The documents were recommended by the Workers' Compensation Insurer and Campbell Durrant, P.C. Both documents have been reviewed by Campbell Durrant, P.C.*

Zoning Hearing Board Reappointment
Jeremy Sphar's term on the Zoning Hearing Board will expire on December 31, 2024. Mr. Sphar has graciously agreed to serve for another 3-year term. The Zoning Hearing Board recommends the reappointment of Jeremy Sphar.

***Motion to** [approve, deny, approve with conditions] the reappointment of Jeremy Sphar to the Zoning Hearing Board, whose new term will expire December 31, 2027.*

Civil Service Commission Reappointment
James Royston's term on the Civil Service Commission will expire on December 31, 2024. Mr. Royston has graciously agreed to serve for another six-year term. The Civil Service Commission recommends the reappointment of James Royston.

***Motion to** [approve, deny, approve with conditions] the reappointment of James Royston to the Civil Service Commission, whose new term will expire December 31, 2030.*

Dailey Operation Consulting LLC

***Motion to** [authorize, deny, authorize with conditions] to engage Jason Dailey of Dailey Operation Consulting LLC as a consultant for the Manager Search Committee.*

ENVIRONMENTAL REPORTS
Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

EXECUTIVE SESSION
Personnel

ADJOURNMENT

WHEREAS, this community is working to promote conservation and stewardship through sustainable land care practices, habitat protection, and the restoration of natural system function to create a healthier environment for birds, wildlife, and people:

Borough of Fox Chapel

is designated an official **BIRD TOWN**

December 16, 2024

Jim Bonner, Executive Director
Audubon Society of Western Pennsylvania

Heidi Shiver, President
Bird Town Pennsylvania

Leigh Altadonna, President
Pennsylvania Audubon Council

AUDUBON
WESTERN PENNSYLVANIA

BIRD TOWN
PENNSYLVANIA

Pennsylvania
Audubon
Council

KOLANO design

6026 Centre Avenue Pittsburgh, Pennsylvania 15206-3784
412-661-9000 kolano.com
graphics signage interiors & products

Gary J. Koehler
Fox Chapel Borough Manager
401 Fox Chapel Rd
Pittsburgh, PA 15238

412-850-5022
gkoehler@fox-chapel.pa.us

October 29, 2024

RE: Signage Plan for Borough of Fox Chapel and Township of O'Hara

Dear Gary,

Kolano Design is pleased to submit this proposal for sign design services as described in the Joint Implementable Comprehensive Plan for the Borough of Fox Chapel and Township of O'Hara.

This proposal covers the design and potential implementation of sign standards for several key aspects of the Comprehensive Plan. The goal is to provide a comprehensive and cohesive sign standards plan for implementing signage at key destinations and amenities within Fox Chapel and O'Hara Twp. The design aesthetics will reinforce community pride and identity through consistent standards that can be adapted to meet the needs of diverse locations.

Design services and deliverables are described below as separate scopes of work that may be addressed individually as needed.

The proposal is divided into three (3) phases that include Sign Family Development, Construction Specifications, Implementation at Key Location(s). These phases are further described below.

Please review the following proposal and contact me with any questions or comments that you might have.
We look forward to working with you on this endeavor.

Sincerely,
Adam Killen

Adam Killen

Phase 1
Sign Family Development

Kolano Design will utilize the survey/inventory developed by Fox Chapel/O'Hara to conceptualize a family of sign types. The sign family will establish the aesthetics and graphic standards for the new sign system. Consistent design standards for fonts, colors, materials, sign locations, etc. will be developed for each proposed sign type in the system. The intent of the sign system is to guide residents and visitors to various locations, provide critical information, and identify key locations.

Sign types include, but are not limited to:
Location Identification
Amenity Identification (include a version that attaches to a fence)
Trail Identification (may include trail info such as distance, difficulty, etc.)
Trail Directional
Regulatory signs (DOT standard with frame or other decoration to make them more unique)
Historic Marker/Interpretive

The proposed sign system will be consistent, modular, expandable, and adaptable to future needs. The general aesthetics and modular construction techniques of the new sign system will be based on the existing sign systems for Allegheny County Regional Parks and City of Pittsburgh Open Spaces.

Two aesthetic design concepts will be presented as "sign families" that include the most important sign types in the sign system. Two (2) rounds of revisions are included in this proposal.

The deliverable will include elevation drawings, critical dimensions, sample sign layouts, fonts, colors, and general material specifications for each sign type in the Sign Family.

Phase 1 Design Fee **$7,550**

Phase 2
Construction Specifications

Kolano Design will further develop the Sign Family into a set of Construction Drawings. This package will include all details necessary to fabricate and install each sign type. This includes critical dimensions, material specifications, finishes, paint colors, vinyl specifications, fabrication techniques, etc. One (1) round of revisions is included in this phase to finalize the Construction Drawings.

Kolano Design will provide estimated unit pricing for each sign type as part of this deliverable.

Phase 2 Design Fee **$4,250**

Phase 3 Implementation

Kolano Design will coordinate with Fox Chapel and O'Hara to implement the new signs at specific locations. These locations may include:

Meadow Park
Woodland Park
George J. Sacco Park
Ruth S. Weir Park
Raymond A. Schafer, Jr. Memorial Park
Beulah Frey Park
McCahill
Riding Meadow
Salamander Park
Guyasuta Trail
Lockhart Trail
Eliza Fox Trail
Salamander Trail
Trillium Trail
Hardie Valley Park

It is anticipated that the initial round of sign implementation is limited to identification signs at critical areas. These modular signs may include park rules, amenity information, trail difficulty, and directional information if necessary.

The deliverable for this phase of the project are construction drawings for each sign type and sign layouts that are unique to each location. The final content of these signs will be coordinated wit Fox Chapel and O'Hara prior to fabrication. It is anticipated that the fabrication and installation will be administered by Fox Chapel and O'Hara.

Phase 3 Design Fee **$6,500**

Reimbursable Expenses

The Client shall reimburse KD for all out-of-pocket expenses incurred by KD with respect to the project including, but not limited to, expenditure for: blueprints, photoprints, photocopies, photography, presentation materials, shipping, postage and local deliveries, including messenger. Reimbursable expenses will be billed at cost plus a surcharge of 15%, which will cover administrative costs. The below reimbursable expenes shown are estimated. Any additional reimbursable expenses required during the progress of the project and beyond the estimate will be pre-approved by the client prior to KD purchasing or incurring further costs.

Design Fee Breakdown

Item Description	**Design Fee**
Phase 1 - Sign Family Development	$7,550
Phase 2 - Construction Specifications	$4,250
Phase 3 - Implementation	$6,500
Reimbursable Estimate	$250
Total:	**$18,550**

FC 9,275

Preliminary Pricing

Sign Type	Unit Cost	Meadow Park	Woodland Park	George J. Sacco Park	Ruth S. Weir Park	Raymond A. Schafer, Jr. Memorial Park	Beulah Frey Park	O'Hara Township Community Park	McCahill + Annie's Field of Dreams	Riding Meadow	Salamander Park	Guyasuta Trail	Lockhart Trail	Eliza Fox Trail	Salamander Trail	Trillium Trail	Hardie Valley Park
Identification Sign *(ground mounted)*	$825	1	1	1	1	1	1	2	1		1						
Identification Sign *(fence mounted)*	$350																
Rules & Regulations/ Amenity Identification	$550	6	4	2		3	3	9	3	4		2	2	2	2	2	2
Trail Marker/ Directional	$525							4		10		6	10	6	6	10	10
Historic Marker/ Interpretive Sign	$1,000							2									
DOT Regulatory	$600-800	$10,200 allowance for replacing existing DOT signs that are in poor condition															
Subtotal		$4,125	$3,025	$1,925	$825	$2,475	$2,475	$10,700	$2,475	$7,450	$825	$5,300	$6,350	$5,300	$5,300	$6,350	$6,350

Total for All Parks	**$81,450**
Kolano Design Fee	**$18,550**
Grand Total	**$100,000**

Identification Sign *(post mounted)*
2'-0" x 3'-0" - **$825**

Identification Sign *(fence mounted)*
2'-0" x 3'-0" - **$350**

Rules & Regulations/ Amenity Identification
1'-0" x 1'-4" - **$550**

Trail Marker/ Directional
2'-4" x 4" - **$525**

Historic Marker/ Interpretive Sign
2'-0" x 3'-0" - **$1,000**

* *Prices are estimates. Final costs may vary. Quantities for each location are a preliminary estimate.*
Sign layouts and designs shown are for placement purposes only and do not represent the final designed solution.

FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 11/1/24 12:00:00 AM TO 11/30/24 11:59:00 PM

INCIDENT REPORTS

TYPE OF REPORT	Total
Accident/Non-Reportable	2
Accident/Reportable	2
Administrative Report - Information Request	1
Animal Complaint	3
Animal Complaint - Injured/Deceased Deer	3
Assist Other Agency	1
Assist Person	3
Attempted Fraud	1
Attempted Identity Theft	1
Burglar Alarm-Business	3
Burglar Alarm-Residence	33
Business Check	1
Civil Dispute	2
Death-Natural	1
Disabled Vehicle	2
Domestic Disturbance	1
EMS Call	15
Fire Alarm-Business	2
Fire Alarm-Natural Gas	1
Fire Alarm-Residence	10
Fire Call	1
Found Property	1
Fraud	2
Fraud- Credit Cards/ATM	1
Harassment	1
Harassment by Communication	1

ARRESTS

Violation Type	Total Arrests for Violation Type
Total Number of Offenses Cleared by Arrest	0
Total Number of Persons Arrested	0

Citation Type	August
Traffic-Filed	14
Warning Notice	12
Total	**26**

INCIDENT REPORTS	
TYPE OF REPORT	**Total**
Hazardous Conditions	1
Hit Gas Line	1
Hunting Complaint	1
Identity Theft	2
Lost/Found	2
Mental Health	3
Missing Person	1
Motorist Dispute	1
Park and Walk	2
Parking Complaint	8
Police Detail - Aggressive Driving	1
Police Detail - Crossing Guard	1
Police Detail - Fingerprint	1
Police Detail - House Watch	12
Police Info	1
Road Hazard	5
School Patrol	1
Suspicious Incident	6
Suspicious Persons	1
Suspicious Vehicle	3
Theft	2
Traffic Complaint	8
Traffic Post	8
Traffic Stop	2
Utility Complaint	1
Welfare Check	6
Wires Down	2
Total	**178**

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Priority	Further Info
2024-11-02 04:12:35	04:25	06:52	RIDC DR EXIT 10 ROUTE 28 NB	at 100 STATE HWY 28 NB, OHA, 40.499310, -79.863876	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: VEH HIT MEDIANCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. IT IS NOT KNOW
2024-11-03 05:19:55	No Acknowledgement	04:06	325 OLDE CHAPEL TRL	btwn DOGWOOD LN and DOGWOOD LN, ANDERSON // 412 491 5108, 40.546764, -79.894273	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT STEOS 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER
								IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGL
2024-11-05 09:29:17	No Acknowledgement	01:07	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	FIRE ALARM - COMMERCIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ALARM 1 SMOKE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 968 3186 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SHADYSIDE ACADEMY 6. THE TYPE OF STRUCTURE (
2024-11-05 14:59:42	02:15	00:46	306 PASADENA DR S	btwn THE OAKS and RIVERVIEW TER, 40.493572, -79.890676	FOX	SMOKE OUTSIDE - SEEN OR SMELLED	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SMOKE INVESTIGATION (OUTSIDE)CALLER STATEMENT: CALLER REPORTING SIIE SEES SMOKECAD RESPONSE: F3DISPATCH CODE: 68A01 (LIGHT SMOKE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 5. THE COLOR OF THE SMOKE IS: GREY 2. SMOKE IS VISIBLE. 3. IT IS NOT KNOWN WHERE THE SMOKE IS COMING FROM. 4. THE CALLER IS ABLE TO SEE THROUGH THE SMOKE.

2024-11-06 08:29:54	02:26	01:09	201 RAYNOR LN	btwn RIDING MEADOW RD and END, 40.529100, -79.885925	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARMSCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 30 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 551 7244 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL
2024-11-06 23:39:43	03:31	05:57	24 5TH ST	btwn FIELD AVE and WESTERN AVE, 40.494284, -79.906882	ASP	GAS/ODOR - RESIDENTIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELL OF GAS ON EVERY FLOOR, NO ILL EFFECTSCAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-11-07 07:38:34	03:47	06:29	96 STATE ROUTE 28 SB	btwn GAMMA DR RAMP and STATE ROUTE	OHA	CRASH - INJURIES	F1	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION /
				28 SB RAMP, 1 ft W, 40.512995, -79.854545				TRANSPORTATION INCIDENTCALLER STATEMENT: 2 VEHICLE CRASH- WITH INJCAD RESPONSE: F2DISPATCH CODE: 77B01 (INJURIES)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. THERE ARE SOME OBVIOUS IN
2024-11-07 13:28:27	02:05	04:24	103 CHAPEL HILL DR	btwn HIGHLAND RD and END, 45 ft W, 40.530461, -79.869850	FOX	GAS/ODOR - OUTSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER STATEMENT: HIT A GAS LINECAD RESPONSE: F2DISPATCH CODE: 60B01 (OUTSIDE RESIDENTIAL LINE)SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THE LEAK IS COMING FROM A RUPTURED LINE. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE SMELLED ONLY. 5. THE SOURCE IS A RESIDENTIAL GAS LINE. 6. NO ONE IS REPORTEDLY SICK OR INJURED. 7. IT IS NOT KNOWN WHICH GAS COMPANY PROVIDE
2024-11-08 22:52:10	03:17	07:07	GUYS RUN RD/LOCUST HILL RD	<0/ 352>, 40.555305, -79.862435	HAR	FIRE - BRUSH / MULCH	F2	THIS IS FIRE IN THE WOODSFire ProQA recommends dispatch at this time, CC TEXT:

								BRUSH/GRASS FIRECALLER STATEMENT: BRUSH FIRE IN THE WOODSCAD RESPONSE: F0DISPATCH CODE: 82D08 (LARGE BRUSH/GRASS FIRE)SUFFIX: O (OTHER)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THIS IS A BRUSH/GRASS FIRE. 3. A LARGE AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS THREATENING: WOODED AREA
2024-11-09 16:10:00	02:27	04:58	FOX CHAPEL RD/DORSEYVILLE RD	<1999/ 801>, 40.551057, -79.899879	IND	FIRE - BRUSH / MULCH	F2	Fire ProQA recommends dispatch at this time, CC TEXT: BRUSH/GRASS FIRECALLER STATEMENT: FEILD ON FIRECAD RESPONSE: F1DISPATCH CODE: 82C03 (SMALL BRUSH/GRASS FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THIS IS A BRUSH/GRASS FIRE. 3. A SMALL AREA IS BURNING. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT.
2024-11-10 14:30:06	02:43	01:59	LAURI ANN WEST COMMUNITY CENTER	at 1220 POWERS RUN RD, OHA, btwn LOCUST DR and ALMA DR, 40.513723, -79.857161	OHA	CONTAINMENT/CLEAN UP DETAIL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER STATEMENT: IN THE 3RD ROW OF THE PARKING LOT, HE HAS GASOLINE LEAKING FROM HIS VEHICLE AND NEEDS OT CLEANED UP BEFORE HE CAN HAVE IT TOWEDCAD RESPONSE:

								F0DISPATCH CODE: 59O01 (MINOR SPILL)SUFFIX: O (OUTSIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE CALLER IS REPORTING A FUEL SPILL. 3. THE SPILL IS NOT SPREADING. 4. THE FUEL SPILL IS OUTSIDE. 5. THE SPILL IS NOT IN OR NEAR A WATERWAY.
2024-11-10 18:43:39	03:14	05:27	GUYASUTA RD/GRANDVIEW DR N	<299/ 299>, 40.502183, -79.897250	FOX	FIRE - TRANSFORMER	F2	PD FLAGGED DOWN ABOUT A BLOWN TRANSFORMER,ON GUYASUTA NEAR PASADENA, GRANDVBIEW N CONNECTS THE 2 STREETS, ENROUTE AND WILL UPDATE LOCATION
2024-11-12 14:21:12	No Acknowledgement	Cancelled	318 CORNWALL DR	btwn WORTHINGTON RD and SUNRIDGE RD, SMITH, FRED 312 391 7744, 40.511879, -79.863913	OHA	FIRE ALARM - RESIDENTIAL CLASS	F2	POA - SMOKE DETECTOR - REAR DEN SMOKE - WILL ATTEMPT KII
2024-11-13 09:16:40	03:02	04:38	301 FAIRVIEW RD	btwn NANTUCKET DR and FAIR OAKS DR, 40.533521, -79.883452	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 78 // NANNY'S HALL SMOKE DETECTOR 4. THE PHONE NUMBER OF THE

								BUSINESS/RESIDENT/OWNER IS: 650-304-4013 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: DOMVILLE-LEWI
2024-11-13 18:05:54	02:44	Cancelled	8 SAINT JAMES PL	btwn WINDSOR RD and WINDSOR RD, 412 260 1014, 40.498163, -79.898356	FOX	FIRE ALARM - RESIDENTIAL CLASS	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 2 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGLE-FAMILY
2024-11-17 01:22:26	05:22	Cancelled	COMFORT INN OHA	at 180 GAMMA DR, OHA, btwn BETA DR and GAMMA DR RAMP, 40.501839, -79.860389	OHA	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARM // ZONE 4CAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 4 4. THE PHONE NUMBER OF THE

								BUSINESS/RESIDENT/OWNER IS: 412 326 9430 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: COMFORT INN 6. THE
2024-11-18 04:07:14	02:52	Cancelled	ROUTE 28 SB EXIT 6 ASPINWALL	at 60 STATE HWY 28 SB, ASP, 40.495196, -79.907514	ASP	CRASH - UNKNOWN INJURIES	F2	PEN DOT TRUCKFire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: TWO CAR CRASHCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF
2024-11-19 08:15:22	02:39	01:43	233 E WALDHEIM RD	btwn ALPINE CIR and ALPINE CIR, 40.494117, -79.892782	FOX	POSSIBLE FIRE - COMMERCIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: FUEL ODORCALLER STATEMENT: KEROSINE SMELL IN BASEMENTCAD RESPONSE: F2DISPATCH CODE: 59B03 (FUEL ODOR)SUFFIX: I (INSIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE CALLER IS REPORTING A FUEL ODOR. 3. THE ODOR IS REPORTEDLY INSIDE.

2024-11-19 14:23:44	00:58	01:56	125 KITTANNING PIKE	btwn JORDAN AVE and MARY ST, 40.501283, -79.923544	OHA	FIRE - RESIDENTIAL	1A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: DARK SMOKE COMING FROM ROOF/SIDE OF THE HOUSECAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 3 2. SMOKE IS VISIBLE. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 5. NO INCIDENTS REPORTED.
2024-11-19 16:04:53	01:45	01:42	130 FOREST DR	btwn HIGHLAND RD and END, 40.530008, -79.866349	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 14 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 737 0437 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: DAVID GOURLEY 6. THE INCIDENT INVOLVES A
2024-11-19 23:15:12	03:30	06:40	BLAWNOX EXIT 9 ROUTE 28 NB	at 90 STATE HWY 28 NB, OHA, 40.490518, -79.877969	OHA	CRASH - TRAPPED/PINNED	F0	Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCALLER STATEMENT: VEH ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B01
								(INJURIES)SUFFIX: T (TRAPPED/PINNED VICTIM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. ONE PERSON IS TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. IT IS LIKELY THAT THE PER
2024-11-20 07:26:30	03:14	05:30	501 GUYASUTA RD	btwn GRANDVIEW DR S and GUYASUTA LN, 40.500137, -79.901882	FOX	CRASH - HAZARDS - E2	F1	PER 191 PORTABLE VEH ON ITS ROOF DRIVER OUT NO INJURIES FLUID ON THE ROAD
2024-11-20 18:00:54	03:02	00:43	307 WILDBERRY RD	btwn HIDDEN SPRING LN and SWEET GUM RD, DAVIS, JEANNE 412 963 0145, 40.535124, -79.863046	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 19 BASEMENT SMOKE DETECTOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 963 0145 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: DAVIS, JEANNE 6. THE

2024-11-20 19:30:55	03:45	01:33	43 FOX POINTE DR	btwn FOX POINTE PL and END, 40.528441, -79.919226	OHA	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 5 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-968-0528 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: PUCHOWSKI, KAREN 6. THE INCIDENT INVOLVES A SINGLE-

2024-11-21 17:07:45	05:07	02:25	FIELD CLUB RD/POWERS RUN RD	<700/ 1500>, 40.518943, -79.862680	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: TWO VEH ACCIDENT UNKNOWN INJURES HEAD ON COLLISOINCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM

2024-11-22 12:17:19	00:54	03:33	LAURI ANN WEST COMMUNITY CENTER	at 1220 POWERS RUN RD, OHA, btwn LOCUST DR and ALMA DR, 40.513723, -79.857161	OHA	FIRE ALARM - HIGH LIFE HAZARD	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRST FLOOR MAIN EXIT FIRE ALARM PULL STATIONCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: P (PULL STATION)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A PULL STATION. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: FIRE FLOOR MAIN EXIT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4128288566 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: LAURI ANN WE
2024-11-22 18:17:30	03:23	Cancelled	ETNA EXIT 5 ROUTE 28 SB	at 50 STATE HWY 28 SB, SHP, 40.497003, -79.937153	SHP	CRASH - UNKNOWN INJURIES - E2	F2	M11 CAME ACROSS 4 VEH ACCIDENT, UNK INJURIES
2024-11-24 08:41:55	03:05	Cancelled	103 FRICK RD	btwn WORTHINGTON RD and END, 40.508396, -79.865043	OHA	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 5 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4128285259 5. THE NAME
								OF THE BUSINESS/RESIDENT/OWNER IS: KIPROFF, PAUL 6. THE INCIDENT INVOLVES A SINGLE-
2024-11-24 12:50:42	02:32	03:05	BRILLIANT AVE/FREEPORT RD	<1/ 355>, 40.488850, -79.901105	ASP	CRASH - INVOLVING A STRUCTURE	F1	CALLER SAW A WOMAN WHITE FORD ESCAPE RAN INTO THE FRONT OF A STOREFRONT OF ENVIRONMENTAL DATA SERVICES LTD//WALKED INTO ASPINWALL BEANS AND CREAMFire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CAR HIT BUILDINGCAD RESPONSE: F0DISPATCH CODE: 77D06 (VEHICLE VS. BUILDING)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A VEHICLE VS. BUILDING. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOL
2024-11-25 14:55:29	03:27	Cancelled	105 FAIRWAY LN	btwn FOX CHAPEL RD and END, SCALO, JAMES 412 670 4252, 40.521002, -79.881325	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 2ND FLOOR

								SMOKE DETECTOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 670 4252 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SCALO, JAMES 6. THE INCIDENT
2024-11-27 12:40:56	No Data	No Data	202 GLENHAVEN LN	btwn FIELD CLUB RD and SPRINGHOUSE LN, NETTIE MERCER 412-417-3132, 40.515101, -79.876663	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BASEMENT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4124173132 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: ANNETTE MERCER 6. THE INCIDENT INVOLVES A
2024-11-28 09:09:51	No Data	No Data	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM

								ACTIVATED IS: ROW BASEMENT, TELEPHONE/CABLE ROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129683186 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: 4123527657 F
2024-11-29 10:27:48	No Data	No Data	100 FAWN MEADOW CT	btwn END and FOX CHAPEL RD, 412 363 6643, 40.548230, -79.887785	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 000 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGLE-FAM
2024-11-29 16:29:03	No Data	No Data	412 FOX CHAPEL RD	btwn EVERGREEN RD and PHEASANT DR, 40.517768, -79.878691	FOX	FIRE - RESIDENTIAL	1A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: SMOKE FROM THE WALLSCAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 2 STORY 2. SMOKE IS VISIBLE. 4. THE

								INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 5. NO INCIDENTS REPORTED.
2024-11-30 16:26:44	No Data	No Data	599 DORSEYVILLE RD	btwn CHAPEL CREST TER and SETTLERS RIDGE RD, BRICK AND BARREL, 40.537721, -79.911400	IND	FIRE - COMMERCIAL	1A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: SMOKE IN BASEMENT AND OUTSIDECAD RESPONSE: F0DISPATCH CODE: 69D03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: K (LIGHT SMOKE (1ST PARTY))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 3 5. NO HAZARDOUS MATERIALS ARE REPORTED. 2. SMOKE IS VISIBLE. 4. THE INCIDENT INVOLVES A COMMERCIAL/INDUSTRIAL BUILDING. 6. THE CALLER IS REPORTING LIGHT SMOKE.

Municipality	Calls
OHA	11
FOX	17
ASP	3
HAR	1
IND	2
SHP	1
Total	35

FOXWALL
EMERGENCY MEDICAL SERVICE

Foxwall EMS

November 2024

Council EMS Report

News and Noteworthy

FOXWALL
EMERGENCY MEDICAL SERVICE

New and improved crew benefits approved for January 2025!

- **Health Insurance** (FT)
  - 66% lower deductible
  - lower premium costs to the employee (Foxwall covers 50%)
  - Dental and vision available
- **Retirement** (FT, PT @ 20hrs)
  - 401k with 50% match up to 6% employee contribution
- **Employee Assistance Program** (All employees and volunteers)
  - Free counseling sessions, legal consults, crisis management, etc.
- **Uniform Allowance** (All employees and volunteers, tiered amounts)

This is possible thanks to the increase in annual support from Fox Chapel and Aspinwall boros aimed at recruitment and retention of quality responders. We thank you!

News and Noteworthy (contd.)

FOXWALL
EMERGENCY MEDICAL SERVICE

Annual Public Board Meeting: January 21st at 7pm. (location tba)



Foxwall crews enjoyed bringing in the holiday season with light-up night events in Fox Chapel and Aspinwall boros.

We celebrate Lt. I-Ting Wang (ET) for the successful defense of her doctoral dissertation on research conducted at Foxwall. Congratulations Dr. ET!

FOXWALL
EMERGENCY MEDICAL SERVICE

November 2024

Total calls for service were **165**

Total 911 calls for service were **86** (including STAT trips)

Total non-emergency / interfacility calls were **79**

Row Labels	Count of Dispatch Priority
E0	10
E1	20
E2	15
E3	13
E4	26
NET	79
STAT Trip	2
Grand Total	**165**

November 2024 - Dispatched 911 Calls

By Municipality	Count
Fox Chapel	33
Aspinwall	28
O'Hara	12
Shaler	2
Pittsburgh	2
Blawnox	2
Cheswick	2
Indiana Township	2
Sharpsburg	1
Springdale	1
Harmar	1
Grand Total	**86**



By Complaint	Count
Sick Person	18
Other	14
Fall Victim	10
Breathing Problems	9
Traffic Accident	5
Stand By	4
Stroke/CVA	3
Convulsions / Seizure	3
Unknown Problems	3
Hemorrhage/Laceration	3
Unconscious / Fainting	2
Altered Mental Status	2
Psychiatric Problems	2
Weakness	2
Heart Problems	1
Back Pain	1
Medical (NOS)	1
Vomiting	1
Abdominal Pain	1
Cardiac Arrest - Medical	1
Grand Total	**85**

November 2024 – Dispatched 911 Calls

Why were we called? (by municipality)

Aspinwall	28
Abdominal Pain	1
Breathing Problems	2
Fall Victim	3
Heart Problems	1
Hemorrhage/Laceration	1
Other	3
Sick Person	8
Stand By	1
Traffic Accident	4
Unconscious / Fainting	1
Vomiting	1
Weakness	2

Fox Chapel	33
Altered Mental Status	1
Back Pain	1
Breathing Problems	4
Cardiac Arrest - Medical	1
Fall Victim	4
Other	11
Psychiatric Problems	2
Sick Person	3
Stand By	3
Stroke/CVA	1
Traffic Accident	1
Unknown Problems	1

Blawnox	2
Sick Person	1
Unknown Problems	1
Cheswick	**2**
Fall Victim	1
Hemorrhage/Laceration	1
Harmar	**1**
Sick Person	1
Indiana Township	**2**
Stroke/CVA	1
Unknown Problems	1
O'Hara	**12**
Altered Mental Status	1
Breathing Problems	1
Convulsions / Seizure	2
Fall Victim	2
Sick Person	5
Unconscious / Fainting	1
Shaler	**2**
Breathing Problems	1
Hemorrhage/Laceration	1
Sharpsburg	**1**
Convulsions / Seizure	1
Springdale	**1**
Breathing Problems	1

Responses Times By Dispatch

Response Time (in minutes) *Dispatched to Arrival (On Scene)*	Min	Average	Max
Aspinwall	**0:06**	**0:08**	**0:12**
E0	0:07	0:08	0:09
E1	0:06	0:07	0:12
E2	0:06	0:08	0:10
E3	0:08	0:09	0:10
E4	0:10	0:10	0:10
Fox Chapel	**0:06**	**0:09**	****0:23**
E0	0:09	0:10	0:11
E1	0:06	0:08	0:10
E2	*0:16	*0:16	*0:16
E3	0:10	0:10	**0:23
E4	0:07	0:08	0:11



Response Time (in minutes) *Dispatched to Arrival (On Scene)*	Min	Average	Max
Blawnox	**0:11**	**0:11**	**0:11**
E2	0:11	0:11	0:11
Cheswick	**0:12**	**0:12**	**0:13**
E1	0:13	0:13	0:13
E2	0:12	0:12	0:12
Harmar	**0:16**	**0:16**	**0:16**
E2	0:16	0:16	0:16
Indiana Township	**0:12**	**0:12**	**0:12**
E1	0:12	0:12	0:12
O'Hara	**0:06**	**0:08**	**0:13**
E0	0:08	0:09	0:12
E2	0:06	0:09	0:13
E3	0:06	0:06	0:06
E4	0:06	0:06	0:06
Sharpsburg	**0:15**	**0:15**	**0:15**
E1	0:15	0:15	0:15

*vehicle accident, FD on scene reporting no injuries.
**staging for police at 11 minutes, unsafe scene.

E0: Most critical (i.e., cardiac arrests, significant trauma, etc)

E1: Advanced Life Support (ALS) emergency (i.e., strokes, shortness of breath, etc).

E2: ALS/BLS emergency (i.e., diabetic issues, fall with injuries., etc.)

E3: Basic Life Support Emergency (BLS) (i.e., fall with minor injury)

E4: Least critical (i.e., lift assists)

Disposition (Outcomes) - 911

FOXWALL EMERGENCY MEDICAL SERVICE

Disposition/Outcome	Count
ALS Assist	1
Cancelled	21
Cancelled, On Scene	1
Care Transferred	1
Dead at Scene	1
Lift Assist, No Patient Transported	3
No Treatment Required	1
Patient Refused Care	2
Refused	7
Standby - Fire	10
Standby Only	1
Transported	23
Treated, Transported ALS	7
Treated, Transported BLS	7
Treatment / No Transport	1
Grand Total	**87**

What were the outcomes of our responses?

Typically billable	**37**
Sometimes billable	**16**
Not billable	**34**

How often is a 911 response compensated?

Questions?

FOXWALL
EMERGENCY MEDICAL SERVICE

Benjamin Shopland, MHA, NPR, FP-C (he/him)
Chief of EMS

Foxwall Emergency Medical Services
749 Hemlock Hollow Rd.
Pittsburgh, PA 15238
main: (412) 963-6611 ext 1001
cell: (724) 840-9653
shopland@foxwall.org

FOX CHAPEL
BOROUGH

RESOLUTION NO. 706

A RESOLUTION OF THE BOROUGH OF FOX CHAPEL, ALLEGHENY COUNTY REGARDING TRAFFIC CALMING

WHEREAS, the Borough of Fox Chapel has received requests for traffic calming measures in various areas of the Borough, or the Borough believes an area should be explored for traffic calming measures; and

WHEREAS, the Borough of Fox has reviewed the latest edition of the Pennsylvania Traffic Calming Handbook (attached hereto as Appendix A);

NOW, THEREFORE, BE IT RESOLVED that the Borough Council of the Borough of Fox Chapel hereby adopts the following procedure for pursuing requests for traffic calming measures.

Step 1: Request

Local citizen(s) submit a formal request for a traffic calming study to the designated Traffic Calming Program Manager, who shall be the Borough Manager. The request should be submitted in writing, identifying the applicant's name, address, contact information, the street of concern, and the type of traffic problem occurring on the street of concern.

The Program Manager shall also review residential streets proposed for paving to determine if any traffic calming modifications are needed. Traffic calming measures may be delayed to accommodate the road repaving schedule.

The Borough shall make every effort to evaluate conditions during non-winter months.

Step 2: Screening

The Program Manager gathers information on the characteristics of the roadway identified in the formal request and residential streets proposed for paving in the following categories.

Field Observation
Roadway characteristics / Potential hazards to public safety
Sight Distance
Driveway/access locations
Traffic Volume
Traffic Speed
Number of Accidents in Past 3 Years
Pedestrians/Bicyclists
School Bus Stops

If the roadway **does not** merit consideration for calming measures, the Program Manager drafts a letter to the applicant noting the reasons for taking no further action on the request.

Some requests that warrant non-physical interventions may be addressed immediately without the need for further analysis.

If the situation appears to merit consideration of traffic calming measures, the Program Manager identifies a study area for the traffic calming application. The study area is drawn to encompass all residential and institutional properties whose driveways directly access the subject street segment, as well as all residential and institutional properties whose driveways and streets cross and utilize the subject roadway as a primary route to enter/exit the neighborhood.

Once the study area is identified, the Program Manager retains a consulting engineer or uses in-house staff to collect supporting traffic data, as deemed appropriate, within the study area. Data collection could include average daily traffic volumes and 85th-percentile speeds along the streets of concern. The exact locations and times of the data collection effort will be determined by the Program Manager in consultation with the individual(s) who submitted the request for traffic calming.

The Program Manager compares the traffic data collected in the study area to the pre-established warrant thresholds for consideration of traffic calming measures. If the traffic data collected along the subject roadway meets the pre-established warrants, the Program Manager forwards the study to the next step. Otherwise, the Program Manager discontinues the study and sends a letter to the applicant noting the reasons for discontinuing the study. No street shall be evaluated for traffic calming measures more than two times in a twelve (12) month period

Warrants for the Borough of Fox Chapel's considering traffic calming measures are as follows:

Warrant	**Threshold**	
	Minor Collector	**Local**
1. Traffic Volume	>1,500 vpd or 100 cars in a continuous two-hour period	>500 vpd or 42 cars in a continuous two-hour period
2. 85th Percentile Speed	Exceeding 7 mph > legal speed limit, or 10 mph > legal speed limit for a continuous two-hour period	

vpd = vehicles per day

To satisfy these warrants, a given roadway must meet the speed criterion. The Program Manager may lower the threshold of warrant #2 to 7 mph greater than the legal speed limit if, in the Program Manager's opinion, the topography and/or roadway conditions pose additional safety hazards.

Step 3: Traffic Calming Plan Development

If the pre-determined thresholds for traffic calming are met, the Program Manager, support staff, and engineering consultant will then evaluate different traffic calming measures to address the problems on the subject roadway based on the particular criterion that was met.

A neighborhood meeting is then held to review and critique the alternative traffic calming plans developed for the subject roadway. The Program Manager and the engineering consultant, if any, will preside at this meeting.

The Program Manager will select a traffic calming method based on best practices and neighborhood input to Council for review. Traffic calming measures may be applied on local residential streets when conditions meet warrants. Traffic calming measures will not be applied to non-borough-owned streets. However, special consideration may be made to (unique) local conditions.

If funding is immediately available for the traffic-calming devices, the project moves to Step 4. Otherwise, the traffic calming measures may become a project for consideration during future budget cycles.

Step 4: Approval Process

The Borough Council will then hold a public meeting to present the recommended devices and either approve or deny the installation of the traffic calming devices.

If the Borough Council approves the installation, complete plans of the devices for construction are prepared.

Step 5: Installation and Evaluation

The traffic-calming plan is then implemented on the subject roadway according to applicable engineering standards. Final plans are then prepared, and permanent devices are installed. If temporary test devices are installed, supporting data is collected after implementation to document the efficiency of the test installation and its ability to lower the speed or volume to acceptable levels. If not proven effective, the traffic-calming plan is modified, or the temporary test devices are removed.

There are many factors that must be considered before constructing a temporary or permanent traffic calming measure. The location of traffic calming measures is important. Some factors that may affect calming measures are:

- Snow removal;
- Emergency response delays and access issues;
- Additional noise;
- Increase in accidents;
- Reduction of on-street parking; and

- Effectiveness

In addition, different road conditions, topography, etc., may dictate the traffic calming device selected.

This concludes the resolution.

RESOLVED this ____ day of _____, 2024, by the Council of the Borough of Fox Chapel in lawful session duly assembled.

ATTEST:

BOROUGH OF FOX CHAPEL

_____
Gary Koehler
Borough Manager

_____
Andrew Bennett
President of Council

Attachment: Appendix A - Pennsylvania Traffic Calming Policy 2012

LSSE
Est. 1985 Civil Engineers and Surveyors
LSSE • Rabell • Senate
846 Fourth Avenue, Coraopolis, PA 15108
(412) 264-4400 • (412) 264-1200 Fax
info@lsse.com • www.lsse.com

MEMO

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: December 9, 2024

S. O. No.: 0424-01

FROM: Kevin A. Brett, P.E.

cc:

SUBJECT: **Monthly Engineer's Report**
December 16, 2024 Meeting

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded $51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of $70,700.00. Pre-Construction Meeting was held on August 1, 2024. The Notice to Proceed and Contract Documents were executed and distributed at meeting. Contractor is preparing final solar design and DLC interconnection application. LSSE requested updated schedule from Contractor.* **LSSE transmitted Partial Payment No. 1 in the amount of $6,750.00 on November 22, 2024. Utility approval of interconnection has been obtained. EIS is waiting for permit approval prior to starting work.**

2. **2024 Roadway Improvements:** *Scope of work is outlined in the following table:*

BASE BID				
ROADWAY	**FROM**	**TO**	**Award Amount**	**Status**
Windmere Drive	Powers Run Road	Cul-De-Sac	$1,164,068.50	**Paving Complete**
Foxwood Drive	Highland Road	Cul-De-Sac		**Paving Complete**
Silent Run Road	Highland Road	Cul-De-Sac		**Paving Complete**
Autumn Path Lane	Silent Run Road	Cul-De-Sac		**Paving Complete**
Hickory Hill Road	Field Club Road	Cul-De-Sacs		**Paving Complete**
Marvelwood Place & Lane	Cul-De-Sac	Cul-De-Sac		**Paving Complete**
Hemlock Hollow Road	Hunt Road	Old Mill Road		**Paving Complete**
Fieldvue Lane	Guyasuta Road	Cul-De-Sac		**Paving Complete**
Shadow Ridge Drive	Field Club Road	Cul-De-Sac		**Paving Complete**
Fox Chapel Borough Mill and Pave	Various Locations	As Directed		**Linestriping Scheduled**

ADD ALTERNATE				
ROADWAY	**FROM**	**TO**		
Westmoreland Farms Drive	Hunt Road	Cul-De-Sac	$60,805.73	**Paving Complete**
Hemlock Hollow Road	Fox Chapel Road	Hunt Road	$219,985.35	**Paving Complete**
Hemlock Hollow Road^	Old Mill Road	Dorseyville Road	$118,324.70	**Paving Complete**
FCA Utility Repairs*	Various Locations	As Directed	$16,872.00	**Linestriping Scheduled**

^Cost Sharing Agreement with PNG / *To Be Paid Directly By FCA

LSSE transmitted fully executed Notice to Proceed to the Borough on May 7, 2024. LSSE transmitted pre-construction meeting minutes LSSE issued shop drawing letter dated June 18, 2024. LSSE transmitted periodical estimate form to Contractor via letter dated June 27, 2024. Construction is ongoing. LSSE issued Partial Payment No. 1 in the amount of $601,250.98, which includes $484,250.98 for Fox Chapel Borough's portion of the contract. LSSE issued Partial Payment No. 2 in the amount of $604,510.45 which includes $2,071.80 for Fox Chapel Borough's portion of the contract. LSSE issued punchlist letter dated August 30, 2024. On September 19, 2024, LSSE issued Partial Payment No. 2 in the amount of $1,097,382.41, which includes $714,639.23 for Fox Chapel Borough's portion of the contract. LSSE issued updated punch list letter dated October 4, 2024. All main roadway work is complete. **LSSE issued Partial Payment No. 4 in the amount of $370,151.40, which includes $128,270.29 for Fox Chapel Borough's portion of the contract.**

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. . LSSE assisted Borough and submitted CFA-LSA application for a grant request of $1,000,000.00. Grant awarded in the amount of $474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024. LSSE issued Act 14 Notification to Allegheny County on May 22, 2024.* **LSSE finalizing Chapter 105 Permit Application package.**

4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. Project is out to bid. Bids to be received and opened on July 25, 2024. LSSE prepared revised grading plan to address site conditions and addition of a 6" underdrain tie in, provided to Contractor on October 28, 2024. Contractor submitted a change order for work completed which is under review by Borough.* **LSSE is preparing an amendment to NPDES Permit.**

5. Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1: *LSSE transmitted project advertisement to the Borough on July 5, 2024 for an August 8, 2024 bid opening. LSSE issued bid report dated August 9, 2024 recommending award to FMS Construction Company in the amount of $567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3). LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. Pre-Construction meeting is scheduled at 12:30 PM on September 16, 2024.* **LSSE transmitted Partial Payment No. 1 in the amount of**

$47,039.69 and Partial Payment No. 2 in the amount of $110,263.23 via letter dated November 20, 2024. LSSE transmitted Change Order No. 1, prepared to adjust the contract amount for costs associated with floor type changes at Room 111 and deduct of Add Alternate No. 3 (-$1,675.00) to the Borough on November 22, 2024. Construction is ongoing. Work anticipated to be completed by end of December 2024.

6. Contract No. 24-TS01 2024 - Traffic Signal Improvements: *LSSE provided a revised plan to the Borough on March 27, 2024. LSSE revised the plan per Borough comments. PennDOT comments were received on April 2, 2024, LSSE is preparing the plan for resubmission. LSSE transmitted project advertisement for Contract No. 24-TS01 2024 - Traffic Signal Improvements on May 15, 2024. LSSE issued utility letter dated May 16, 2024. Bid opening is scheduled for July 8, 2024. LSSE transmitted contract specifications to the Borough via letter dated July 3, 2024. Bid opening is scheduled for July 31, 2024. LSSE transmitted bid report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of $489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. LSSE transmitted Notice to Proceed for Borough execution of September 17, 2024. LSSE and Borough coordinating with Contractor regarding selection of poles. LSSE issued shop drawing letter dated November 1, 2024. A field meeting was held for November 14, 2024 to establish the location of poles to be installed.* **LSSE issued shop drawing letter dated November 26, 2024.**

7. Dorseyville Fire Station Improvements: **Local Share Account (LSA) Grant Application was submitted November 30, 2024. LSSE transmitted copy of grant application package to the Borough on December 4, 2024.**

Municipal Separate Storm Sewer System (MS4)

1. *PaDEP issued permit on November 18, 2018. LSSE uploaded Permit Renewal to DEP on February 6, 2023. Outfall screening to begin in June 2023. LSSE transmitted Annual MS4 Status Report to PaDEP on September 27, 2023. 2024 Outfall Screening has been completed, LSSE to provide memo to Borough. 2024 Progress Report is due September 30, LSSE is preparing draft to review with Borough. 2024 Annual Report has been submitted to PaDEP.* **PaDEP inspection is anticipated by early 2025. Meeting held with Borough Staff on November 20, 2024 in anticipation of PaDEP inspection.**

2. **PRP Plan:**

   A. **Stream Restoration (Hemlock Hollow Road):** *Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.*

   B. **Current PRP Status:** *LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project.*

Planning Commission Applications

- None this month.

Environmental Advisory Council Applications

- EAC 24-04, 313 Old Indian Trail Court Regoli Residence: **LSSE issued review letter dated November 26, 2024.**

Stormwater Management Plans

- None this month.

Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:
  - **Phase I COA / O&M:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers.*
    - 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A).
    - The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road.
    - Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. ALCOSAN requested additional information for the GROW Applications. LSSE transmitted letter to ALCOSAN indicating the Borough's intent to submit a GROW application for Cycle 10 for the 2023 Lining Program (excludes 2024 Hemlock Hollow Lining due to post construction flow monitoring costs).
    - **Lining completed on Old Mill Road was combined with the Old Mill Road Sanitary Sewer Replacement project for a second GROW Cycle 10 application. LSSE transmitted draft resolution for use in GROW Grant Application to the Borough on November 26, 2024.**
  - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution.* Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024.

- **Sycamore Run Flow Monitor:** *Data collection ongoing and will be for life of system. LSSE preparing quarterly flow data reports. Meter service and recalibration completed October 7, 2022. Data collection ongoing. LSSE evaluating alternatives for remote data access. Data collection issues were identified in September 2023 caused by storm event / power outages that occurred previously. LSSE field technicians are working with Advanced Instruments to replace and reprogram the data storage device.* Meter has been sent to ISCO for refurbishment. ISCO has provided and installed a temporary meter. Potential options moving forward include meter refurbishment, meter replacement, or a differing meter technology. Meter replacement complete.

- **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024.* LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications.

- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete.*

- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months.* No Change.

- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023.*

- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete.* This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. Grant application is due December 31, 2024.

- **Old Mill Road Sanitary Sewer Replacement Phase II:** *PaDEP General Permit Nos. 8 and 11 issued on October 25, 2024. PaDEP Part II Permit application submitted on October 31, 2024.* **Permit issued by PaDEP on November 11, 2024.**

- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024.* LSSE provided Sycamore Run flow data to ALCOSAN.

- **2024 Sanitary Sewer Repairs:**

  - Wynnwod Drive: *Plans provided to Borough (no permit required).*

  - Hunt Road Site: *PaDEP GP-3 Permit submitted for review on October 9, 2024.*

  - Silent Run Road: *PaDEP GP-3 submitted for review on September 9, 2024.* **Permit issued on November 8, 2024.**

  - Boy Scout Camp: *LSSE submitted PaDEP GP-3 documentation for review on September 9, 2024.* **Permit issued on September 26, 2024.**

INSIGHT PIPE CONTRACTING, LLC

724-452-6060
Fax: 724-452-3226

232 E. Lancaster Road
Harmony, PA 16037

December 12, 2024

Fox Chapel Sewer Authority
Attn: Chuck Smith
401 Fox Chapel Road
Pittsburgh, PA 15238

Fax: (412)-963-1819
Office: (412) 963-1100
E-mail: csmith@fox-chapel.pa.us
E-mail: gkoehler@fox-chapel.pa.us

RE: CCTV Inspections of 8" PVC Sanitary Lines (Indian Trail/Campbells Run area)
Costar Contract No. 016

Dear Chuck:

Below is the price quote for the above referenced project. In order to proceed with this work, please sign in the space provided, and return **all pages** to our office via Fax at 724-452-3226 **or email to the sender of this price quote** at your earliest convenience.

We appreciate the opportunity to provide our services. Please contact our office if you have any questions.

REVISED PRICE QUOTE

Quantity	Description	Unit Price	Total
3.653 Days	Light clean (one jet pass) and Internal video inspection, CCTV of 8" dia. PVC sanitary sewers lines. Work to be performed by a certified operator in NASSCO approved PACP coded software. Includes flash drive and reports of the inspection. (5,950 LF x $2.45/LF = $14,577.50)	**$3,990.00/Day**	**$14,575.47**

Notes:

1. Minimum 3.6 Days to be billed for this job per mobilization.
2. Price **does not** include IPC employees to being paid Prevailing Wage.
3. Others to supply access to all manholes for 20 Ton 2-Wheel drive Vehicle.
4. Price includes traffic control and other to acquire work easements and permits for the execution of the work.
5. Others to provide bypass pumping of the sewer line segments.
6. The existing condition of the pipe will determine the amount of pipe that can be cleaned and televised. The pipe condition may also cause the CCTV / cleaning equipment to become lodged. If this does occur, others will be responsible for the removal of the equipment and/or Insight Pipe Contracting, LLC's time and material to remove the equipment.
7. Proof of general liability insurance to be provided upon request (excluding additional insured).
8. **Neither Insight Pipe Contracting, LLC, nor any of its representatives, agents or insurance carriers will be responsible for any host pipe failures or collapses during any of the CCTV and cleaning activities. If this does occur, others will be responsible for the removal of the equipment and/or Insight Pipe Contracting, LLC's time and material to remove the equipment.**

The signing of this price quote constitutes the agreement to the terms and conditions and becomes the contract between Insight Pipe Contracting, LLC and its customer. The customer also agrees to complete a credit application and provide a copy of its Performance and Payment bonds, if applicable. If a separate contract or written agreement is required by the customer this price quote will be amended to reflect the change in scope, terms and conditions of such contract or agreement. Upon review and approval of the credit application the contract will be executed and the information forwarded to our Operations Department for scheduling.

PRICE QUOTE VALID FOR 15 DAYS

Insight Pipe Contracting, LLC will only store electronic and hard copies of CCTV reports, documents and project data for 60 days after completion of project. Full and final payment is to be made to Insight Pipe Contracting LLC within 30 days after completion of the above mentioned work (video evidence to confirm date and completion of project). A finance charge of 1.5% per month will apply if past due and all costs incurred in the collection of past due invoices to be paid by the customer.

Sincerely,

Robert Carpenter
Robert Carpenter
Service Representative

_____ _____
Authorized Signature to Proceed with Work Date

_____
Print

_____
Title

_____
Purchase Order Number

Bill to Information (if different from above):

_____ _____
Company Name Address

_____ _____
Phone Number

121224.pricequote.fox.chapel.sewer.costar.lna.rcc.tv

FOX CHAPEL
BOROUGH

BOROUGH OF FOX CHAPEL
RESOLUTION NO. 705

A RESOLUTION OF THE BOROUGH OF FOX CHAPEL,
ALLEGHENY COUNTY, COMMONWEALTH OF PENNSYLVANIA,
FIXING THE REAL ESTATE TAX RATE FOR THE YEAR 2025

BE IT ADOPTED, and it is hereby ordained and adopted by the Council of the Borough of Fox Chapel, County of Allegheny, Pennsylvania,

That a tax be and the same is hereby levied on all real estate property within the Borough of Fox Chapel subject to taxation for the fiscal year 2025 as follows:

The tax rate for general revenue purposes: the sum of 2.95 mills on each dollar of market valuation or the sum of Two Dollars and Ninety-Five Cents ($2.95) on each one thousand dollars ($1,000.00) of market valuation.

ADOPTED this 16TH day of December 2024.

_____
Andrew C. Bennett, President of Council

ATTEST:

_____
Shawn M. Peterson, Secretary

FOX CHAPEL
BOROUGH

BOROUGH OF FOX CHAPEL
ORDINANCE NO. 732

AN AMENDED AND RESTATED ORDINANCE OF THE BOROUGH OF FOX CHAPEL SETTING ALCOSAN RATES AND RESTATING BOROUGH, HARMAR, AND AVJSA SEWAGE RATES

WHEREAS, the Borough of Fox Chapel imposes certain sewer rates to maintain the sewer infrastructure in the Borough, and

WHEREAS, such sewer rates were last increased on January 1, 2024, and it is desired to restate such rates; and

WHEREAS, certain other sewer rates are imposed by the Borough of Fox Chapel to compensate for charges imposed by the Allegheny County Sanitary Authority; and

WHEREAS, it is desired to provide for said increased rates and charges; and

WHEREAS, it is also desired to restate the rates imposed by the Borough of Fox Chapel to compensate for charges imposed by Harmar Township, Allegheny Valley Joint Sewage Authority (AVJSA), and the Borough of Fox Chapel.

NOW, THEREFORE, BE IT ORDAINED AND ENACTED by the Council of the Borough of Fox Chapel, Allegheny County, Pennsylvania. It is hereby ordained and enacted by virtue of the same:

SECTION 1.

A. Fox Chapel Borough Sewers

Section 51. Imposition of Charges. Beginning on January 1, 2014, there are hereby imposed sewer rentals or charges for the use of the Borough sewers to be payable by the owners or occupants of all properties served thereby.

Section 52. Sewer Rental Schedule. In order to apportion such sewer rentals or charges equitably among the several properties served by the Borough sewers, the following schedule of sewer rentals or charges based upon the most recent available water meter reading is hereby adopted:

(a) $4.66 per 1,000 gallons plus a Customer Service Line Charge of $15 per quarter per account for operations and $45 per quarter per equivalent dwelling unit (EDU), equal to 350 gallons per day, for the Squaw Run Interceptor Project.

Section 53. Calculation of Quantity of Water Used; Use of Approved Water Meter Authorized. The quantity of water used by water users other than those referred to in Section 52, Subsection (a), shall be estimated by the Borough at 25,000 gallons per quarter, and such water users' sewage charges shall be calculated by applying the schedule of rates set forth in Section 52, Subsection (a), to the aforesaid estimated quantity. In the event, such a water user desires, he may, at no expense to the Borough, install and maintain a water meter approved by the representative of the Borough authorized for the purpose. In addition, the Borough, in its sole discretion, shall have the right to require that an approved water meter be installed to measure water usage by each separate user. Included in this shall be the right of the Borough to require separate water meters for each of multiple users occupying separate premises on the same property (for example, the landlord and a tenant). The sewage charges shall then be calculated upon actual water consumption recorded on this meter. Nothing in this Section shall prevent the Borough from collecting charges from either landlord or tenant, as and to the extent permitted by law.

Section 54. Additional Water Meter May Be Installed at the Expense of the Property Owner. The owner of any property subject hereto may install and maintain, at no expense to the Borough of Fox Chapel, a water meter approved by the representative of the Borough authorized to measure the water used for lawn care and other purposes so that such water does not enter the sanitary sewer system. In such a case, the charges imposed hereby will be based upon the water consumption indicated by the difference between the reading on the main water meter and the reading on the secondary water meter located on such property.

Section 55. Authorization to Install Sewage Meter. With the prior written approval of the representative of the Borough authorized for the purpose, the owner of any property subject hereto may install a sewage meter, in which event the sewer rentals or charges hereby imposed will be based upon the quantity of sewage so metered.

Section 56. Billing Schedule; When Payable, Penalty and Interest Added to Delinquent Bills. Bills for sewer rentals or charges imposed by this ordinance shall be rendered quarterly by the representative so designated by the Borough on the basis of the most recent quarterly water meter reading or estimate. All sewage charges billed shall be payable within twenty (20) days after the bill is rendered. If the bill remains unpaid after twenty (20) days from the billing date, a penalty of 5% shall be paid plus interest on the overdue bills at the rate of .5% per month or part thereof upon 105% of the sewage charge, which interest shall begin on the sixtieth (60^{th}) day after the due date.

Section 57. Unpaid Sewer Rentals and Charges Constitute Lien; Collection. Any sewer rental or charge not paid within thirty (30) days from the billing date shall be a lien upon the property charged with the payment thereof from the first day of the following month. Such sewer rentals or charges, if not paid after thirty (30) days' notice, may be collected as provided by law, by an action in assumpsit, or by distress of personal property on the premises, or by lien filed in the nature of a municipal lien, or by requesting and directing the Fox Chapel Authority to shut off, after compliance with the General Municipal Law,

particularly 53 P.S. § 2261, the supply of water to said premises until all such rentals and charges, together with any penalties and interest thereon, shall be paid.

Section 58. Access to Premises Served by Water Meters or Sewage Meters. The Borough, through its authorized representatives, shall be permitted to enter all properties serviced by water meters or sewage meters for the purpose of inspection, observation, measurements, and testing. No owner or occupant may perform any grading, construction, or other work which has the effect of (a) burying or making inaccessible any water meter, sewage meter, meter pit, manhole, or other elements of the water or sewage system, (b) causing stormwater or surface water to drain into or to collect upon or around any such water meter, sewage meter, meter pit, manhole or other elements, or (c) placing fill or overburden upon any water or sewer line or pipe so as to overload or otherwise compromise such line or pipe. In the event an owner or occupant performs such work and fails or refuses to remove or correct it after notice from the Borough, the Borough may perform the removal or correction work for the account of the owner or occupant and may recover its direct and indirect costs (including customary overhead) of such work from the owner or occupant by any available legal means, including but not limited to placing a municipal lien against the property upon which the Borough performs such work.

B. Sewers Entering Allegheny County Sanitary Authority Systems

Section 101. ALCOSAN Charges Established. The charges of the Allegheny County Sanitary Authority (ALCOSAN) for sewage service to properties located in the Borough of Fox Chapel, the sewage from which enters the sewer system of ALCOSAN, shall be added to the sewage charges imposed by the Borough as previously set forth and are as follows:

(a) Metered Water Users. The following schedule of rates shall be applicable to users of metered water during the time periods listed below. Charges shall be based upon the quantity of water delivered to each water user as measured by the most recent available water meter reading:

Time Period	Sewage Charges for Water Used Per Quarter Year
January 1, 2025, through December 31, 2025	$11.92 per 1,000 gallons plus a Customer Service Charge of $25.05 per bill
January 1, 2026, through December 31, 2026	$12.76 per 1,000 gallons plus a Customer Service Charge of $26.80 per bill

(b) Flat Rate Water Users. The following schedule of rates shall be applicable to water users whose water bills are based upon a flat rate as distinguished from those whose water bills are based on meter readings. All flat-rate water residential customers will be billed upon an equivalent residential unit base (“ERU”). The average residential usage becomes the basis on which flat-rate residential water users are charged. The average residential usage is estimated at 20,000 gallons per quarter. Each residential flat-rate account will be billed for sewer services

based upon this average and the schedule of rates set forth in Subsection (a) above unless proof is provided that the customer's usage is more or less.

(c) Other Water Users. The quantity of water used by water users other than those referred to in Subsections (a) and (b) above shall be estimated by ALCOSAN, and each such water user's sewage charge shall be calculated by applying the schedule of rates set forth in Subsection (a) above to the estimated quantity.

Section 102. Surcharges Applicable to High-Strength Sewage Discharges. In any case, in which a discharger's wastes have an unusually high concentration of suspended solids and/or biochemical oxygen demand, the sewage charges calculated as hereinbefore set forth shall be increased according to the following formulae:

(a) Suspended Solids Charge Calculation

(S.S. minus 275) times .008345 times $0.2464 times consumption (1,000 gallons)

Where:

S.S. = Suspended solids of particular wastes in milligrams per liter (mg/L)
.008345 = Conversion factor from mg/L to pounds per 1,000 gallons
$0.2464 = Treatment cost per pound of suspended solids

(b) Biochemical Oxygen Demand Calculation

(BOD - 300) times .008345 times $0.2184 times consumption (1,000 gallons)

Where:

BOD = Biochemical oxygen demand of particular wastes in milligrams per Liter (mg/L)
.008345 = Conversion factor from mg/L to pounds per 1,000 gallons
$0.2184 = Treatment costs per pound of biochemical oxygen demand

Section 103. Additional Charges for Commercial Garbage Disposals. For each commercial (i.e., non-residential) garbage disposal, ALCOSAN shall charge users as follows:

$172.37 times the horsepower capacity of garbage disposal per quarter

Section 104. Rate of Discharge of Construction Site Groundwater.
The following rates will apply to the temporary discharge of accumulated groundwater from construction excavation sites provided that:

(a) The need to discharge to the sewage collection system will not exceed nine (9) months, and

(b) No toxic pollutant listed in the ALCOSAN Pretreatment Regulations is present in untreated groundwater above detection limits established for USEPA-approved analytical methods for such pollutants; and

(c) The concentration of suspended solids in the discharged water is less than 135 mg/1, and the concentration of biochemical oxygen demand is less than 150 mg/1; and

(d) ALCOSAN has determined in its judgment (which shall be final and absolute) that reasonable efforts have been made to obtain a permit from the Pennsylvania Department of Environmental Protection to discharge such groundwater to the nearest waterway and that the application for such permit has been denied or that discharge under such permit is not feasible.

A fee equal to one-half (1/2) of the existing charge per 1,000 gallons shall be charged for each pump used for the purpose of discharging groundwater and shall be based upon the pumping capacity of each pump used, in thousand gallons per day (kgd). This fee shall be applied daily for each day pumping occurs.

Section 105. Certain Water Excluded in Calculating Charges. The quantity of water which does not reach a metered water user's sewer, if separately metered, will not be included in the quantity upon which the sewage charge is calculated.

Section 106. Authorization to Install Sewage Meter. With the prior written approval of ALCOSAN, a non-residential water user may install a sewage meter in which event the sewage charges will be based upon the quantity of sewage so metered. For the reading of the sewage meter and the account maintenance required to bill based on such meter, a charge per meter will be made according to the Unit Cost for Auxiliary Meters.

Section 107. Use of Well Water in Addition to Public Water. For accounts that use well water in addition to public water and where the well water is metered, the metered well usage will be added to the public water usage to produce the sewage charge. For the reading of the well water meter and the account maintenance required to bill based on such meter, a charge per meter will be made according to the Unit Cost for Auxiliary Meters.

Section 108. Unit Cost for Auxiliary Meters. The Unit Cost for Auxiliary Meters is $110.00 per year.

C. Sewers Entering Allegheny Valley Joint Sewage Authority ("AVJSA")

Section 125. Harmar/AVJSA Charges Established. The charges of Harmar Township and the Allegheny Valley Joint Sewage Authority for sewage service to properties located in the Borough of Fox Chapel, the sewage from which enters the sewer system of Harmar Township with treatment facilities owned and operated by the Allegheny Valley Joint Sewage Authority, shall be added to the sewage charges imposed by the Borough of Fox Chapel as previously set forth in Section 52 and are as follows for bills rendered beginning May 1, 2024.

(a) Metered Water Users:

Harmar Township	AVJSA
$3.00/Qtr.	$12.20/1,000 Gal.

D. Effective Date

Section 150. Section 125 takes effect on May 1, 2024. The remainder of this Ordinance takes effect upon enactment and approval.

ORDAINED AND ENACTED by the Council of the Borough of Fox Chapel on this 16th day of December 2024.

_____
Andrew C. Bennett, President of Council

ATTEST:

_____
Shawn M. Peterson, Secretary

EXAMINED AND APPROVED by me this 16th day of December, 2024.

_____
Walter A. Scott, III, Mayor

FOX CHAPEL
BOROUGH

RESOLUTION NO. 707

Be it RESOLVED, that FOX CHAPEL BOROUGH of ALLEGHENY COUNTY, Commonwealth of Pennsylvania, is seeking grant funding under the Allegheny County Sanitary Authority ("ALCOSAN") Green Revitalization of Our Waterways (GROW) Program to fund a project that proposes to reduce inflow/infiltration in the sanitary sewer system owned by the FOX CHAPEL BOROUGH tributary to ALCOSAN point of connection A-78-02.

Be it FURTHER RESOLVED, FOX CHAPEL BOROUGH requests a GROW Program grant from ALCOSAN to be used to help fund the 2024 Old Mill – Sycamore Interceptor Repairs Project; and

Be it FURTHER RESOLVED, that FOX CHAPEL BOROUGH does hereby designate Mr. Gary J. Koehler, Borough Manager, as the official(s) to execute all documents and agreements between FOX CHAPEL BOROUGH and ALCOSAN to facilitate and assist in obtaining the requested grant; and

Be it FURTHER RESOLVED, the FOX CHAPEL BOROUGH has committed to a budget allocation of $1,225,000.00 (Municipal Financial Commitment to Project) for the project, to be used to cover the cost and expense of the project.

I, Gary J. Koehler, duly qualified Manager of FOX CHAPEL BOROUGH, Allegheny County, Pennsylvania, hereby certify that the foregoing is a true and correct copy of a Resolution duly adopted by a majority vote of the FOX CHAPEL BOROUGH at a regular meeting held December 16, 2024, and said Resolution has been recorded in the Minutes of the FOX CHAPEL BOROUGH and remains in effect as of this date.

IN WITNESS THEREOF, I affix my hand and attach the seal of FOX CHAPEL BOROUGH, this 16TH day of DECEMBER 2024.

FOX CHAPEL BOROUGH
(Name of Applicant)

_____
President of Council

_____
Borough Manager

FOX CHAPEL
BOROUGH

RESOLUTION NO. 708

A RESOLUTION BY THE BOROUGH COUNCIL OF THE BOROUGH OF FOX CHAPEL, ALLEGHENY COUNTY, PENNSYLVANIA, AUTHORIZING THE BOROUGH MANAGER OF THE BOROUGH OF FOX CHAPEL SIGNATORY AUTHORITY WITH THE COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WATERWAYS ENGINEERING AND WETLANDS DEPARTMENT.

BE IT RESOLVED by the Borough Council of the Borough of Fox Chapel, Allegheny County, Pennsylvania, and it is hereby resolved by the authority of the same that GARY J. KOEHLER, Borough Manager, of the Borough of Fox Chapel, be authorized and directed to sign on its behalf any and all documents and agreements entered into between the Borough of Fox Chapel and the Commonwealth of Pennsylvania Department of Environmental Protection Bureau of Waterways Engineering and Wetlands Department from December 1, 2024, through December 31, 2025.

Be it FURTHER RESOLVED that the Borough of Fox Chapel as the Applicant does hereby designate GARY J. KOEHLER, Borough Manager of the Borough of Fox Chapel as the official to execute on behalf of the Borough of Fox Chapel, during that period of time all documents and agreements entered into between the Borough of Fox Chapel and the Commonwealth of Pennsylvania Department of Environmental Protection Bureau of Waterways Engineering and Wetlands Department.

BOROUGH OF FOX CHAPEL

ATTEST: BY:

_____ _____

GARY J. KOEHLER, Borough Manager ANDREW C. BENNETT, Council President

IN WITNESS THEREOF, I affix my hand and attach the seal of the Borough of Fox Chapel, this 16th day of December, 2024.

_____ _____

SHAWN M. PETERSON, Borough Secretary DATE

Current Power	Energy today	Energy this month	Lifetime energy	Lifetime revenue
0 W	0 Wh	1.29 MWh	281.85 MWh	$31,066.29

Power and Energy

Day | Week | Month | Billing Cycle | Year

01/01/2024 - 12/31/2024

System Production: **140.44 MWh**



2024

Previous year | Next year

Comparative Energy

Month | Quarter | Year



Status	Active
ID	3321592
Name	EIS Fox Chapel Boro
Address	Fox Chapel Road 401, Pittsburgh,Pennsylvania,Unit…
Installed	12/09/2022
Last Updated	12/09/2024 08:25
Peak Power	129.6 kWp

Light Rain
46.76 °F
Feels like 46.76 °F
Wind 0 MPH
Humidity 100 %
Sunrise at 07:32
Sunset at 16:53

Sunday	Monday	Tuesday
46.4 - 50 °F Rain	**42.8 - 51.8 °F** 80% Chance of Rain	**24.8 - 42.8 °F** Frozen Mix

Environmental Benefits

CO2 Emission Saved
436,425.63 lb

Equivalent Trees Planted
3,297.59

Vogel
DISPOSAL SERVICE, INC.

Phone: (724) 625-1511
Fax: (724) 625-3750
121 Brickyard Road
Mars, PA 16046
www.vogeldisposal.com

Fox Chapel Annual Tonnage Report - 2024

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	34.1	34.3	10.1	140.9	151.0
February	0.2	29.1	29.3	4.0	112.9	116.9
March	0.2	25.5	25.7	10.7	117.0	127.7
Total 1QTR	**0.6**	**88.7**	**89.3**	**24.8**	**370.8**	**395.6**
April	0.2	30.9	31.1	12.0	123.8	135.8
May	0.3	42.4	42.7	18.1	137.4	155.5
June	0.1	31.8	31.9	8.9	138.7	147.6
Total 2QTR	**0.6**	**105.1**	**105.7**	**39.0**	**399.9**	**438.9**
July	0.1	33.1	33.2	11.2	143.2	154.4
August	0.1	33.9	34.0	14.4	137.8	152.2
September	0.1	33.0	33.1	10.3	133.1	143.4
Total 3QTR	**0.3**	**100.0**	**100.3**	**35.9**	**414.1**	**450.0**
October	0.1	35.2	35.3	11.4	139.6	151.0
November	0.2	34.6	34.8	10.4	133.0	143.4
December	0.0	0.0	0.0	0.0	0.0	0.0
Total 4QTR	**0.3**	**69.8**	**70.1**	**21.8**	**272.6**	**294.4**
TOTALS	***1.8***	***363.6***	***365.4***	***121.5***	***1,457.4***	***1,578.9***

No residue has been removed from the tonnage reported

Report Prepared By:
Marci Martinez
marcis@senecalandfill.com
Phone: (724) 625-9000