FOX CHAPEL
BOROUGH

AGENDA
BOROUGH COUNCIL MEETING
MONDAY, JANUARY 20, 2025, at 6 PM

CALL TO ORDER

APPROVAL OF MINUTES
The meeting was held on December 16, 2024.

Motion to *[approve, deny, or approve with conditions] the December 16, 2024, minutes.*

RESIDENT COMMENTS

MAYOR REPORT

POLICE REPORT
Police Report for December 2024

FIRE REPORT
Total of 40 calls: 22 Fox Chapel Borough (10- O'Hara, 2- Pittsburgh, 2- Indiana, 2- Harmar, 1- Aspinwall, 1- Blawnox)

FOXWALL EMS REPORT
EMS Report for December 2024

REFUSE & RECYCLING SUBCOMMITTEE REPORT
Andrew Bennett and Frederick Leech will provide an update.

Motion to *[approve, deny, or approve with conditions] advertising the proposed Municipal Waste and Recycling Contract.*

PUBLIC WORKS REPORT

ENGINEER REPORT
LSSE Engineer Report for December 2024

TREASURER REPORT
Treasurer Reports for December 2024

CONTRACT AWARDS
2026 International HV507 Chassis

Motion to *[award, deny, or award with conditions] the contract for a 2026 International HV507 Chassis to Hill International Trucks NA LLC via CoStars Contract No. 025-E22-519 at $123,462.00. The 2025 Budget includes $221,000 for the chassis, dump body, plow, and salt spreader.*

Truck Upfit Package

Motion to *[award, deny, or award with conditions] the contract for the upfit package for the 2026 International HV507 chassis to Stephenson Equipment via CoStars Contract 025-E22-432. The upfit*

package includes the body, hydraulics, hitch, spreader, and plow at the cost of $99,000.

NEW BUSINESS

Notice of Deferred Retirement Option Plan Entry

***Motion to** [accept, deny, or accept with conditions] the irrevocable letter of resignation from Chief of Police Michael J. Stevens from regular employment with the Fox Chapel Police Department effective December 31, 2024, and who has elected to enter the Deferred Retirement Option Plan (DROP).*

Public Works Department Contract

The Borough of Fox Chapel and the Public Works Department had previously entered into a Contract Agreement covering wages and fringe benefits from January 1, 2023, to December 31, 2025.

This agreement shall remain in full force and effect, subject to any federal regulations, from January 1, 2026, to December 31, 2026.

***Motion to** [adopt, modify, or reject] the PWD Contract from January 1, 2026, to December 31, 2026.*

Resolution No. 709 - 2025 Edition of the Emergency Operations Plan of the Borough of Fox Chapel

***Motion to** [adopt, deny, or adopt with conditions] Resolution No. 709, 2025 Edition of the Emergency Operations Plan of the Borough of Fox Chapel.*

Environmental Advisory Council (EAC) Reappointments

Thomas Murphy and Peggy Jayme's terms on the EAC expired on December 31, 2024. Mr. Murphy and Ms. Jayme have graciously agreed to serve for another three-year term. The EAC recommends the reappointment of Thomas Murphy and Peggy Jayme.

***Motion to** [approve, deny, or approve with conditions] the reappointment of Thomas Murphy to the EAC, whose new term will expire on December 31, 2027.*

***Motion to** [approve, deny, or approve with conditions] the reappointment of Peggy Jayme to the EAC, whose new term will expire on December 31, 2027.*

Planning Commission Reappointment

James Royston's term on the Planning Commission expired on December 31, 2024. Mr. Royston has graciously agreed to serve for another four-year term. The Planning Commission recommends the reappointment of James Royston.

***Motion to** [approve, deny, or approve with conditions] the reappointment of James Royston to the Planning Commission, whose new term will expire on December 31, 2028.*

ENVIRONMENTAL REPORTS

Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

ADJOURNMENT

FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 11/1/24 12:00:00 AM TO 11/30/24 11:59:00 PM

INCIDENT REPORTS

TYPE OF REPORT	Total
Accident/DUI	1
Accident/Non-Reportable	4
Accident/Reportable	2
Administrative Report - Information Request	4
Animal Complaint	3
Animal Complaint - Dog Bite Report	1
Animal Complaint - Injured/Deceased Deer	5
Assist Other Agency	7
Assist Person	3
Burglar Alarm-Business	5
Burglar Alarm-Residence	34
careless driver	1
Civil Dispute	1
Criminal Mischief to All Other	1
Death-Suicide	1
Disabled Vehicle	3
Domestic Disturbance	1
DPW Request	3
EMS Call	13
Fire Alarm-Business	2
Fire Alarm-Residence	11
Fire Call	2
Found Child	1
Found Property	2

ARRESTS

Violation Type	Total Arrests for Violation Type
Total Number of Offenses Cleared by Arrest	0
Total Number of Persons Arrested	0

Citation Type	August
Traffic-Filed	5
Warning Notice	9
Total	**14**

TYPE OF REPORT	Total
Fraud	2
Fraud- Credit Cards/ATM	2
Harassment by Communication	1
Health/Safety	1
Local Ordinance Violations- Barking Dogs	2
Lost/Found	1
Parking Complaint	7
Police Detail - House Watch	9
Police Info	1
Power Outage Report	1
Property Damage	3
Return Phone Call	1
Road Hazard	7
SRT/SWAT Report	1
Suspicious Incident	2
Suspicious Persons	3
Suspicious Vehicle	6
Theft by Deception Attempt	1
Traffic Complaint	3
Traffic Post	4
Traffic Stop	2
Utility Complaint	3
Welfare Check	2
Wires Down	4
Total	**180**

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Priority	Further Info
2024-12-02 00:24:29	06:01	08:14	EXIT 8 ROUTE 28 SB FOX CHAPEL RD	at 80 STATE HWY 28 SB, OHA, 40.490939, -79.882605	OHA	CRASH - HIGH MECHANISM	F0	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: SINGLE CAR ON ITS SIDE // DRIVER OUT WALKING AROUNDCAD RESPONSE: F0DISPATCH CODE: 77D02 (HIGH MECHANISM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A ROLLOVER. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOWN IF ANYONE WA
2024-12-02 11:22:07	02:26	01:10	28 WEDGEWOOD LN	btwn END and WOODBROOK DR, 40.514477, -79.912948	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: NUMBER 11 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4122984158 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER
								IS: THOMAS BENIC 6. THE INCIDENT INVOLVES
2024-12-02 21:38:42	02:58	05:39	ROUTE 28 NB EXIT 7 DELAFIELD AVE	at 70 STATE HWY 28 NB, PGH, 40.492072, -79.895203	PGH	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: POSS VEH ACCIDENT ON RAMPCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. IT IS NOT KNOWN IF ANYONE IS TRAPPED OR PINNED. 7. IT'S NOT KNOW
2024-12-03 12:23:43	03:36	Cancelled	FOX CHAPEL PRESBYTERIAN CHURCH	at 384 FOX CHAPEL RD, FOX, 412 963 8243, btwn FIELD CLUB RD and EVERGREEN RD, 40.514249, -79.878486	FOX	FIRE ALARM - HIGH LIFE HAZARD	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: GENERAL FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER

								IS NOT KNOWN. 6. THE TYPE OF STRUCTURE (ENVIRONME
2024-12-03 12:47:54	No Acknowledgement	Cancelled	1323 POWERS RUN RD	btwn AQUA DR and DRIFTWOOD DR, 40.515289, -79.860066	OHA	GAS/ODOR - RESIDENTIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK / GAS ODOR (NATURAL AND LP GASES)CALLER STATEMENT: SMELL OF NATURAL GAS IN THE BASEMENTCAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.
2024-12-03 19:35:04	No Acknowledgement	02:27	125 CROFTON DR	btwn FIELD CLUB RD and WICKFORD DR, 40.514171, -79.868210	OHA	WATER CONDITION INSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: WATER PROBLEMCALLER STATEMENT: WATER COMING IN BASEMENT FROM DRAINCAD RESPONSE: F3DISPATCH CODE: 53A06 (WATER PROBLEM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THERE ARE NOT ANY APPARENT ELECTRICAL HAZARDS PRESENT. 2. ASSISTANCE IS NEEDED FOR A WATER PROBLEM. 3. NO ONE IS REPORTEDLY SICK OR INJURED.
2024-12-03 20:17:39	No Acknowledgement	02:15	125 CROFTON DR	btwn FIELD CLUB RD and WICKFORD DR, 40.514171, -79.868210	OHA	WATER CONDITION INSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: WATER PROBLEMCALLER STATEMENT: SEWAGE WATER COMING UP IN CALLERS BASEMNETCAD RESPONSE:

								F3DISPATCH CODE: 53A06 (WATER PROBLEM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. THERE ARE NOT ANY APPARENT ELECTRICAL HAZARDS PRESENT. 2. ASSISTANCE IS NEEDED FOR A WATER PROBLEM. 3. NO ONE IS REPORTEDLY SICK OR INJURED.
2024-12-04 13:55:42	01:20	01:17	165 MILLVIEW DR	btwn OLD MILL RD and END, 412 606 3308, 40.533962, -79.904230	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: 2ND FLOOR SMOKE DETECTORCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE EXACT AREA OR ZONE/ROOM ACTIVATED IS NOT KNOWN. 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCID
2024-12-05 08:21:12	02:57	01:04	43 LONG MEADOW DR	btwn LONG MEADOW CT and PLEASANT VIEW LN, SACHIN BAHL RESIDENCE 412-512-9652, 40.546953, -79.878437	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING

								COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: 1ST FLOOR 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-512-9652 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SACHIN BAHL 6. THE INCIDENT INVOLVES A SINGL
2024-12-05 12:47:56	03:42	01:49	DELAFIELD RD/ETON DR	<0/ 100>, 40.498886, -79.886212	OHA	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: VEH LOST TIRE AND WENT INTO WOODSCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM
2024-12-06 07:47:48	01:51	04:12	301 FAIRVIEW RD	btwn NANTUCKET DR and FAIR OAKS DR, *DONVILE, CHLOE, 650 304 4013*, 40.533521, -79.883452	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING

								COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: NANNY HALLWAY SMOKE X3 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: SKIPPED BY USER 6. THE INCIDE
2024-12-06 15:43:02	No Acknowledgement	02:17	8 LATOURELLE LN	btwn COLBERT LN and END, 40.501013, -79.891324	FOX	FIRE - UNCATEGORIZED	F3	Medical ProQA recommends dispatch at this time, 79-YEAR-OLD, MALE, CONSCIOUS, BREATHING.CC TEXT: BREATHING PROBLEMSCALLER STATEMENT: MALE PT DIFF BREATHINGCAD RESPONSE: E1DISPATCH CODE: 06C01 (ABNORMAL BREATHING)SUFFIX: E (COPD (EMPHYSEMA/CHRONIC BRONCHITIS))SHORT KEY QUESTIONS: 4. HE IS NOT CLAMMY. 5. HE HAS COPD (EMPHYSEMA/CHRONIC BRONCHITIS). 6. HE HAS A PRESCRIBED INHALER OR NEBULIZER. 7. HE HAS USED A PRESCRIBED INHALER OR NEBULIZER. 8. THERE IS NO EVIDENCE OF CORONAVIRUS ILLNESS. 1.
2024-12-07 10:34:32	02:27	02:17	700 LITTLE BRIDGE LN	btwn WINTERBERRY LN and END, 40.518789, -79.893480	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY

								QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BACK HALL 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 721 6082 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: JERRY KRONMAN 6. THE INCIDENT INVOLVES
2024-12-07 19:05:55	02:51	01:53	123 RAWLINS RUN RD	btwn DORSEYVILLE RD and HIGHVIEW AVE, 40.559615, -79.891223	IND	FIRE - BLDG NON-DWELLING	1A	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: SOMEONE SHED IS ON FIRE, NEAR THE WOODSCAD RESPONSE: F0DISPATCH CODE: 69D08 (SMALL NON-DWELLING BUILDING/STRUCTURE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 3. A SINGLE-LEVEL STRUCTURE IS INVOLVED. 6. THIS IS NOT A MULTI-STORY OR MULTI-CAR GARAGE. 2. BOTH SMOKE AND FLAMES ARE VISIBLE. 4. THE INCIDENT INVOLVES A GARAGE. 5. THE GARAGE IS NOT ATTACHED TO A BUILDING. 7. NO INCIDENTS REPOR
2024-12-09 09:54:52	01:02	01:37	617 W WALDHEIM RD	btwn 11TH ST and WINDSOR RD, 40.499423, -79.900169	FOX	WIRES - HOT (ENERGIZED)	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TREES/OBJECTS INTO POWER LINES/WIRESCALLER STATEMENT: TREE DOWN ON WIRECAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SHORT KEY

								QUESTIONS: 1. THE CALLER IS NOT ON SCENE (4TH PARTY). 5. IT IS NOT KNOWN IF ANYONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. THIS INCIDENT INVOLVES TREES/OBJECTS INTO POWER LINES/WIRES. 3. SMOKE IS VISIBLE. 4. THE CALLER REPORTS SMOKE OUTSIDE. 6. IT IS NOT KNOWN IF ANY
2024-12-10 01:00:47	No Acknowledgement	Cancelled	16 EDGEWOOD RD	btwn COLBERT LN and END, RITZ RES 980 283 8930, 40.504196, -79.890811	FOX	FIRE ALARM - RESIDENTIAL	F2	Medical ProQA processing aborted: 8. Non-medical call.... ACCIDENTALLY HIT EMD INSTEAD OF EFD..... POA - EMMA BED WENT OF AT 0055....WILL ATT KH, CALLER STATEMENT: FIRE AL
2024-12-12 14:11:59	No Acknowledgement	Cancelled	FOX CHAPEL BORO MUNICIPAL BLDG	at 401 FOX CHAPEL RD, FOX, btwn FIELD CLUB RD and EVERGREEN RD, 40.514952, -79.879843	FOX	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA -ZONE 550CAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 550 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4128505026 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: BORO O
2024-12-12	02:27	01:41	14 OVERLOOK DR	btwn SWEET GUM RD and	HAR	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM

19:38:08				END, 40.537304, -79.857529				MONITORING COMPANYCALLER STATEMENT: SMOKE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 1 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 720 0957 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: PORTNOY, SCOTT 6. THE INCIDENT INVOLVES A
2024-12-12 21:21:45	02:54	02:44	JIMMY WANS CHINESE RESTAURANT	at 1337 OLD FREEPORT RD, OHA, btwn CHAPEL HARBOR DR and RIVERFRONT DR, 40.488931, -79.874658	OHA	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: GENERAL ZONE 1 BLDG FIRE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412.968.0848 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE IN

2024-12-14 02:54:49	04:04	Cancelled	ALTA VIA	at 46 FOX CHAPEL RD, OHA, 412/4083816, btwn FREEPORT RD and FOX CHAPEL RD RAMP, 40.488384, -79.882645	OHA	FIRE - COMMERCIAL	1A	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 4 ANTLE SYSTEM 2 UNIT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412/4083816 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE
2024-12-14 09:18:22	No Acknowledgement	01:50	858 OLD MILL RD	btwn EASTON RD and TWIN STREAM DR, 40.546868, -79.884305	FOX	SERVICE/ASSIST - FIRE	F2	Medical ProQA recommends dispatch at this time, 82-YEAR-OLD, FEMALE, CONSCIOUS, BREATHING.CC TEXT: SICK PERSON (SPECIFIC DIAGNOSIS)CALLER STATEMENT: 82 YO FEMALE UNKNOWN ISSUE, ON THE FLOOR, UNABLE TO SPEAK OR TELL CALLER WHAT IS WRONGCAD RESPONSE: DELTADISPATCH CODE: 26D01 (NOT ALERT)SHORT KEY QUESTIONS: 1. SHE IS NOT RESPONDING NORMALLY (NOT COMPLETELY ALERT). 2. SHE IS BREATHING NORMALLY. 3. SHE IS NOT BLEEDING (OR VOMITING BLOOD).

2024-12-14 16:01:30	04:12	01:59	146 OAKHURST RD	btwn OAKHURST LN and HUNT RD, 40.507934, -79.911954	FOX	WIRES - HOT (ENERGIZED)	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TREES/OBJECTS INTO POWER LINES/WIRESCALLER STATEMENT: TREE FELL ON WIRES CAUSING FIRECAD RESPONSE: F2DISPATCH CODE: 55C01 (POWER LINES/WIRES DOWN WITH FIRE/SMOKE OR ARCING)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 5. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. THIS INCIDENT INVOLVES TREES/OBJECTS INTO POWER LINES/WIRES. 3. SMOKE IS VISIBLE. 4. THE CALLER REPORTS SMOKE OUTSIDE. 6. NO ONE IS REPORTED TO BE INJURE
2024-12-17 08:13:40	03:31	06:41	503 MEADOWVALE DR	btwn GUYS RUN RD and HIGHBURY RD, 40.555621, -79.867995	HAR	WATER CONDITION INSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: SEWER PROBLEMCALLER STATEMENT: WATER AND SEWAGE COMING IN BASEMENTCAD RESPONSE: F0DISPATCH CODE: 53O04 (SEWER PROBLEM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. ASSISTANCE IS NEEDED FOR A SEWER PROBLEM. 3. NO ONE IS REPORTEDLY SICK OR INJURED.
2024-12-17 09:46:52	03:45	05:10	27 BUCKINGHAM PL	btwn END and BUCKINGHAM RD, 40.506715, -79.899135	FOX	CO ALARM - NO SYMPTOMS - E3	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: CO ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL
								(SINGLE))SUFFIX: C (CARBON MONOXIDE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A CARBON MONOXIDE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 11 MAIN CARBON 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-781-3851 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: DONNA MOROSKY 6. THE INCIDENT
2024-12-17 11:05:28	03:10	04:24	103 CATALPA RIDGE RD	btwn FOX CHAPEL RD and END, 40.519714, -79.878157	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: POA LAUNDRY SMOKECAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: LAUNDRY 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 463 7539 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: RANDY CRAWFORD 6. THE INCIDENT INV
2024-12-18 17:19:31	No Acknowledgement	03:19	REMED OHA	at 103 AQUA DR, OHA, NO PREMISE NUMBER, btwn POWERS RUN	OHA	FIRE ALARM - COMMERCIAL	F2	ZONE 4 1 ST FLOOR HEAT DETFire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER

				RD and END, 40.515420, -79.858098				STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 4 1 ST FLOOR HEAT DET 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME O
2024-12-22 16:54:46	02:53	02:06	SALAMANDER PARK	at 341 FOX CHAPEL RD, FOX, DIRECTLY BACK FROMT MAIN ENTRANCE NEAR TRAIL/STREAM, btwn HEMLOCK HOLLOW RD and DEER BROOKE LN, 40.505703, -79.883388	FOX	FIRE - UNKNOWN TYPE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: OUTSIDE / OTHER FIRESCALLER STATEMENT: OUTSIDE FIRECAD RESPONSE: F2DISPATCH CODE: 67B03 (UNKNOWN SITUATION (INVESTIGATION))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 5. NO ONE IS TRAPPED OR IN IMMEDIATE DANGER. 6. THERE ARE NO APPARENT ELECTRICAL HAZARDS. 2. IT IS NOT KNOWN EXACTLY WHAT IS BURNING. 3. THE SIZE OF AREA IS: BIG CAMP FIRE 4. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT. 7. THE FIRE IS NOT SPREADING.
2024-12-22 19:17:38	No Acknowledgement	Cancelled	FREEPORT RD/ALPHA DR	<150/ 200>, 40.491478, -79.865907	OHA	CRASH - INJURIES - E2	F1	OUT WITH VEH OVER HILLSIDE UNKN ON INJURIES

2024-12-22 21:32:44	03:03	01:38	TRILLIUM LN/OLD MILL RD	<2/ 227>, 13 TRILLIUM LN, 40.527239, -79.904011	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: H (HEAT (TEMPERATURE) DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A HEAT (TEMPERATURE) DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 11 SMOKE HEAT 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412-848-6335 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: OBRIAN, KATH
2024-12-23 02:34:31	05:06	07:44	200 FAIRVIEW RD	btwn FOX CHAPEL RD and SWEET WATER LN, 40.531595, -79.876220	FOX	FIRE ALARM - RESIDENTIAL	F2	POA ZONE 1// NO CONTACT MADE// KH ROCKWELL, KENT (412/963-8493), CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ADDTL GENERAL FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 8 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: SKIPPED BY USER 5. THE NAME OF THE

								BUSINESS/RESIDENT/OWNER IS: SKIPPED BY U
2024-12-25 14:46:28	03:03	02:13	422 FOX CHAPEL RD	btwn FAIRWAY LN and INDIAN HILL RD, 40.521318, -79.878692	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: LAUNDRY HALL 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4126705283 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: CRAWFORD, ROBERT 6. THE INCIDENT INVOL
2024-12-25 16:34:10	03:36	05:43	629 DRIFTWOOD DR	btwn POWERS RUN RD and END, 40.516679, -79.855059	OHA	GAS/ODOR - RESIDENTIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR INSIDE A BUILDINGCALLER STATEMENT: SMELL OF NATURAL GASCAD RESPONSE: F1DISPATCH CODE: 60C01 (RESIDENTIAL (SINGLE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE PROBLEM IS REPORTEDLY INSIDE. 3. THE GAS CAN BE SMELLED ONLY. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE.

2024-12-26 17:15:00	No Acknowledgement	Cancelled	SHADYSIDE ACADEMY SENIOR SCHOOL #1	at 423 FOX CHAPEL RD #1, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	FIRE ALARM - COMMERCIAL	F2	ALARM CO ADV ITS APARTMENT 1 BUT SHOWING THIS AS A SCHOOL AND THEY CONFIRMED AND WANT DISPATCHED TO THIS LOCATIONFire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: BEDROOM 1B FIRST FLOOR ZONE 675 SMOKE DET IN APAR
2024-12-28 06:53:08	04:18	08:50	ROUTE 28 NB EXIT 7 DELAFIELD AVE	at 70 STATE HWY 28 NB, PGH, 40.492072, -79.895203	PGH	CRASH - INJURIES	F1	KZD6267Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 1 VEH ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B01 (INJURIES)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE.

								8. THERE ARE SOME OBVIOUS INJU
2024-12-28 14:51:35	05:07	Cancelled	ALL AMERICAN EVENT	at 101 FREEPORT RD, ASP, 4127826107, btwn WESTERN AVE and CENTER AVE, 40.490788, -79.907323	ASP	FIRE ALARM - COMMERCIAL	F2	FIRE PROQA RECOMMENDS DISPATCH AT THIS TIMEFIRE PROQA PROCESSING COMPLETE, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE AND BURG ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: G (GENERAL/FIRE)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A GENERAL/FIRE ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: ZONE 14 BASEMENT FIRE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDEN
2024-12-29 09:30:27	No Acknowledgement	02:39	202 GLENHAVEN LN	btwn FIELD CLUB RD and SPRINGHOUSE LN, 412 417 3132 MERCER, ANNETTE, 40.515101, -79.876663	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: KITCHEN SMOKE DETECTOR - MADE CONTACT WITH HOMEOWNER WHO BURNT TOAST BUT PROVIDED AN IMPROPER PASSCODE TO CANCELCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM

								ACTIVATED IS: KITCHEN 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS NOT KN
2024-12-29 20:36:48	06:27	01:37	14 WINDSOR RD	btwn SAINT JAMES PL and WEST DR, 40.497430, -79.897444	FOX	FIRE - TRANSFORMER	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRANSFORMER (OUTSIDE)CALLER STATEMENT: TRANSFORMER ON FIRECAD RESPONSE: F2DISPATCH CODE: 55B04 (TRANSFORMER WITH FIRE/SMOKE OR ARCING)SUFFIX: W (WATER INVOLVED WITH/NEAR HAZARD)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 6. NO ONE IS IN CONTACT WITH THE ELECTRICAL HAZARD. 2. A TRANSFORMER (OUTSIDE) IS INVOLVED. 3. FLAMES ARE VISIBLE. 4. THE FLAMES ARE OUTSIDE. 5. THE FIRE IS NOT THREATENING ANYTHING AT PRESENT. 7. NO
2024-12-31 12:07:58	01:53	01:50	216 HILLCREST RD	btwn ROYSTON RD and END, HADJIPANAYIS RESIDENCE - 404 805 2084, 40.504292, -79.874908	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: MASTER BEDROOM 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER

								IS NOT KNOWN. 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCIDENT INVOLVES A SINGL
2024-12-31 16:59:31	03:04	02:10	1502 FOX CHAPEL RD	btwn GUYS RUN RD and GUYS RUN RD, 40.552075, -79.877899	IND	POSSIBLE FIRE - RESIDENTIAL	F1	Fire ProQA recommends dispatch at this time, CC TEXT: STRUCTURE FIRECALLER STATEMENT: CALLER HAS AN ELECTRICAL LINE SPARKING IN THE GARAGECAD RESPONSE: F0DISPATCH CODE: 69D06 (RESIDENTIAL (SINGLE))SUFFIX: L (ELECTRICAL PROBLEM (LIGHT SMOKE))SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. A MULTI-STORY STRUCTURE IS INVOLVED: 4 2. BOTH SMOKE AND FLAMES ARE VISIBLE. 4. THE INCIDENT INVOLVES A SINGLE-FAMILY RESIDENTIAL STRUCTURE. 5. THE CALLER IS REPORTING AN ELECTRICAL PROBLEM (LI
2024-12-31 20:43:24	No Acknowledgement	Cancelled	FREEPORT RD/HUMBOLDT ST	<500/ 899>, 40.496201, -79.857142	BLA	CRASH - TRAPPED/PINNED	F0	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: MVCCAD RESPONSE: F1DISPATCH CODE: 77C01 (INJURIES WITH HAZARD)SUFFIX: T (TRAPPED/PINNED VICTIM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. ONE VEHICLE IS INVOLVED. 4. AN SUV/CROSSOVER IS INVOLVED. 5. THERE ARE NO
								VEHICLES ON FIRE. 6. ONE PERSON IS TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. IT IS

Municipality	Calls
OHA	10
FOX	22
PGH	2
IND	2
HAR	2
ASP	1
BLA	1
Total	40

LSSE
Est. 1985 Civil Engineers and Surveyors
Fike • LSSE • Rabell • Senate
846 Fourth Avenue, Coraopolis, PA 15108
(412) 264-4400 ● (412) 264-1200 Fax

MEMO

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: January 13, 2025

S. O. No.: 424-01

FROM: Kevin A. Brett, P.E.

cc:

SUBJECT: **Monthly Engineer's Report**
January 20, 2025 Meeting

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded $51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of $70,700.00. LSSE transmitted Partial Payment No. 1 in the amount of $6,750.00 on November 22, 2024.* **Work is ongoing, Contractor remobilized at the end of December to complete electrical equipment installation.**

2. **2024 Roadway Improvements: LSSE transmitted as-built restoration cost for PNG Hemlock Hollow Road reimbursement via letter dated December 23, 2024. LSSE transmitted as-built utility patch breakdowns to the Borough on December 23, 2024. On December 27, 2024, LSSE issued Partial Payment No. 4 in the amount of $245,654.35, which includes $147,028.10 for Fox Chapel Borough's portion of the contract. LSSE transmitted Change Order No. 1 (Final), prepared to adjust the contract value to final in place quantities. For Fox Chapel's portion of the contract, the final contract value decreased by $103,796.38.**

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. LSSE assisted Borough and submitted CFA-LSA application for a grant request of $1,000,000.00. Grant awarded in the amount of $474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024.* **LSSE finalizing Chapter 105 Permit Application package and will be submitted upon receipt of corresponding checks.**

4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. LSSE prepared revised grading plan to address site*

conditions and addition of a 6" underdrain tie in, provided to Contractor on October 28, 2024. Contractor submitted a change order for work completed which is under review by Borough. **LSSE transmitted NPDES Permit Amendment to the Borough for execution on December 12, 2024.**

5. Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1: *LSSE issued bid report dated August 9, 2024 recommending award to FMS Construction Company in the amount of $567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3). LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. LSSE transmitted Change Order No. 1, prepared to adjust the contract amount for costs associated with floor type changes at Room 111 and deduct of Add Alternate No. 3 (-$1,675.00) to the Borough on November 22, 2024. Construction is ongoing. Work anticipated to be completed by end of December 2024.* **Progress meeting was held December 19, 2024. Work is ongoing. Completion anticipated in approximately one month.**

6. Contract No. 24-TS01 2024 - Traffic Signal Improvements: *LSSE transmitted bid report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of $489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. A field meeting was held for November 14, 2024 to establish the location of poles to be installed.* **LSSE issued shop drawing letter dated December 31, 2024. LSSE is preparing final ADA ramp designs and coordinating plans with PennDOT.**

7. Dorseyville Fire Station Improvements: *Local Share Account (LSA) Grant Application was submitted November 30, 2024. LSSE transmitted copy of grant application package to the Borough on December 4, 2024.* **Pending grant determination.**

Municipal Separate Storm Sewer System (MS4)

1. *LSSE uploaded Permit Renewal to DEP on February 6, 2023. 2024 Annual Report has been submitted to PaDEP. PaDEP inspection is anticipated by early 2025. Meeting held with Borough Staff on November 20, 2024 in anticipation of PaDEP inspection.* **PaDEP issued Draft Permit to the Borough on December 19, 2024.**

2. **PRP Plan:**

   A. **Stream Restoration (Hemlock Hollow Road):** *Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.*

   B. **Current PRP Status:** *LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project.* **PaDEP issued letter on December 19, 2024 acknowledging PRP has been completed in accordance with PRP/Permit requirements.**

Planning Commission Applications

- None this month.

Environmental Advisory Council Applications

- EAC 24-04, 313 Old Indian Trail Court Regoli Residence: **LSSE issued review letter dated December 11, 2024.**

Stormwater Management Plans

- None this month.

Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:
  - **Phase I COA / O&M:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers.*
    - 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A).
    - The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road.
    - Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. ALCOSAN requested additional information for the GROW Applications. LSSE transmitted letter to ALCOSAN indicating the Borough's intent to submit a GROW application for Cycle 10 for the 2023 Lining Program (excludes 2024 Hemlock Hollow Lining due to post construction flow monitoring costs).
    - Lining completed on Old Mill Road was combined with the Old Mill Road Sanitary Sewer Replacement project for a second GROW Cycle 10 application. LSSE transmitted draft resolution for use in GROW Grant Application to the Borough on November 26, 2024. **GROW Grant Application submitted on January 10, 2025.**
  - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution.* Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024.

- **Sycamore Run Flow Monitor:** *Data collection ongoing and will be for life of system. LSSE preparing quarterly flow data reports. Meter service and recalibration completed October 7, 2022. Data collection ongoing. LSSE evaluating alternatives for remote data access. Data collection issues were identified in September 2023 caused by storm event / power outages that occurred previously. LSSE field technicians are working with Advanced Instruments to replace and reprogram the data storage device.* Meter has been sent to ISCO for refurbishment. ISCO has provided and installed a temporary meter. Potential options moving forward include meter refurbishment, meter replacement, or a differing meter technology. Meter replacement complete.

- **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024.* LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications.

- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete.*

- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months.* No Change.

- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023.*

- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete.* This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. **Grant application submitted.**

- **Old Mill Road Sanitary Sewer Replacement Phase II:** *PaDEP General Permit Nos. 8 and 11 issued on October 25, 2024. PaDEP Part II Permit application submitted on October 31, 2024. Permit issued by PaDEP on November 11, 2024.*

- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024.* LSSE provided Sycamore Run flow data to ALCOSAN.

- **2024 Sanitary Sewer Repairs:**

  - Wynnwod Drive: *Plans provided to Borough (no permit required).*

  - Hunt Road Site: **PaDEP GP-3 Permit issued12/12/24.**

  - Silent Run Road: *PaDEP GP-3 Permit issued on November 8, 2024.*

  - Boy Scout Camp: *PaDEP GP-3 Permit issued on September 26, 2024.*

HV507 SFA

Sales Proposal For:

Fox Chapel Borough

Presented By:

HILL INTL TRUCKS NA LLC

Prepared For:
Fox Chapel Borough
Larry Kurpakus
401 Fox Chapel Rd.
Pittsburgh, PA 15238-2225
(412)850 - 5026

Presented By:
HILL INTL TRUCKS NA LLC
Dave Dudo
300 ALTON HILL DRIVE
EIGHTY FOUR PA 15330
(724)222-8680

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

While we do not expect an additional surcharge, the customer is responsible to pay any additional surcharges mandated prior to production.

Customer is responsible to pay Navistar s required cancellation fee of $5,000 per truck for any canceled orders.

Payment for chassis is due upon delivery of chassis to either customer or body upfitter.

Costars Contract 025-E22-519



Model Profile
2026 HV507 SFA (HV507)

AXLE CONFIG:	4X2
MISSION:	Requested GVWR: 40000. Calc. GVWR: 40780. Calc. GCWR: 80000 Calc. Geared Speed: 61.7 MPH
DIMENSION:	Wheelbase: 160.00, CA: 85.00, Axle to Frame: 71.00
ENGINE, DIESEL:	{Cummins L9 360} EPA 2024, 360HP @ 2200 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 359 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-26-185} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends Gear Ratio: 6.83
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 12R22.5 Load Range H G751 MSA (GOODYEAR), 483 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(5) 12R22.5 Load Range H G622 RSD (GOODYEAR), 482 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs
PAINT:	Cab schematic 100WK Location 1: 5B38, Dark Green Metallic (Prem)

Chassis schematic N/A

Description	**F/R Wt** (lbs)	**Tot Wt** (lbs)
Base Chassis, Model HV507 SFA with 160.00 Wheelbase, 85.00 CA, and 71.00 Axle to Frame.	5957/3683	9640
TOW HOOK, FRONT (2) Frame Mounted	8/0	8
TOW HOOK, REAR (2)	0/10	10
AXLE CONFIGURATION 4x2	68/-127	-59
Notes : Pricing may change if axle configuration is changed.		
FRAME RAILS Heat Treated Alloy Steel (125,000 PSI Yield); 11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x 12.7mm); 480.8" (12212mm) Maximum OAL	165/503	668
BUMPER, FRONT Contoured, Steel, Painted 0001 Canyon Black, Heavy Duty	-3/0	-3
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	144/-39	105
WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	217/-217	0
AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity	148/0	148
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers	44/0	44
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0
Includes : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6		
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2
Notes : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.		
DRAIN VALVE {Berg} with Pull Chain, for Air Tank	0/0	0
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
AIR DRYER {Bendix AD-9} with Heater	16/12	28
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	0/7	7
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	4/0	4
BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
SLACK ADJUSTERS, FRONT {Gunite} Automatic	14/0	14
SLACK ADJUSTERS, REAR {Gunite} Automatic	0/14	14
AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports	-12/-4	-16
AIR DRYER LOCATION Mounted Outside Right Rail, Back of Cab	7/4	11

Description	F/R Wt (lbs)	Tot Wt (lbs)
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail	-20/28	8
BRAKES, REAR {Meritor 16.5X7 Q-PLUS HD} Air S-Cam Type, Cast Spider, Heavy Duty Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 26,000-lb Capacity per Axle	0/85	85
BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33
STEERING COLUMN Tilting and Telescoping	16/3	19
STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
STEERING GEAR {Sheppard M110} Power	43/-2	41
DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2	9/29	38
AFTERTREATMENT COVER Aluminum	8/3	11
EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	121/55	176
ENGINE COMPRESSION BRAKE {Jacobs} for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch	39/9	48
TAIL PIPE (1) Turnback Type, Bright	5/4	9
MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	13/12	25
EXHAUST HEIGHT 8' 10"	12/12	24
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2
ELECTRICAL SYSTEM 12-Volt, Standard Equipment Includes : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered	0/0	0
CIGAR LIGHTER Includes Ash Cup	1/0	1
HORN, ELECTRIC (2) Disc Style	1/0	1
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2

Description	F/R Wt (lbs)	Tot Wt (lbs)
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	21/32	53
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	2/0	2
SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8
CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and Antenna Bases with Wiring on Both Side Mirrors	34/5	39
ANTENNA for Increased Roof Clearance Applications	1/0	1
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1
AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	3/0	3
BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	-35/12	-23
SWITCH, BODY CIRCUITS, MID with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches	1/0	1
JUMP START STUD 12V, Remote Mounted	2/0	2
CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On	0/0	0
STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/1	9
INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab	2/0	2
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner when Vehicle Park Brake is "NOT" Set, with Ignition "ON" or "OFF" and any Door Opened and Brake Pedal Released	0/0	0
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	3/0	3
HEADLIGHTS Halogen	0/0	0
POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel	0/0	0
FENDER EXTENSIONS Rubber	6/0	6
LOGOS EXTERIOR Model Badges	0/0	0
LOGOS EXTERIOR, ENGINE Badges	0/0	0
GRILLE Stationary, Chrome	0/0	0
BUG SCREEN Mounted Behind Grille	5/0	5
FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	0/0	0

Description	**F/R Wt** (lbs)	**Tot Wt** (lbs)
PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
Includes : PAINT SCHEMATIC ID LETTERS "WK"		
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
PAINT CLASS Premium Color	0/0	0
COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1
REMOTE LOCK/UNLOCK Allows Remote Door Lock/Unlock Through On Command Connection Portal, Requires Telematics Device with Active Data Plan	0/0	0
PROMOTIONAL PACKAGE Government Silver Package	0/0	0
VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA/MA /OR/NJ/NY/WA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.	0/0	0
Notes : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.		
SAFETY TRIANGLES	6/0	6
FIRE EXTINGUISHER 5 lb Class A B C	7/3	10
FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat	1/0	1
CLUTCH Omit Item (Clutch & Control)	0/0	0
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
ENGINE, DIESEL {Cummins L9 360} EPA 2024, 360HP @ 2200 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 359 Peak HP (Max)	559/5	564
FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	0/0	0
Includes : FAN Nylon		
RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 SqIn, with 1167 SqIn Charge Air Cooler	0/0	0
Includes : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber		
AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control	2/0	2
EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2025	0/0	0
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0
BLOCK HEATER, ENGINE {Phillips} 120V/1000W, with "Y" Cord for Dealer Installed 120V/300W Oil Pan Heater	3/0	3
Includes : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door		

Description	F/R Wt (lbs)	Tot Wt (lbs)
EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Door	0/0	0
CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0
ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines	0/0	0
CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0
TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	197/86	283
OIL COOLER, TRANSMISSION {Modine} Water to Oil Type	25/0	25
TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0
ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0
NEUTRAL AT STOP OMIT	0/0	0
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring	5/0	5
PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0
AXLE, REAR, SINGLE {Meritor RS-26-185} Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends . Gear Ratio: 6.83	0/290	290
Notes : Axle Lead Time is 60 Days		
SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs	0/207	207
AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints	0/0	0
FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0
FUEL/WATER SEPARATOR {Racor 400 Series} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/-5	-5
FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	24/5	29
DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0
CAB Conventional, Day Cab	0/0	0
AIR CONDITIONER with Integral Heater and Defroster	0/0	0
GAUGE CLUSTER Base Level; English with English Electronic Speedometer	0/0	0
Includes : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for		

Description	**F/R Wt** (lbs)	**Tot Wt** (lbs)
: GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)		
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0	1
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
SEAT, DRIVER {National 2000 195} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust, Cushion and Back Bolsters	0/0	0
SEAT, PASSENGER {National} Air-Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment	61/35	96
GRAB HANDLE, EXTERIOR (2) Chrome, for Cab Entry, (1) Towel Bar Type, with Anti-Slip Rubber Inserts Mounted Left Side at B-Pillar, (1) Towel Bar Type Mounted Right Side on Vertical Exhaust	4/2	6
MIRRORS (2) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	0/0	0
Notes : Mirror Dimensions are Rounded to the Nearest 0.5"		
CAB INTERIOR TRIM Classic, for Day Cab	0/0	0
Includes : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap		
MONITOR, TIRE PRESSURE Omit	-9/-2	-11
WINDSHIELD Heated, Single Piece	0/0	0
ARM REST, RIGHT, DRIVER SEAT	3/0	3
ARM REST, LEFT, PASSENGER SEAT	3/0	3
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	0/0	0
CAB REAR SUSPENSION Air Bag Type	0/0	0
CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	0/0	0
INSTRUMENT PANEL Flat Panel	0/0	0
WINDSHIELD WIPER BLADES Winter Type	2/0	2
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	0/0	0
WHEEL, SPARE, DISC {Accuride 43644} 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted	0/38	38
WHEELS, FRONT {Accuride 41730} DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	-28/0	-28
WHEELS, REAR {Accuride 43644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/-136	-136

Description	**F/R Wt (lbs)**	**Tot Wt (lbs)**
TIRE, SPARE Equal to Model Standard	0/121	121
(5) TIRE, REAR 12R22.5 Load Range H G622 RSD (GOODYEAR), 482 rev/mile, 75 MPH, Drive	0/40	40
(2) TIRE, FRONT 12R22.5 Load Range H G751 MSA (GOODYEAR), 483 rev/mile, 68 MPH, All-Position	44/0	44
Cab schematic 100WK		
Location 1: 5B38, Dark Green Metallic (Prem)		
Chassis schematic N/A		
Services Section:		
WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0
SRV CONTRACT, EXT VEH COVERAGE {Navistar} To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	0/0	0
SRV CONT, EXT CUMMINS ENG/AFTR {Cummins} To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	0/0	0
Total Component Weight:	**8039/4828 (lbs)**	**12867 (lbs)**
	(lbs)	(lbs)
Program parameters, PA inspection, Misc prep.	0/0	0
Total Goods Purchased:	**0/0**	**0**

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

Financial Summary
2026 HV507 SFA (HV507)

(US DOLLAR)

Description	Price
Total Factory List Price Including Options:	$119,362.00
Total Goods Purchased:	$1,000.00
Total Freight:	$3,100.00
Total Factory List Price Including Freight:	$123,462.00
Total Vehicle Price:	$123,462.00
Total Sale Price:	$123,462.00
Total Per Vehicle Sales Price:	$123,462.00
Net Sales Price:	$123,462.00

Approved by Seller:

Official Title and Date

Authorized Signature

Accepted by Purchaser:

Firm or Business Name

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

COSTARS™
Pennsylvania Department of General Services

Commonwealth of Pennsylvania
Department of General Services
Bureau of Procurement
1800 Herr Streetr
Harrisburg, PA 17103

Toll FreeTelephone: 1-866-768-7827
Local Telephone: 717-346-9009
Fax: 717-783-6241
Email: GS-PACostars@state.pa.us
Website: www.costars.state.pa.us

Date: 09/19/2024

HILL INTERNATIONAL TRUCKS LLC
Attn: KAYLA NOLL
300 ALTON HILL DR PO BOX 4535
EIGHTY FOUR, PA 15330

Subject: COSTARS Participation – Renewal Confirmation
Contract Number: 025-E22-519 - Municipal Work Vehicles

Dear Contractor:

The Department of General Services, Bureau of Procurement, has received your payment of the $1500.00 administrative fee required to renew your COSTARS participation for contract number 025-E22-519. This will confirm that your company is authorized to continue to sell the awarded items/services under this contract to registered COSTARS members for the contract term 10/26/2022 through 10/26/2025 .

Thank you for your continued participation in the COSTARS Program. Should you have any questions, please contact COSTARS Program staff by email to GS-PACostars@pa.gov or toll-free telephone at 1.866.768.7827.

Regards,

Shelbie Pickering
(P): 717-703-2947
(F) :717-783-6241
E-Mail: spickering@pa.gov

Date: 01/15/25
Customer: Fox Chapel Borough B&S

Chassis: International HV507
Salesperson: Aaron Sniezek

We are pleased to quote the following truck upfit package for your consideration, with upfit pricing from the PA CoStars Municipal Work Vehicles Contract #25-E22-432. Stephenson Equipment vendor number is 150032.

DUMP BODY

J&J 10'6" Aluminum Dump, Hydraulics, Hitch and Spreader Install B&S
Quote _93749___

BODY:	LENGTH	10' 6"
	WIDTH	96.000"
	HEIGHT	28"
SIDES:	MATERIAL	1/4" ALUM ENHANCED
	INTERMEDIATE SIDE POSTS	3 Intermediate Posts
	POST MATERIAL	Square Post
	DIRT SHEDDERS	3/16" ALUM ENHANCED
	CATWALK	2" Serrated Bustin Both Sides, Rough
	TOP RAIL	4" Extruded Top Rail
	BOARD	O Oak Height: 10"
FLOOR:	SHEET	3/8" Alum Plate
	RADIUS CORNERS	Inside radius corners
	REAR SKIRT	Full Rear Skirt
UNDERSTRUCTURE:	LONGITUDINALS	6" I-Beam @ 5.22#
	TYPE	4" Boxed 10" Centers
	BOTTOM RAIL	Standard Bottom Rail
BULKHEAD:	MATERIAL	1/4" ALUM ENHANCED
	CAB SHIELD LENGTH	1/4 (12") Low As Possible
	CAB SHIELD WIDTH	Full Width
	CAB SHIELD FACE	4"
	CAB SHIELD GAUGE	3/16" Alum Sheet
	CAB SHIELD DESC	
TAILGATE:	REAR CORNER POST HGHT	38" Post Height
	TYPE	Barndoor Forkstyle 2-way
	STYLE	Vertical Paneled Gate
	SHEET	1/4" ALUM ENHANCED
	HEIGHT	38 "
	SLOPE	0"
	NUMBER OF PANELS	3 Panel
	NUMBER OF COAL DOORS	Three Coaldoors Lynch Style
COAL DOOR MATERIAL		1/4" Stainless 304
	TG CHAIN & HARDWARE	TG Chains & Hardware
	BOTTOM STIFFENER	Bottom Gate Stiffener
	CONTROLS	Air Operated T-Gate Latch
HYDRAULICS:	TELESCOPIC CYLINDERS	NO CYLINDER
	PTO	No PTO Required
	PUMP	No Pump Supplied
	PACKAGE	No Hoist
	CENTRAL	No Central Hydraulic Package
	CONTROLS	* * None * *
	TANK	*** NONE ***
ACCESSORIES:	LADDERS FRONT	Dual Slide-out Ladders 3-step
	TARP RAIL	Grooved Tarp Rail, Both Sides

NOTE: SEI will make every effort to price protect this Truck Upfit but our OEMs are facing escalating component costs and being forced to increase prices to maintain quality. Price increases from now until manufacture time may affect price. SEI will notify you promptly if we become aware of a price increase from now until build date.

```
                STRIPE                      To Match Cab
                SUB-FRAME                   Rubber Cushion
                MUDFLAPS                    J & J Mudflaps  SHIP LOOSE
                MUD SHIELDS                 Splash Shield w/Flap SHIP LOOSE
LIGHTS:         LIGHT PACKAGE               LED Marker/Clearance Lights
                POST LIGHT                  OVAL COMBO LED STT/BU IN POST  LIKE 05W-
33711
                MODULES                     Trux Dual Rev 4"(3)STT/BU ALUM  Keep low
as possible
                AUX LIGHTS                  6 Strobe 4 Cabsh, 2 Rear Post  uSE
#412118 Surface
                AUX LIGHTS                  Spreader Light LED  Left
                AUX LIGHTS                  Spreader Light LED  Right
                AUX LIGHTS                  9light led,strb,led b/u bltin
PAINT           BOARDS                      One Color Match Cab
                BODY                        Acid Clean
-------------- (Included Equipment) ----------------------
5   1   LIGHTS     GROMMET THRU ALL METAL FOR WIRING
10  1   OTHER      KEEP BOARDS EVEN W/TOP OF REAR POST + EVEN W/TOP OF BOARD
HOLDERS LIKE 05W-33711
18  1   LIGHTS     USE ECCO HIDE A LED AMBER SURFACE MOUNT STROBES #412118 PART
NUMBER ON REAR POSTS IN PLACE OF TRUCKLITE, LIKE 05W-33711
21  1   LIGHTS     USE TRUX CLEAR LENS STT/BU FOR MUD FLAP MODULES ONLY
29  1   REAR       COAL DOOR HANDLE TO BE LYNCH STYLE
34  1   REAR       TAILGATE CHAIN COVERS
39  1   REAR       TG SPILL PLATES AL W/RADIUS W/ANGLE FULL HEIGHT BOLT ON THROUGH
GATE, USE STAINLESS STEEL BOLTS
44  1   OTHER      MUDFLAP HOOKS REAR HOOKING
49  2   SIDE       GRAB HANDLE (ALUM) 1 EA.FRONT CORNER,FULL LENGTH LIKE 05W-33711
54  1   OTHER      INSIDE STEPS SHOULD HAVE ONLY 3 SERATED RUNGS, NOT 4, THE 4TH
ONE ALWAYS GETS TORN OFF.
59  1   OTHER      SHOVEL BRACKET (ALUM)  LOCATION: FRONT BULKHEAD DRIVERS SIDE,
FOR 60"SHOVEL. TOP OF EARS TO BOTTOM HOLDER 42"
64  1   OTHER      2 HOOKS ON RIGHT SPLASH SHIELD TO HOLD CHAINS LIKE 05W-33711
99  1   PAINT      CONSPICUITY TAPE BOTH SIDES & REAR
109 1   REAR       ICC BUMPER, STEEL 2" SQ TUBE PIN-ON
119 1   OTHER      CUSTOMER WOULD LIKE ROUGH BUSTIN ON BOTH SIDES OF THE CATWALK,
HE IS WILLING TO SIGN OFF ON THIS
169 1   OTHER      ADD 2 PIECES OF 4" CHANNEL WITH 2" INSIDE HEIGHT LEGS UNDER BODY
EA SIDE FOR STRAP TIE DOWNS - LIKE 05W-33711 ADD 2 FORMED 7" CHANNEL WITH 2" LIP TO
UNDERSIDE OF TOP RAIL EA SIDE, MUST BE FLUSH WITH OUTSIDE OF TOP RAIL -
174 1   BUILD&SHIP CLASS 60 LOW MOUNT HOIST (ALUM.) NO HYDRAULICS
179 1   BUILD&SHIP BODY UP LIGHT
184 1   BUILD&SHIP BACK-UP ALARM
189 1   OTHER      PA DOT STYLE PLOW LIGHT BRACKETS TO FIT INTERNATIONAL HV 507,NO
PLOW LIGHTS STEPHENSON TO SUPPLY HEATED LED PLOW LIGHTS
194 1   REAR       PINTLE PLATE WITH D-RINGS R20 WALLACE 20 TON HOOK WITH EXTRA
HOLES FOR ADJUSTMENTS , LIKE 05W-33711
199 1   OTHER      SWIVEL TYPE GLADHANDS ,SPRING LOADED LIKE 05W-33711, PICK#50114
204 1   OTHER      MANUAL LUBE SYSTEM 50/60 LOW MOUNT HOIST 15 PTS FOR HOIST
ONLY,J&J TO SUPPLY MANIFOLD MOUNTING BRACKET ONLY,STEPHENSON WILL SUPPLY FITTINGS
AND HOSES.
```

NOTE: SEI will make every effort to price protect this Truck Upfit but our OEMs are facing escalating component costs and being forced to increase prices to maintain quality. Price increases from now until manufacture time may affect price. SEI will notify you promptly if we become aware of a price increase from now until build date.

Body Mounting Dimensions:

- Tire to End of Floor 24.5”
- End of Frame to End of Floor 6”
- Hinge Center to End of Floor 8”

Chassis Mounted Components (SEI/WTE):

- Pintle Plate with Adjustment Holes for Pintle Hook (Extra Set Above) Large D-Rings
- Pintle Hook R20 Wallace 20T Mounted at 24.5”
- ICC Bumper Steel 2” Sq Tube Pin-On
- Backup Alarm Recessed as Far As Possible (
- Trailer Electric Socket Plastic 7 Flat (RV) Mounted Left Side of Pintle Hook (See Picture)
- Install OEM Air Trailer Package.
- Spring Loaded Swivel Type Glad Hands Mounted Side of Pintle Plate (See Pictures)
- Install OEM 7 Prong Round Trailer Plug
- Body Up Light in Dash
- PTO Light in Dash
- Fender Mounted Plow Lights PA DOT Style Mounts (See Picture)
- Use Factory Switches in Dash for Aux Lights: 1st Switch Spreader Light, 2nd Switch Cab-shield Strobes), 3rd Switch Rear Strobes
- Shorten Exhaust Elbow to Flush with Grab Handles
- Remove Rear OEM Taillights and Return Loose in Cab
- Manual Lube System for Class 50/60 Hoist 15 Point
- 18X18X30 Toolbox

HYDRAULICS:

SEI/Walsh Central Hydraulics-Force America

- PTO/Tandem Gear Pump
- Air Controls for DA Hoist, Plow Up/Down, Plow Angle
- In Cab Console with Controls Close to Driver at 45° (See Pictures)
- Manual Dual Knob Spreader Control Closer to Driver
- Quick Couplers Front and Rear. Rear Couplers Side of Pintle Plate (see pictures)
- 35 Gallon SS Hydraulic Valve/Tank Enclosure with Return Filter and Magnetic Drain Plug,, Filter Fault Sending Unit, Sight/Temp Gauge
- Return Filter Mounted In Tank
- Move Battery Box and Filter if Necessary

HITCH

Gledhill UBF Universal Bumper to Frame Plow Hitch with 30” Plow Centers and QCP

- Mount as Close to Grill as Possible

SPREADER

Hi-Way SA6C Stainless Steel Undertailgate Spreader

- Direct Drive
- 6” Auger
- Poly Spinner
- Standard Spreader Brackets
- Mount With As Little Gap As Possible

NOTE: SEI will make every effort to price protect this Truck Upfit but our OEMs are facing escalating component costs and being forced to increase prices to maintain quality. Price increases from now until manufacture time may affect price. SEI will notify you promptly if we become aware of a price increase from now until build date.

- Spin Hydraulic Motor Toward Front of Truck So Hoses Face Cab, OR Use 90° Fittings So When Spreader Is Removed, Hoses Don't Touch Ground.

Upfit Package for above equipment: $85,500.00

PLOW OPTION: (FOB Prospect PA) ADD: $13,500.00

- Gledhill 10SBPR4 Reversing Plow
- 10' Wide X 36" High
- Hydraulic Angle with 2 3X10 Reversing Cylinders
- Cushion Valve
- 10 Ga Steel Moldboard
- Rubber Deflector
- Carbide Cutting Edge with Cover Blade
- 6" Moldboard Shoes
- Plow Markers
- QCP Plow Connection
- Mushroom Skid Shoes
- Curb Shoe Right Side

Prebuild: YES or NO

Approval: _____

Date: _____ PO#: _____

Best Regards,

Aaron Sniesek
Stephenson Equipment Inc.
AS/ dns

NOTE: SEI will make every effort to price protect this Truck Upfit but our OEMs are facing escalating component costs and being forced to increase prices to maintain quality. Price increases from now until manufacture time may affect price. SEI will notify you promptly if we become aware of a price increase from now until build date.

BOROUGH OF FOX CHAPEL, PENNSYLVANIA

RESOLUTION NO. 709

WHEREAS, Section 7503 of the Pennsylvania Emergency Management Services Code, 35 PA C.S. Section 7107 et seq. mandates that the Borough of Fox Chapel prepare, maintain and keep current an emergency operations plan for the prevention and minimization of injury, damage caused by a major emergency or disaster within this Municipality; and

WHEREAS, in response to the mandate stated above, the Borough of Fox Chapel has prepared an emergency operations plan to provide prompt and effective emergency response procedures to be followed in the event of a major disaster; and

WHEREAS, the Borough of Fox Chapel has also prepared an emergency operation plan in order to reduce the potential effects of a major emergency or disaster and to protect the health, safety and welfare of the residents of the this municipality; and

WHEREAS, this plan will be reviewed on a regular basis to make certain that it conforms with the requirements of the Allegheny County Emergency Operations Plan.

NOW, THEREFORE, BE IT RESOLVED THAT the Borough of Fox Chapel does hereby approve, adopt, and place into immediate effect the 2025 edition of the Emergency Operations Plan of the Borough of Fox Chapel, PA.

Adopted this 20th day of January 2025.

Borough of Fox Chapel, Pennsylvania

By_____

Andrew C. Bennett, President of Council

Attest:

_____

Shawn M. Peterson, Borough Secretary

Current Power	Energy today	Energy this month	Lifetime energy	Lifetime revenue
1.61 kW	61.95 kWh	3.84 MWh	284.4 MWh	$31,348.25

Power and Energy

Day | Week | Month | Billing Cycle | Year

01/01/2024 - 12/31/2024

System Production: **143 MWh**



2024

Previous year | Next year

Comparative Energy

Month | Quarter | Year



Status	**Active**
ID	3321592
Name	EIS Fox Chapel Boro
Address	Fox Chapel Road 401, Pittsburgh,Pennsylvania,Unit…
Installed	12/09/2022
Last Updated	12/31/2024 14:37
Peak Power	129.6 kWp

Environmental Benefits

CO2 Emission Saved
440,381.72 lb

Equivalent Trees Planted
3,327.48

Vogel
DISPOSAL SERVICE, INC.

Phone: (724) 625-1511
Fax: (724) 625-3750
121 Brickyard Road
Mars, PA 16046

www.vogeldisposal.com

Fox Chapel Annual Tonnage Report - 2024

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	34.1	34.3	10.1	140.9	151.0
February	0.2	29.1	29.3	4.0	112.9	116.9
March	0.2	25.5	25.7	10.7	117.0	127.7
Total 1QTR	**0.6**	**88.7**	**89.3**	**24.8**	**370.8**	**395.6**
April	0.2	30.9	31.1	12.0	123.8	135.8
May	0.3	42.4	42.7	18.1	137.4	155.5
June	0.1	31.8	31.9	8.9	138.7	147.6
Total 2QTR	**0.6**	**105.1**	**105.7**	**39.0**	**399.9**	**438.9**
July	0.1	33.1	33.2	11.2	143.2	154.4
August	0.1	33.9	34.0	14.4	137.8	152.2
September	0.1	33.0	33.1	10.3	133.1	143.4
Total 3QTR	**0.3**	**100.0**	**100.3**	**35.9**	**414.1**	**450.0**
October	0.1	35.2	35.3	11.4	139.6	151.0
November	0.2	34.6	34.8	10.4	133.0	143.4
December	0.2	36.3	36.5	3.7	146.1	149.8
Total 4QTR	**0.5**	**106.1**	**106.6**	**25.5**	**418.7**	**444.2**
TOTALS	***2.0***	***399.9***	***401.9***	***125.2***	***1,603.5***	***1,728.7***

No residue has been removed from the tonnage reported

Report Prepared By:
Marci Martinez
marcis@senecalandfill.com
Phone: (724) 625-9000