



FOX CHAPEL
BOROUGH

AGENDA
BOROUGH COUNCIL MEETING
MONDAY, MARCH 17, 2025, at 6 PM

CALL TO ORDER

APPROVAL OF MINUTES

The meeting was held on February 17, 2025.

Motion to [approve, deny, or approve with conditions] the February 17, 2025, minutes.

RESIDENT COMMENTS

POLICE REPORT

Police Report for February 2025

FIRE REPORT

Total of 15 calls: 5 Fox Chapel Borough (3- O'Hara, 1- Pittsburgh, 2- Aspinwall, 4- Sharpsburg)

FOXWALL EMS REPORT

EMS Report for February 2025

PUBLIC SAFETY ASSISTANCE COMMITTEE REPORT

The meeting was held on February 26, 2025. Betsy Monroe, Chairperson of the committee, will provide an update.

PUBLIC WORKS REPORT

ENGINEER REPORT

LSSE Engineer Report for February 2025

TREASURER REPORT

Treasurer Report for February 2025

RATIFICATION OF PAYMENTS

February 2025

Motion to [ratify, deny, or ratify with conditions] the payment of bills for February 2025, General Fund Vouchers 5581 - 5657 in the amount of \$293,643.45.

REFUSE & RECYCLING SUBCOMMITTEE

The Bid Opening was held on Wednesday, March 5, 2025, at 11 a.m. Harrison Lauer will provide an update.

CONTRACT AWARDS

Residential Municipal Waste and Recycling Collection Contract

The bid opening for the Residential Municipal Waste and Recycling Collection was held on Wednesday, March 5, 2025, at 11 a.m. Bids were received from County Hauling and Vogel Disposal Service. Philip Weis, the attorney hired by the Borough of Fox Chapel to assist with the contract, has reviewed all documentation provided by the two haulers and found them to be acceptable.

Motion to [award, deny, or award with conditions] the Residential Municipal Waste and Recycling Collection Contract for March 1, 2026, through February 28, 2031, with two option years from March 1, 2031, through February 29, 2032, and March 1, 2032, through February 28, 2033, to the low bidder, Vogel Disposal Service for Garage Door Service in the amount of \$6,401,446.56 for March 1, 2026 through February 28, 2031, and \$2,932,349.04 for the two option years, with a grand total of \$9,333,795.60.

-OR-

Motion to [award, deny, or award with conditions] the Residential Municipal Waste and Recycling Collection Contract for March 1, 2026, through February 28, 2031, with two option years from March 1, 2031, through February 29, 2032, and March 1, 2032, through February 28, 2033, to the low bidder, Vogel Disposal Service for Curbside Collection Service in the amount of \$6,129,118.80 for March 1, 2026 through February 28, 2031, and \$2,807,464.32 for the two option years, with a grand total of \$8,936,583.12. This Contract Option also includes Optional Garage Door Service and Optional Container Fee.

NEW BUSINESS

Negotiating Committee

The Fox Chapel Police Contract expires on December 31, 2025. The Public Works Department extended their contract, which will now expire on December 31, 2026. Negotiations with the Police Department typically begin in March or April. Due to a vacancy on the Negotiating Committee (there are three members for this committee), a volunteer from Borough Council will need to fill the position. Councilmembers Frederick Leech and Betsy Monroe are already members of this committee.

ENVIRONMENTAL REPORTS

Solar Status Report for EIS Fox Chapel

Recycling/Solid Waste Report

EXECUTIVE SESSION

Personnel - Uniform Construction Code Administration

ADJOURNMENT

FOX CHAPEL BOROUGH POLICE DEPARTMENT REPORT TOTALS FROM 2/1/25 12:00:00 AM TO 2/28/25 11:59:00 PM

INCIDENT REPORTS	
TYPE OF REPORT	Total
Accident/Reportable	3
Administrative Report - Information Request	4
Animal Complaint	5
Animal Complaint - Injured/Deceased Deer	2
Assist Other Agency	4
Assist Person	2
Burglar Alarm-Business	3
Burglar Alarm-Residence	23
Burglary-Residence	1
Childline/Child Welfare Report	1
Criminal Mischief to All Other	1
Disabled Vehicle	2
DPW Request	3
EMS Call	20
Fire Alarm-Natural Gas	1
Fire Alarm-Residence	2
Fire Call	1
Fraud	1
Fraud- Credit Cards/ATM	2
Identity Theft	1
Local Ordinance Violations- Dumping	1
Lost/Found	1
Parking Complaint	20
PFA Information	1
Police Detail - Fingerprint	1
Police Detail - House Watch	5
Police Info	1
Property Damage	1
Road Closure	1
Road Hazard	7
Scam Phone Call	1
Suspicious Incident	3
Suspicious Persons	3
Suspicious Vehicle	3
Theft	3
Traffic Complaint	8
Traffic Post	16
Utility Complaint	2
Welfare Check	2
Total	162

ARRESTS	
Violation Type	Total Arrests for Violation Type
Total Number of Offenses Cleared by Arrest	0
Total Number of Persons Arrested	0
Citation Type	February
Traffic-Filed	11
Warning Notice	11
Total	22

Dispatch Time	Acknowledge Time	Response Time	Location	Location Info	Municipality	Incident Type	Priority	Further Info
2025-02-01 09:14:02	No Acknowledgement	Cancelled	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	FIRE ALARM - COMMERCIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F1DISPATCH CODE: 52C03 (COMMERCIAL/INDUSTRIAL BUILDING)SUFFIX: P (PULL STATION)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A PULL STATION. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: MAIN PULL STATION/ZONE 336 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 968 3186 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS NOT KNOWN. 6. THE INCI
2025-02-03 13:24:40	02:48	04:46	ROUTE 28 NB 10 EXIT 6 TO EXIT 7 .	at 71 STATE HWY 28 NB, ASP, 40.494841, -79.906610	ASP	CRASH - HAZARDS	F1	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: MVACAD RESPONSE: FODISPATCH CODE: 77D08 (COMMERCIAL VEHICLE/HEAVY VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A HEAVY VEHICLE IS INVOLVED: LARGE FLATBED 5. THERE ARE NO VEHICLES ON FIRE.

								6. THERE IS NO ONE TRAPPED OR PINNED, 7. NO ONE WAS THROWN FROM THE VEHICLE.
2025-02-04 20:25:40	No Acknowledgement	04:18	321 ORCHARD DR	btwn CAMBERWELL DR and CAMBERWELL DR, 40.508796, -79.857933	OHA	GAS/ODOR - RESIDENTIAL	F1	Medical ProQA recommends dispatch at this time, 82-YEAR-OLD, MALE, CONSCIOUS, BREATHING.CC TEXT: FALLSCALLER STATEMENT: MALE FELL FROM BEDCAD RESPONSE: E3DISPATCH CODE: 17A04 (PUBLIC ASSIST (NO INJURIES AND NO PRIORITY SYMPTOMS))SUFFIX: G (ON THE GROUND OR FLOOR)SHORT KEY QUESTIONS: 1. THIS HAPPENED NOW (LESS THAN 6HRS AGO). 7. HE HAS NO INJURIES. 8. HE IS STILL ON THE FLOOR/GROUND. 5. NO SPECIAL CONCERNS HAVE BEEN REPORTED. 2. IT'S REPORTED THAT HE FELL AT GROUND LEVEL. 3. THE FALL WAS AC
2025-02-05 15:54:22	04:02	05:30	ROUTE 28 NB 10 EXIT 6 TO EXIT 7 .	at 71 STATE HWY 28 NB, ASP, 40.494841, -79.906610	ASP	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: 2 CAR ACCIDENTCAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE

								ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. 1
2025-02-06 22:29:23	03:27	06:50	1501 MIDDLE ST #1	btwn 15TH ST and MARY ST, 40.495101, -79.926425	SHP	STRUCTURE COLLAPSE/DAMAGE- NO ENTRAPMENT	F1	Fire ProQA recommends dispatch at this time, CC TEXT: CONFINED SPACE / STRUCTURE COLLAPSECALLER STATEMENT: CEILING IS CAVING IN FROM NEIGHBOR ABOVE HER RUNNING WATER CONSTANTLY. SHE CAN SEE WIRES AS WELLCAD RESPONSE: E2DISPATCH CODE: 54B02 (NO ONE TRAPPED (INVESTIGATION))SUFFIX: S (SMALL BUILDING/STRUCTURE COLLAPSE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 3. IT IS NOT CONFIRMED THAT SOMEONE IS TRAPPED. 2. A SMALL BUILDING/STRUCTURE COLLAPSE IS INVOLVED. 4. THERE ARE NO HAZARDO
2025-02-08 14:21:46	No Acknowledgement	Cancelled	226 CAMBERWELL DR	btwn ORCHARD DR and END, 40.508080, -79.857552	OHA	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: FIRE ALARMCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM

								ACTIVATED IS: NO ZONE 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 412 606 5606 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: HECKER, CHRISTOPHER 6. THE INCIDENT INVOL
2025-02-11 15:51:35	03:06	03:23	WATERWORKS DR EXIT 8 ROTUE 28 NB	at 80 STATE HWY 28 NB, PGH, 40.490801, -79.886042	PGH	CRASH - TRAPPED/PINNED	F0	Fire ProQA recommends dispatch at this time, CC TEXT: TRAFFIC COLLISION / TRANSPORTATION INCIDENTCALLER STATEMENT: CAR FLIPPED, MALE IS STILL INSIDECAD RESPONSE: F0DISPATCH CODE: 77D02 (HIGH MECHANISM)SUFFIX: T (TRAPPED/PINNED VICTIM)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (2ND PARTY). 2. THE INCIDENT INVOLVES A ROLLOVER. 3. IT IS NOT KNOWN HOW MANY VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. ONE PERSON IS TRAPPED OR PINNED. 7. NO O
2025-02-11 17:46:20	04:24	Cancelled	ETNA EXIT 5 ROUTE 28 SB	at 50 STATE HWY 28 SB, SHP, 40.497003, -79.937153	SHP	FIRE - VEHICLE	F2	TRUCK ON FIRE, CC TEXT: TANKER FIRECALLER STATEMENT: TANKER ROLLED ON ITS SIDE...CURRENTLY ON FIRECAD RESPONSE: F0DISPATCH CODE: 71D04 (COMMERCIAL VEHICLE)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE VEHICLE IS NOT INSIDE A BUILDING/STRUCTURE. 3. A

								TANKER IS INVOLVED. 4. THE FIRE HAS NOT BEEN REPORTED BY THE CALLER AS EXTINGUISHED. 5. OTHER VEHICLES ARE BEING THREATENED BY THE FIRE.
2025-02-16 18:58:01	06:25	02:44	SHADYSIDE ACADEMY SENIOR SCHOOL	at 423 FOX CHAPEL RD, FOX, btwn FAIRWAY LN and INDIAN HILL RD, 40.521997, -79.886902	FOX	FIRE ALARM - HIGH LIFE HAZARD	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM MONITORING COMPANYCALLER STATEMENT: ALARMCAD RESPONSE: F1DISPATCH CODE: 52C01 (HIGH LIFE HAZARD)SUFFIX: S (SMOKE DETECTOR)SHORT KEY QUESTIONS: 1. THE CALLER IS AN ALARM MONITORING COMPANY. 2. IT IS A SMOKE DETECTOR ALARM. 3. THE AREA OR ZONE/ROOM ACTIVATED IS: MARWOOD FLR 3 APT BEDROOM M1-58 4. THE PHONE NUMBER OF THE BUSINESS/RESIDENT/OWNER IS: 4129683186 5. THE NAME OF THE BUSINESS/RESIDENT/OWNER IS: PAUL FONSCONEY 4125137819 6.
2025-02-17 10:04:57	01:44	03:53	242 HUNT RD	btwn SURRY LN and WESTMORELAND FARMS LN, 40.512189, -79.905612	FOX	MUTUAL AID REQUEST - FIRE	F1	Medical ProQA recommends dispatch at this time, 97-YEAR-OLD, FEMALE, CONSCIOUS, BREATHING.CC TEXT: SICK PERSON (SPECIFIC DIAGNOSIS)CALLER STATEMENT: FEMALE IN PAINCAD RESPONSE: E3DISPATCH CODE: 26A10 (UNWELL/ILL)SHORT KEY QUESTIONS: 4. SHE HAS OTHER PAIN: BACK/ ALL OVER PAIN 6. THERE IS NO EVIDENCE OF CORONAVIRUS ILLNESS. 5.

								SHE IS UNWELL/ILL. 1. SHE IS RESPONDING NORMALLY (COMPLETELY ALERT). 2. SHE IS BREATHING NORMALLY. 3. SHE IS NOT BLEEDING (OR VOMITING BLOOD).
2025-02-18 15:48:33	02:04	06:06	OHARA TWP MUNICIPAL BLDG	at 325 FOX CHAPEL RD, OHA, btwn N MARGERY DR and DELAFIELD RD, 40.495220, -79.882534	OHA	POSSIBLE FIRE - COMMERCIAL	F1	ODOR OF SOMETHING BURNING PER N3320 - OHARA PD
2025-02-20 13:54:09	01:57	05:58	ROUTE 28 SB EXIT 5 ROUTE 8 NORTH	at 50 STATE HWY 28 SB, SHP, 40.497003, -79.937153	SHP	CRASH - HIGH MECHANISM	F0	WHITE BOX TRUCK WITH TENNESEE TAG WITH HUMPHRIES WRITTEN ABOVE IT A MALE TUCKED AND ROLLED OUT OF THE PASSENGER SIDE AND THEN 2 OTHER MALES GOT OUT, COMPLAINANT WASNT SURE IF THE MALE WAS INJURED OR NOT. Fire ProQA recommends dispatch at this time, CC TEXT: SINGLE VEHICLE COLLISIONCAD RESPONSE: F0DISPATCH CODE: 77D02 (HIGH MECHANISM)SHORT KEY QUESTIONS: 1. THE CALLER IS NOT ON SCENE (3RD PARTY). 2. THE INCIDENT INVOLVES A SINGLE VEHICLE. 3. ONE VEHICLE IS INVOLVED. 4. A COMMERCIAL VEHICLE IS INV
2025-02-21 12:56:30	02:20	02:26	216 GLADE RUN LN	btwn CHRIST CHURCH LN and END, 40.527232, -79.891413	FOX	FIRE ALARM - RESIDENTIAL	F2	Fire ProQA recommends dispatch at this time, CC TEXT: ALARM PRIVATE CALLERCALLER STATEMENT: ALARMS ARE MALFUNCTIONINGCAD RESPONSE: F2DISPATCH CODE: 52B01 (RESIDENTIAL (SINGLE))SUFFIX: G

								(GENERAL/FIRE)SHORT KEY QUESTIONS: 2. THE CALLER IS ON SCENE (1ST PARTY). 6. A MULTI-STORY STRUCTURE IS INVOLVED: 3 8. IT IS NOT KNOWN WHAT CAUSED THE ALARM. 9. THERE ARE PEOPLE INSIDE. 1. THIS IS A PRIVATE CALLER. 3. IT IS A GENERAL/FIRE ALARM. 4. THE AREA OR ZONE/ROOM ACTIVATED IS: WHOLE HOME 5. NE
2025-02-23 21:05:34	02:42	05:19	108 RUTLEDGE DR	btwn VALLEY DR and WEST DR, 40.495027, -79.897429	FOX	GAS/ODOR - OUTSIDE	F2	Fire ProQA recommends dispatch at this time, CC TEXT: GAS LEAK/ODOR OUTSIDECALLER STATEMENT: SMELL OF NATURAL GAS OUTSIDE FOR THE PAST FEW HOURS CAD RESPONSE: F2DISPATCH CODE: 60B03 (OUTSIDE ODOR (OTHER/UNKNOWN SOURCE))SUFFIX: O (ODOR ONLY)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 4. IT IS NOT KNOWN WHERE THE LEAK IS COMING FROM, BUT THERE IS AN ODOR. 2. THE PROBLEM IS REPORTEDLY OUTSIDE. 3. THE GAS CAN BE SMELLED ONLY. 5. NO ONE IS REPORTEDLY SICK OR INJURED. 6. THE GAS C
2025-02-27 15:06:35	No Data	No Data	46 STATE ROUTE 28 SB	btwn WILLIAM FLYNN HWY RAMP and STATE ROUTE 28 SB RAMP, 40.497256, -79.935846	SHP	CRASH - UNKNOWN INJURIES	F2	Fire ProQA recommends dispatch at this time, CC TEXT: TWO VEHICLES COLLISIONCALLER STATEMENT: 3 VEH ACCIDENT CAD RESPONSE: F2DISPATCH CODE: 77B03 (UNKNOWN SITUATION/OTHER CODES

								NOT APPLICABLE)SHORT KEY QUESTIONS: 1. THE CALLER IS ON SCENE (1ST PARTY). 2. THE INCIDENT INVOLVES TWO VEHICLES. 3. TWO VEHICLES ARE INVOLVED. 4. A PASSENGER CAR IS INVOLVED. 5. THERE ARE NO VEHICLES ON FIRE. 6. THERE IS NO ONE TRAPPED OR PINNED. 7. NO ONE WAS THROWN FROM THE VEHICLE. 8. NO OBVIOUS INJURIES WE
--	--	--	--	--	--	--	--	--

Municipality	Calls
FOX	5
ASP	2
OHA	3
SHP	4
PGH	1
Total	15



FOXWALL
EMERGENCY MEDICAL SERVICE

Foxwall EMS

February 2025

Council EMS Report

Classes & Training



Upcoming Public Classes:

Babysitting @ LAWCC
April 7th 6:30pm

Health Provider CPR @ Foxwall
April 12th 9am

Completed Classes


Girl Scouts Field Trip to Foxwall
February 5th (20 participants)

Adult & Pediatric Life Support
February 10th (24 trained)

Free Public CPR in Aspinwall
March 3rd (3 trained)



February 2025 – Call Volume



Priority	February
E0	13
E1	23
E2	27
E3	10
E4	11
NET	73
STAT Trip	7
Grand Total	164

February 2025 - Dispatched 911 Calls

Municipality	Count
Aspinwall	30
Fox Chapel	25
O'Hara	15
Pittsburgh	7
Indiana	5
Blawnox	3
Springdale	2
Sharpsburg	2
Harmar	1
Shaler	1
Grand Total	91

Where were we called?

Why were we called?

Patient Category	Count
Sick Person	20
Fall Victim	14
Traffic Accident	11
Breathing Problems	9
Unconscious / Fainting	6
Stroke/CVA	6
Other	4
Heart Problems	3
Transfer / Interfacility / Palliative Care	3
Unknown Problems	3
Hemorrhage/Laceration	3
Abdominal Pain	2
Trauma, Adult	1
Chest Pain	1
Ingestion/Poisoning	1
Possible DOA	1
Convulsions / Seizure	1
Cardiac Arrest - Medical	1
Stand By	1
Grand Total	91

February 2025 – Dispatched 911 Calls


Why were we called? (by municipality)

Aspinwall	30	Fox Chapel	25
Fall Victim	6	Fall Victim	6
Traffic Accident	5	Sick Person	6
Sick Person	5	Traffic Accident	5
Breathing Problems	4	Unconscious / Fainting	2
Unconscious / Fainting	3	Unknown Problems	2
Other	2	Trauma, Adult	1
Abdominal Pain	1	Other	1
Possible DOA	1	Breathing Problems	1
Unknown Problems	1	Stand By	1
Hemorrhage/Laceration	1		
Ingestion/Poisoning	1		

Blawnox	3
Breathing Problems	1
Unconscious / Fainting	1
Sick Person	1
Harmar	1
Breathing Problems	1
Indiana	5
Sick Person	2
Stroke/CVA	1
Breathing Problems	1
Heart Problems	1
O'Hara	15
Sick Person	6
Stroke/CVA	2
Fall Victim	2
Cardiac Arrest - Medical	1
Breathing Problems	1
Chest Pain	1
Heart Problems	1
Other	1
Pittsburgh	7
Transfer / Interfacility / Palliative Care	3
Stroke/CVA	3
Abdominal Pain	1
Shaler	1
Hemorrhage/Laceration	1
Sharpsburg	2
Traffic Accident	1
Convulsions / Seizure	1
Springdale	2
Hemorrhage/Laceration	1
Heart Problems	1

Responses Times By Dispatch

Response Time (in minutes) <i>Dispatched to Arrival (On Scene)</i>	Min	Average	Max
Aspinwall	0:03	0:06	0:10
E0	0:04	0:05	0:07
E1	0:06	0:07	0:09
E2	0:03	0:06	0:10
E3	0:06	0:08	0:10
E4	0:06	0:06	0:06
Fox Chapel	0:04	0:08	0:12
E0	0:05	0:06	0:08
E1	0:04	0:08	0:11
E2	0:05	0:06	0:10
E3	0:08	0:10	0:12
E4	0:07	0:08	0:12
Average (Primary Area)		0:07	



Response Time (in minutes) <i>Dispatched to Arrival (On Scene)</i>	Min	Average	Max
Blawnox	0:09	0:09	0:09
E0	0:09	0:09	0:09
Indiana	0:08	0:11	0:14
E0	0:08	0:08	0:08
E1	0:11	0:12	0:14
E2	0:12	0:12	0:12
O'Hara	0:03	0:07	0:16
E0	0:05	0:05	0:05
E1	0:03	0:05	0:09
E2	0:08	0:08	0:08
E4	0:06	0:11	0:16
Pittsburgh	0:05	0:09	0:12
STAT Trip	0:05	0:09	0:12
Sharpsburg	0:11	0:11	0:11
E1	0:11	0:11	0:11
Springdale	0:19	0:19	0:19
E2	0:19	0:19	0:19
Average (Mutual Aid)		0:09	

- E0:** Most critical (i.e., cardiac arrests, significant trauma, etc)
- E1:** Advanced Life Support (ALS) emergency (i.e., strokes, shortness of breath, etc).
- E2:** ALS/BLS emergency (i.e., diabetic issues, fall with injuries., etc.)
- E3:** Basic Life Support Emergency (BLS) (i.e., fall with minor injury)
- E4:** Least critical (i.e., lift assists)



Disposition (Outcomes) - 911

Disposition (Outcome)	Count
Treated, Transported ALS	27
Cancelled	20
Transported	13
Treated, Transported BLS	9
Refused	5
No Patient Found	5
Lift Assist, No Patient Transported	2
Dead at Scene	2
Standby Only	1
Treatment / No Transport	1
Dead at Scene - Resuscitation Attempted	1
Assist EMS Only	1
Patient Refused Care	1
Standby - Fire	1
ALS Assist	1
No Treatment Required	1
Grand Total	91

What were the outcomes of our responses?

Typically billable	49
Sometimes billable	13
Not billable	29

How often is a 911 response compensated?



Questions?

Benjamin Shopland, MHA, NPR, FP-C (he/him)
Chief of EMS

Foxwall Emergency Medical Services

749 Hemlock Hollow Rd.

Pittsburgh, PA 15238

main: (412) 963-6611 ext 1001

cell: (724) 840-9653

shopland@foxwall.org



846 Fourth Avenue, Coraopolis, PA 15108
(412) 264-4400 • (412) 264-1200 Fax

MEMO

TO: Gary J. Koehler, Manager
Borough of Fox Chapel

DATE: March 10, 2025

FROM: Kevin A. Brett, P.E.

S. O. NO.: 424-001

cc:

SUBJECT: **Monthly Engineer’s Report
March 17, 2025 Meeting**

Following is a summary of the engineering work performed.

Roadway and Public Improvement Projects

1. **Contract No. 24-PW1 - Operations Building Solar Panels:** *Borough was awarded \$51,500.00 grant through CFA – Local Share Account. LSSE issued bid report letter dated April 19, 2024. Energy Independent Solutions is the apparent low bidder in the amount of \$70,700.00. LSSE transmitted Partial Payment No. 1 in the amount of \$6,750.00 on November 22, 2024. Work is ongoing, Contractor remobilized at the end of December to complete electrical equipment installation. All work is complete, LSSE sent Partial Payment 2 on February 12, 2025 in the amount of \$35,171.10. LSSE to schedule final walkthrough with Borough.*
2. **2025 Roadway Improvements:** LSSE is preparing final OPC, advertisement, bid documents and specifications. Scope of work is outlined in the following table:

BASE BID		
ROADWAY	FROM	TO
Twin Pine Road	Berkshire Drive	Cul-De-Sac
Twin Pine Court	Twin Pine Road	Cul-De-Sac
Meadowood Drive	Edgewood Road	Cul-De-Sac
Rutledge Drive	Valley Drive	Borough Border
Evergreen Road	Fox Chapel Road	Cul-De-Sac
Nantucket Drive	Fairview Drive	Cul-De-Sac
Settler’s Ridge Road	Dorseyville Road	Cul-De-Sac
Deer Springs Lane	Hemlock Hollow Road	Cul-De-Sac
Poplar Drive	Dorseyville Road	Cul-De-Sac
Trillium Lane	Old Mill Road	Gatehouse
700’ on Old Mill Road		
Long Meadow Drive	Fox Chapel Road	Spring Valley Lane
Long Meadow Drive	Pavement Joint	Pleasant View Lane

ADD ALTERNATE		
ROADWAY	FROM	TO
Woodland Farms Road	Fox Chapel Road	Cul-De-Sac
Woodland Farms Court	Woodland Farms Road	Dead End
Hill N' Dale Trail	Crawford Lane	Old Mill Road

Bids to be opened on April 3, 2025.

3. Hardie Valley Park Storm Water Conceptual Planning: *Presentation to Parks Committee was held April 10, 2023. LSSE confirmed process with dam safety and PaDEP has indicated that the Borough will be required to mitigate any impacts to the stream including inundation by the impoundment. LSSE assisted Borough and submitted CFA-LSA application for a grant request of \$1,000,000.00. Grant awarded in the amount of \$474,170.00. LSSE transmitted PaDEP permitting documents for Borough execution via letter dated May 13, 2024. LSSE submitted NPDES and Joint Permit on January 23, 2025. **ACCD provided review comments on NPDES permit, comments require geotechnical investigation on embankment of improvement.***
4. McCahill Park Improvements: *The stormwater management facilities have been sized to release the 500-year storm event at 80% of the pre-developed conditions. PaDEP issued Chapter 105 Permit on June 9, 2024. LSSE prepared revised grading plan to address site conditions and addition of a 6" underdrain tie in, provided to Contractor on October 28, 2024. Contractor submitted a change order for work completed which is under review by Borough. LSSE transmitted NPDES Permit Amendment to the Borough for execution on December 12, 2024. **LSSE submitted NPDES Permit Amendment on January 14, 2025.***
5. Volunteer Fire Company Station 1 Renovations Contract No. 24-FD1: *LSSE issued bid report dated August 9, 2024 recommending award to FMS Construction Company in the amount of \$567,900.00 (Base Bid and Add Alternate Nos. 1, 2 and 3). LSSE transmitted award letter on August 23, 2024 to FMS Construction, scope as previously recommended in in bid report. LSSE transmitted Change Order No. 1, prepared to adjust the contract amount for costs associated with floor type changes at Room 111 and deduct of Add Alternate No. 3 (-\$1,675.00) to the Borough on November 22, 2024. Construction is ongoing. Work anticipated to be completed by end of December 2024. Progress meeting was held December 19, 2024. Work is ongoing. Completion anticipated in approximately one month. **LSSE transmitted Partial Payment No. 5 (revised) on February 12, 2025. Minor punchlist items remain to be addressed.***
6. Contract No. 24-TS01 2024 - Traffic Signal Improvements: *LSSE transmitted bid report dated August 12, 2024. LSSE transmitted award letter on August 26, 2024 to Traffic Control and Engineering Co. Inc., in the amount of \$489,188.50. Pre-Construction Meeting was scheduled and held September 10, 2024. A field meeting was held for November 14, 2024 to establish the location of poles to be installed. LSSE issued shop drawing letter dated December 31, 2024. LSSE is preparing final ADA ramp designs and coordinating plans with PennDOT.*
7. Dorseyville Fire Station Improvements: *Local Share Account (LSA) Grant Application was submitted November 30, 2024. LSSE transmitted copy of grant application package to the Borough on December 4, 2024. Pending grant determination.*

Municipal Separate Storm Sewer System (MS4)

1. *LSSE uploaded Permit Renewal to DEP on February 6, 2023. 2024 Annual Report has been submitted to PaDEP. PaDEP inspection is anticipated by early 2025. Meeting held with Borough Staff on November 20, 2024 in anticipation of PaDEP inspection. PaDEP issued Draft Permit to the Borough on December 19, 2024. **Final Permit was issued on March 10, 2025.***
2. **Draft General Permit has been issued by DEP and is currently out for review and comment. Comments are due to DEP by March 19, 2025. Draft permit indicates NOI due to DEP September 2026 and Volume Management Plan (VMP) is due September 2028 in draft document. LSSE is reviewing draft permit and will have draft memo of all changes / requirements in the new permit. LSSE to provide memo to Borough. LSSE to submit question to PADEP relative to impact on Individual Permits**
3. **Olde Chapel Trail Stormwater Evaluation: Memo and plan were provided to the Borough.**
4. **PRP Plan:**
 - A. **Stream Restoration (Hemlock Hollow Road):** *Permit has been issued. LSSE assisted the Borough in planting schedule. Borough has completed work on Phase I.*
 - B. **Current PRP Status:** *LSSE issued memo dated May 15, 2023 outlining current status of pollutant reduction plans, and subsequent projects to be completed for Borough compliance to MS4 Permit requirements. LSSE preparing response to PaDEP comments for PRP stream project. PaDEP issued letter on December 19, 2024 acknowledging PRP has been completed in accordance with PRP/Permit requirements.*

Planning Commission Applications

- None this month.

Environmental Advisory Council Applications

- EAC 25-02, 120 West Chapel Ridge: **LSSE issued review letters dated March 3, 2025.**

Stormwater Management Plans

- None this month.

Sanitary Sewers

- LSSE working on Engineering Services relating to the ACO:
 - **O/M and GROW:** *Feasibility Study was submitted to the Health Department prior to July 31, 2013 deadline. LSSE transmitted the Source Flow Reduction Study Report on November 30, 2017. Borough to continue Operation and Maintenance Plan and efforts to remove extraneous water that enters the sanitary sewers.*
 - 2024 O&M CCTV complete, which included 20,000 linear feet of CCTV tributary to Guyasuta Run (ALCOSAN POCA-74A).
 - The 2024 O&M lining is complete which included sanitary sewer lining along Hemlock Hollow Road and Old Mill Road.
 - Lining completed in 2023 and planned lining for 2024 was combined into one GROW Grant LOI that was submitted to ALCOSAN on March 28, 2024. ALCOSAN has accepted the GROW LOI and has invited Fox Chapel to submit a grant application by June 30, 2024. LSSE submitted both GROW Grant applications to ALCOSAN on June 26, 2024. ALCOSAN requested additional information for the GROW Applications. LSSE transmitted letter to ALCOSAN indicating the Borough's intent to submit a GROW application for Cycle 10 for the 2023 Lining Program (excludes 2024 Hemlock Hollow Lining due to post construction flow monitoring costs).
 - Lining completed on Old Mill Road was combined with the Old Mill Road Sanitary Sewer Replacement project for a second GROW Cycle 10 application. LSSE transmitted draft resolution for use in GROW Grant Application to the Borough on November 26, 2024. GROW Grant Application submitted on January 10, 2025.
 - **Phase II COA:** *The Phase II COA was released by ACHD on September 1, 2021. The initial task is the Exhibit 'B' Base Line Due Diligence period, which is due six-months after execution. Remaining tasks for this Order include continued sanitary sewer O&M as well as the continued implementation of the time-of-sale lateral inspection ordinance. The Phase II COA Progress Report was submitted to ACHD on June 24, 2024. **O&M ongoing and Progress Reports due June of each year.***
 - **Sycamore Run Flow Monitor:** **Permanent meter is being monitored and data transmitted to ALCOSAN and utilized in GROW grant applications.**
 - **Other Flow Monitor Installations:** *Flow monitors are currently installed at the Ottawa Hills and Fairview POCs (installed June 21, 2022). Data collection ongoing. LSSE to set up flow data review meeting with Borough to determine next steps. LSSE received DCDBA 2023 flow monitoring data. A memo summarizing flow data collected in 2023 has been drafted. To be reviewed with the Borough in February 2024. LSSE issued 2023 Flow Data Review Memo dated February 28, 2024. On October 8, 2024, LSSE moved the Hemlock monitor to the MM-L-09 site in response to comments from ALCOSAN on the GROW applications. **MM-L-09 is still in and data is being collected for previously submitted GROW Grant applications, this will be a Grow 10 application. Awaiting to hear back from ALCOSAN on additional information submitted.***

- **Interceptor H&H Model Update:** *A Service Order Authorization (SOA) was submitted to the Borough on February 22, 2023 related to updating the hydrologic and hydraulic (H&H) model and sanitary sewer alternatives analysis based on contemporary flow data collected over the past 10 years. Flow data analysis has been initiated. Recalibration and alternatives analysis are complete. **This model was utilized for the Old Mill upgrades, and for GROW Grant Applications. This Model will be utilized for current and future projects.***
- **ALCOSAN Regionalization:** *Interceptor takeover review ongoing in Allegheny County. ALCOSAN considering taking over certain interceptor sewers in the County, approximately 185 miles is being discussed. Meeting with ALCOSAN /AECOM held on Friday, July 7, 2015 to discuss regionalization discussion for multi-municipal sewers. ALCOSAN held a series of regionalization outreach meetings, the last week in September 2018. ALCOSAN hosted a meeting in regards to Regionalization and GROW Grants on October 27, 2021. Issues with the modified transfer agreement were discussed. Potential next step would be to focus on Guyasuta Interceptor agreement first if conflicts regarding park property can be resolved. ALCOSAN met with LSSE to review status of all LSSE clients' interceptor takeovers and provided most recent packet of information for each that has been provided to the Boroughs and Townships. ALCOSAN is aware of the Borough's concerns with the agreement. A meeting to be scheduled to update status with the Solicitor and Borough Staff and then with Council in the summer months. No Change.*
- **Shady Lane / Delafield Stream Removal Project:** *The Army Corp is taking the lead on the project. ALCOSAN and the Army Corp recently executed an agreement to move this project to the design phase. This agreement arranged for ALCOSAN to use a portion of their 25% project match to fund design costs. An A/E Firm was selected but the fees requested were over the amount budgeted. The project is now being considered a separation project. 30% Design Drawings from USACE were provided by ALCOSAN on July 24, 2023. **No Change.***
- **Old Mill Road Sanitary Sewer Replacement Phase I:** *PaDEP issued the WQM Part II Permit (No. 0290405), on February 27, 2024. Work is complete. This project to be submitted for grant funding under GROW Cycle 10. LOI bypass waiver accepted by ALCOSAN. **Grant application submitted.***
- **Old Mill Road Sanitary Sewer Replacement Phase II:** *PaDEP General Permit Nos. 8 and 11 submitted on October 25, 2024 and approved January 17, 2025. **Issued February 14, 2025.***
- **Upper Allegheny Near Surface Facilities Package 6 Project:** *This project includes the design of a consolidation sewer between A-78 and A-72 to tie into the future ALCOSAN Allegheny River Tunnel project, which is a major component of ALCOSAN's Clean Water Plan. Technical meeting with tributary communities to be held March 18, 2024. LSSE provided Sycamore Run flow data to ALCOSAN.*
- **Chapter 94 Report:** *The 2024 Fox Chapel Borough Chapter 94 Report and Municipal Information Request were submitted to ALCOSAN on February 26, 2025.*

- **2024 Sanitary Sewer Repairs which are being completed by Public Works:**
 - Wynnwod Drive: *Plans provided to Borough (no permit required).*
 - Hunt Road Site: *PaDEP GP-3 Permit issued 12/12/24.*
 - Silent Run Road: *PaDEP GP-3 Permit issued on November 8, 2024.*
 - Boy Scout Camp: *PaDEP GP-3 Permit issued on September 26, 2024. **Work complete.***

CONTRACT OPTION NO. 1

VOGEL DISPOSAL SERVICE

Garage Door Collection Service	Unit Cost per Month	Units	Total Cost per Month	Total Cost per Year	
Base Collection Rate March 1, 2026 - Feb. 28, 2027	\$50.83	1938	\$98,508.54	A.	\$1,182,102.48
Base Collection Rate March 1, 2027 - Feb. 29, 2028	\$52.86	1938	\$102,442.68	B.	\$1,229,312.16
Base Collection Rate March 1, 2028 - Feb. 28, 2029	\$54.97	1938	\$106,531.86	C.	\$1,278,382.32
Base Collection Rate March 1, 2029 - Feb. 28, 2030	\$57.16	1938	\$110,776.08	D.	\$1,329,312.96
Base Collection Rate March 1, 2030 - Feb. 28, 2031	\$59.44	1938	\$115,194.72	E.	\$1,382,336.64
OPTION YEARS					
Base Collection Rate March 1, 2031 - Feb. 29, 2032	\$61.81	1938	\$119,787.78	F.	\$1,437,453.36
Base Collection Rate March 1, 2032 - Feb. 28, 2033	\$64.28	1938	\$124,574.64	G.	\$1,494,895.68
A+B+C+D+E Total Base Collection Rate 2026 - 2031				H.	\$6,401,446.56
F+G Total Base Collection Rate 2031 - 2033				I.	\$2,932,349.04
H+I Total Collection Rate				J.	\$9,333,795.60

COUNTY HAULING

Garage Door Collection Service	Unit Cost per Month	Units	Total Cost per Month	Total Cost per Year	
Base Collection Rate March 1, 2026 - Feb. 28, 2027	\$52.75	1938	\$102,229.50	A.	\$1,226,754.00
Base Collection Rate March 1, 2027 - Feb. 29, 2028	\$54.86	1938	\$106,318.68	B.	\$1,275,824.16
Base Collection Rate March 1, 2028 - Feb. 28, 2029	\$57.05	1938	\$110,562.90	C.	\$1,326,754.80
Base Collection Rate March 1, 2029 - Feb. 28, 2030	\$59.33	1938	\$114,981.54	D.	\$1,379,778.48
Base Collection Rate March 1, 2030 - Feb. 28, 2031	\$61.70	1938	\$119,574.60	E.	\$1,434,895.20
OPTION YEARS					
Base Collection Rate March 1, 2031 - Feb. 29, 2032	\$64.17	1938	\$124,361.46	F.	\$1,492,337.52
Base Collection Rate March 1, 2032 - Feb. 28, 2033	\$66.74	1938	\$129,342.12	G.	\$1,552,105.44
A+B+C+D+E Total Base Collection Rate 2026 - 2031				H.	\$6,644,006.64
F+G Total Base Collection Rate 2031 - 2033				I.	\$3,044,442.96
H+I Total Collection Rate				J.	\$9,688,449.60

CONTRACT OPTION NO. 2

VOGEL DISPOSAL SERVICE

Curbside Collection Service	Unit Cost per Month	Units	Total Cost per Month	Total Cost per Year	
Base Collection Rate March 1, 2026 - Feb. 28, 2027	\$48.67	1938	\$94,322.46	A.	\$1,131,869.52
Base Collection Rate March 1, 2027 - Feb. 29, 2028	\$50.61	1938	\$89,082.18	B.	\$1,176,986.16
Base Collection Rate March 1, 2028 - Feb. 28, 2029	\$52.63	1938	\$101,996.94	C.	\$1,223,963.28
Base Collection Rate March 1, 2029 - Feb. 28, 2030	\$54.73	1938	\$106,066.74	D.	\$1,272,800.88
Base Collection Rate March 1, 2030 - Feb. 28, 2031	\$56.91	1938	\$110,291.58	E.	\$1,323,498.96
OPTION YEARS					
Base Collection Rate March 1, 2031 - Feb. 29, 2032	\$59.18	1938	\$114,690.84	F.	\$1,376,290.08
Base Collection Rate March 1, 2032 - Feb. 28, 2033	\$61.54	1938	\$119,264.52	G.	\$1,431,174.24
A+B+C+D+E Total Base Collection Rate 2026 - 2031				H.	\$6,129,118.80
F+G Total Base Collection Rate 2031 - 2033				I.	\$2,807,464.32
H+I Total Collection Rate				J.	\$8,936,583.12

COUNTY HAULING

Curbside Collection Service	Unit Cost per Month	Units	Total Cost per Month	Total Cost per Year	
Base Collection Rate March 1, 2026 - Feb. 28, 2027	NO BID	1938		A.	
Base Collection Rate March 1, 2027 - Feb. 29, 2028		1938		B.	
Base Collection Rate March 1, 2028 - Feb. 28, 2029		1938		C.	
Base Collection Rate March 1, 2029 - Feb. 28, 2030		1938		D.	
Base Collection Rate March 1, 2030 - Feb. 28, 2031		1938		E.	
OPTION YEARS					
Base Collection Rate March 1, 2031 - Feb. 29, 2032		1938		F.	
Base Collection Rate March 1, 2032 - Feb. 28, 2033		1938		G.	
A+B+C+D+E Total Base Collection Rate 2026 - 2031				H.	
F+G Total Base Collection Rate 2031 - 2033				I.	
H+I Total Collection Rate				J.	

CONTRACT OPTION NO. 2 OPTIONAL GARAGE DOOR SERVICE

VOGEL DISPOSAL SERVICE

Optional Garage Door Service	Unit Cost per Month	Units	Total Cost per Month		Total Cost per Year
Garage Door Pickup Rate March 1, 2026 - Feb. 28, 2027	\$15.00	775	\$11,625.00	K.	\$139,500.00
Garage Door Pickup Rate March 1, 2027 - Feb. 29, 2028	\$15.60	775	\$12,090.00	L.	\$145,080.00
Garage Door Pickup Rate March 1, 2028 - Feb. 28, 2029	\$16.22	775	\$12,570.50	M.	\$150,846.00
Garage Door Pickup Rate March 1, 2029 - Feb. 28, 2030	\$16.87	775	\$13,074.25	N.	\$156,891.00
Garage Door Pickup Rate March 1, 2030 - Feb. 28, 2031	\$17.54	775	\$13,593.50	O.	\$163,122.00
OPTION YEARS					
Garage Door Pickup Rate March 1, 2031 - Feb. 29, 2032	\$18.24	775	\$14,136.00	P.	\$169,632.00
Garage Door Pickup Rate March 1, 2032 - Feb. 28, 2033	\$18.97	775	\$14,701.75	Q.	\$176,421.00
K+L+M+N+O Total Base Collection Rate 2026 - 2031				R.	\$755,439.00
P+Q Total Base Collection Rate 2031 - 2033				S.	\$346,053.00
R+S Total Collection Rate				T.	\$1,101,492.00

COUNTY HAULING

Optional Garage Door Service	Unit Cost per Month	Units	Total Cost per Month		Total Cost per Year
Garage Door Pickup Rate March 1, 2026 - Feb. 28, 2027		775		K.	
Garage Door Pickup Rate March 1, 2027 - Feb. 29, 2028		775		L.	
Garage Door Pickup Rate March 1, 2028 - Feb. 28, 2029		775		M.	
Garage Door Pickup Rate March 1, 2029 - Feb. 28, 2030		775		N.	
Garage Door Pickup Rate March 1, 2030 - Feb. 28, 2031		775		O.	
OPTION YEARS					
Garage Door Pickup Rate March 1, 2031 - Feb. 29, 2032		775		P.	
Garage Door Pickup Rate March 1, 2032 - Feb. 28, 2033		775		Q.	
K+L+M+N+O Total Base Collection Rate 2026 - 2031				R.	
P+Q Total Base Collection Rate 2031 - 2033				S.	
R+S Total Collection Rate				T.	

CONTRACT OPTION NO. 2 OPTIONAL ADDITIONAL CONTAINER FEE

VOGEL DISPOSAL SERVICE

Optional Additional Container Fee	Unit Cost per Month	Units	Total Cost per Month		Total Cost per Year
Optional Additional Container Fee March 1, 2026 - Feb. 28, 2027	\$96.00	775	\$5,120.00	U.	\$61,440.00
Optional Additional Container Fee March 1, 2027 - Feb. 29, 2028	\$96.00	775	\$5,120.00	V.	\$61,440.00
Optional Additional Container Fee March 1, 2028 - Feb. 28, 2029	\$96.00	775	\$5,120.00	W.	\$61,440.00
Optional Additional Container Fee March 1, 2029 - Feb. 28, 2030	\$96.00	775	\$5,120.00	X.	\$61,440.00
Optional Additional Container Fee March 1, 2030 - Feb. 28, 2031	\$96.00	775	\$5,120.00	Y.	\$61,440.00
OPTION YEARS					
Optional Additional Container Fee March 1, 2031 - Feb. 29, 2032	\$120.00	775	\$6,400.00	Z.	\$76,800.00
Optional Additional Container Fee March 1, 2032 - Feb. 28, 2033	\$120.00	775	\$6,400.00	Z1.	\$76,800.00
U+V+W+X+Y Total Base Collection Rate 2026 - 2031				Z2.	\$307,200.00
Z+Z1 Total Base Collection Rate 2031 - 2033				Z3.	\$153,600.00
Z2+Z3 Total Collection Rate				Z4.	\$460,800.00

COUNTY HAULING

Optional Additional Container Fee Service	Unit Cost per Month	Units	Total Cost per Month		Total Cost per Year
Optional Additional Container Fee March 1, 2026 - Feb. 28, 2027		775		U.	
Optional Additional Container Fee March 1, 2027 - Feb. 29, 2028		775		V.	
Optional Additional Container Fee March 1, 2028 - Feb. 28, 2029		775		W.	
Optional Additional Container Fee March 1, 2029 - Feb. 28, 2030		775		X.	
Optional Additional Container Fee March 1, 2030 - Feb. 28, 2031		775		Y.	
OPTION YEARS					
Optional Additional Container Fee March 1, 2031 - Feb. 29, 2032		775		Z.	
Optional Additional Container Fee March 1, 2032 - Feb. 28, 2033		775		Z1.	
U+V+W+X+Y Total Base Collection Rate 2026 - 2031				Z2.	
Z+Z1 Total Base Collection Rate 2031 - 2033				Z3.	
Z2+Z3 Total Collection Rate				Z4.	



**Residential Municipal Waste & Recycling Collection Bid Opening
Wednesday, March 5, 2025, at 11 a.m.**

PRESENT: Gary J. Koehler, Borough Manager; Frederick C. Leech, Councilperson; Shawn M. Peterson, Borough Secretary; Kelsey Mersing, Administrative Assistant

ALSO

PRESENT: Austin Vogel, David Rossman, Vogel Disposal Service; Michael Liscinski, County Hauling; Andrew Davis, Big's Sanitation (*Mr. Davis arrived at 11:15 a.m.*)

At 11 a.m., Gary Koehler thanked those from Vogel Disposal Service and County Hauling for submitting their bids. Mr. Koehler began reading Vogel Disposal Service's bid information to the group.

Once Mr. Koehler finished with Vogel's information, he read the County Hauling bid information. He then told the two haulers that the information would be forwarded to Philip Weis, the attorney hired by the Borough to assist with the refuse contract, to ensure that both companies provided all the requested documentation.

At 11:15 a.m., Andrew Davis, from Big's Sanitation, arrived with his bid information. Mr. Koehler explained that since the bids were due at 11 a.m., and the two bids that were received had been read, he could not accept the bid from Big's Sanitation. Mr. Koehler stated again that the information would be forwarded to Mr. Weis for review and that Borough Council will decide to accept or reject the bids at the March 17 or April 21, 2025, Council meeting.

Mr. Koehler thanked the haulers, and the bid opening ended at 11:18 a.m.

(Attached is the Bid Tab as read.)

SHAWN M. PETERSON
Borough Secretary

Information for Council

CURRENT BOROUGH CONTRACT: For Garage Door Service from March 1, 2025, through February 28, 2026, the Borough pays \$39.64 per unit per month, \$76,743.04 per month, and \$920,916.48 for the year.

NHCOG 2026 CONTRACT:

- Limited (curbside): \$39.51
- Backyard: \$65.42 (*An individual location at which the Contractor must walk or drive a distance no more than 150 feet beyond the curbside to retrieve material for collection.*)
- Drive-in: \$73.18 (*This shall mean service at a private drive at which the Contractor must walk or drive more than 150 feet from the curb to retrieve material for collection.*)

APPARENT LOW BIDDER: VOGEL DISPOSAL SERVICE OPTION 1 GARAGE DOOR SERVICE

For Garage Door Service from March 1, 2026, through February 28, 2027, the cost is \$50.83 per unit per month, \$98,508.54 per month, and \$1,182,102.48 for the year.

OPTION NO. 2 CURBSIDE SERVICE

For Curbside Collection Service from March 1, 2026, through February 28, 2027, the cost is \$48.67 per unit per month, \$94,322.46 per month, and \$1,131,869.52 for the year.

Vogel



DISPOSAL SERVICE, INC.

Phone: (724) 625-1511
Fax: (724) 625-3750
121 Brickyard Road
Mars, PA 16046

www.vogeldisposal.com

Fox Chapel Borough
401 Fox Chapel Road
Pittsburgh, PA 15238

March 11, 2025

Dear Fox Chapel Borough,

Due to a mistaking in adding the total price columns, below are the correct amounts for pages 94 and 95 of the bid packet pricing.

Page 94 the amount of \$13,286,004.36 was submitted. **The correct amount is \$7,191,757.00**

Page 95 the amount of \$19,832,670.72 was submitted. **The correct amount is \$10,498,875.10.**

Please accept this letter as our apology for the error on our end when adding up the columns and in accepting the correct total pricing listed about. If you need anything else to rectify this error please do not hesitate to contact us and we will get you the information that you need.


We look forward to serving the Fox Chapel Borough for the next contract and keep this wonderful work relationship going.

Thank you,

Douglas Vogel
Vice - President



This Month	This Year	Lifetime
5.12 MWh	6.93 MWh	291 MWh
\$565.29	\$765.37	\$32,115.32



Environmental Benefits

CO2 Emission Saved	Equivalent Trees Planted
451,139.1...	3,409



Fox Chapel Annual Tonnage Report - 2025

Month/ Quarter	Commercial Recycling	Residential Recycling	Recycling Totals	Solid Waste Commercial	Solid Waste Residential	Solid Waste Totals
January	0.2	35.6	35.8	15.5	119.8	135.3
February	0.1	26.6	26.7	3.7	108.6	112.3
March	0.0	0.0	0.0	0.0	0.0	0.0
Total 1QTR	0.3	62.2	62.5	19.2	228.4	247.6
April	0.0	0.0	0.0	0.0	0.0	0.0
May	0.0	0.0	0.0	0.0	0.0	0.0
June	0.0	0.0	0.0	0.0	0.0	0.0
Total 2QTR	0.0	0.0	0.0	0.0	0.0	0.0
July	0.0	0.0	0.0	0.0	0.0	0.0
August	0.0	0.0	0.0	0.0	0.0	0.0
September	0.0	0.0	0.0	0.0	0.0	0.0
Total 3QTR	0.0	0.0	0.0	0.0	0.0	0.0
October	0.0	0.0	0.0	0.0	0.0	0.0
November	0.0	0.0	0.0	0.0	0.0	0.0
December	0.0	0.0	0.0	0.0	0.0	0.0
Total 4QTR	0.0	0.0	0.0	0.0	0.0	0.0
TOTALS	0.3	62.2	62.5	19.2	228.4	247.6

No residue has been removed from the tonnage reported

Report Prepared By:
Marcí Martínez
marcis@senecalandfill.com
 Phone: (724) 625-9000